

Project Documentation format

Milestone 1: Service Catalog Configuration

Activity 1: Create the Network Request Catalog Item

- Navigated to **Service Catalog > Catalog Definitions > Maintain Items** in ServiceNow.
- Created a new catalog item named **Network Request**.
- Configured the basic details, including the item name and short description.
- Assigned the catalog item to the appropriate service catalog.
- Saved the catalog item to make it available for further configuration.
- Verified that the catalog item was successfully created and ready for adding variables and workflow automation.

The screenshot shows the 'Catalog Item' form for 'Network Request'. The form is titled 'Catalog Item' and 'Network Request'. It includes a header with 'Copy', 'Try It', 'Update', 'Edit in Catalog Builder', and 'Delete' buttons. Below the header, there is a blue box with instructions: 'Catalog items are goods or services available to order from the service catalog. Items can be anything from hardware, like tablets and phones, to software applications, to furniture and office supplies. Enter a Name and Short description to display for the item. Enter a Price, approvals, variables, and other information as needed.' The form fields include: 'Name' (Network Request), 'Application' (Global), 'Active' (checked), 'Fulfillment automation level' (Unspecified), 'Category' (Network), 'State' (-- None --), 'Checked out' (-- None --), 'Owner' (System Administrator), and 'Secondary owners'. Below the form fields, there are tabs for 'Item Details', 'Process Engine', 'Picture', 'Pricing', and 'Portal Settings'. The 'Item Details' tab is selected, showing a 'Short description' (Network Services Request) and a 'Description' field with a rich text editor.

Activity 2: Define the Request Categories

- Assigned the **Network Request** catalog item to the appropriate service category.
- Organized the catalog for easy navigation in the Service Portal.
- Verified that the catalog item appeared under the selected category.

The screenshot shows the 'Category' form for 'Network'. The form is titled 'Category' and 'Network'. It includes a header with 'Update' and 'Delete' buttons. Below the header, there is a form with fields: 'Title' (Network), 'Application' (Global), 'Active' (checked), 'Catalog' (Service Catalog), 'Location', 'Parent', and 'Description' (The various network services). Below the form fields, there are links for 'Desktop image' (Click to add...) and 'Header icon' (Click to add...). At the bottom, there are 'Update' and 'Delete' buttons.


Activity 3: Configure the Catalog Description and Accessibility

- Added a clear **short description** explaining the purpose of the Network Request catalog item.
- Configured the catalog item to be accessible through the Service Portal.
- Verified that users could view and access the catalog item.
- Saved the configuration.

The screenshot shows the configuration page for a catalog item named 'Network Request'. The 'Name' field is set to 'Network Request'. The 'Application' is set to 'Global'. The 'Catalogs' path is 'Service Catalog' > 'Network'. The 'State' and 'Checked out' dropdowns are set to '-- None --'. The 'Owner' is 'System Administrator'. The 'Active' checkbox is checked. The 'Fulfillment automation level' is set to 'Unspecified'. Below the configuration fields, there are tabs for 'Item Details', 'Process Engine', 'Picture', 'Pricing', and 'Portal Settings'. The 'Item Details' tab is active, showing a 'Short description' field with the text 'Network Services Request' and a rich text editor for the 'Description'.

Activity 4: Verify the Catalog Item in the Service Portal

- Opened the **Service Portal** to verify the **Network Request** catalog item.
- Confirmed that the catalog item was displayed correctly under the assigned category.
- Verified that users could access and open the request form successfully.



Activity 5: Prepare the Catalog Item for Variable Configuration

- Verified that the catalog item was successfully configured.
- Ensured the catalog item was ready for adding variables and variable sets.
- Completed the initial catalog setup for the next development phase.

Catalog Items

Name

Search

Actions on selected rows...

New

All > Type != Bundle > Class != Order guide > Type != Package > Class != Content Item > Published item is empty > Name == network

Q

Name

Short description

Active

Roles

Catalogs

Category

Price

Type

Updated

Search

Search

Search

Search

Search

Search

Search

!=Package

Search

Network Request

Network Services Request

true

Service Catalog

Network

\$200.00

Item

2026-06-29 07:09:01

New Email Account

New Email Creation

true

Service Catalog

Top Requests

\$0.00

Item

2022-11-20 20:46:33

Milestone 2: Variables Configuration

Activity 1: Create Choice Variables

- Created the Connection Type choice variable with options New, Relocation, and None.
- Created the Device Type choice variable with options Laptop, Mobile, and Others.
- Configured the choice values to ensure standardized user input.
- Verified that both variables were displayed correctly in the catalog item.

Variable

Types of Devices

Copy

Update

Delete

↑

↓

Application

Global

ⓘ

Type

Select Box

▼

Catalog item

Network Request

🔍

ⓘ

Order

100

Active

☒

Mandatory

☐

Read only

☐

Hidden

☐

Disable automatic slot fill based on user context

☐

Question

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

Specify the Question that explains the options available to the end user when ordering the item

* Question

Types of Devices

* Name

device_type

Conversational label

Tooltip

Variable

Types of Devices

Copy

Update

Delete

↑

↓

* Name

device_type

Conversational label

Tooltip

Copy

Update

Delete

Related Links

[Run Point Scan](#)
[\[SN Utils\] Versions \[2\]](#)

Question Choices

Order

Search

ⓘ

🔍

📄

⌵

Actions on selected rows...

New

Question = Types of Devices

Text

Value

Order

Inactive

Mobile

mobile

100

false

Laptop

laptop

100

false

Others

others

100

false

+

Insert a new row...

Variable: Is this a New connection or Relocation?

Application: Global | Type: Multiple Choice | Catalog Item: Network Request | Order: 970

Active: ☒ | Mandatory: ☐ | Read only: ☐ | Hidden: ☐ | Disable automatic slot fill based on user context: ☐

Specify the Question that explains the options available to the end user when ordering the item

* Question: Is this a New connection or Relocation?

* Name: connection_type

Conversational label:

Tooltip:

Copy Update Delete

Related Links

[Run Point Scan](#)

[\[SN Utils\] Versions \[2\]](#)

Question Choices

Text	Value	Order	Inactive
New	new	100	false
Relocation	relocation	100	false
None	none	100	false

1 to 3 of 3

Activity 2: Create Input Variables

- Created input variables to collect requester and network request details.
- Configured variables such as Address, Relocation Address, Device Details, Additional Information, User Name, Email ID, Phone Number, Opened on behalf of, and Proof of Document.
- Assigned the appropriate variable types (String, Reference, and Attachment) based on the required input.

Catalog Item: Network Request

Assigned Topics

Type	Question	Order
Select Box	Types of Devices	100
Single Line Text	Provide device details here	200
Single Line Text	If anything else, please specify	300
Reference	Opened on behalf of	400
Single Line Text	User Name	500
Single Line Text	Email Id	600
Single Line Text	Phone Number	700
Single Line Text	Please provide address here	800
Single Line Text	Proof of Document	900
Single Line Text	If this is a relocation, Please provide ...	950
Multiple Choice	Is this a New connection or Relocation?	970

Activity 3: Verify the Variables in the Catalog Item and create Table

- Verified that all configured variables were displayed correctly in the **Network Request** catalog item.
- Checked the variable order, labels, and input types for accuracy.
- Confirmed that the form was ready for implementing UI policies and workflow automation.
- Create Network Database table as well

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label: Application:
* Name: Remote Table: ☐

Column label	Type	Reference	Max length	Default value	Display
Customer Document	String	(empty)	40		false
Requested For	String	(empty)	40		false
Created	Date/Time	(empty)	40		false
Created by	String	(empty)	40		false
Email	String	(empty)	40		false
Additional Notes	String	(empty)	40		false
Relocation Address	String	(empty)	40		false
Updates	Integer	(empty)	40		false
Phone Number	Phone Number (E164)	(empty)	40		false
Assigned to	Reference	User	32		false
Date of Enquiry	String	(empty)	40		false
Approval Status	Choice	(empty)	255		false
State	Choice	(empty)	255		false
Customer Address	String	(empty)	40		false
Request Number	String	(empty)	40		false
User Name	String	(empty)	40		false
Device Details	String	(empty)	40		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Device Type	Choice	(empty)	255		false

Milestone 3: Form Automation and Workflow Development

Activity 1: Configure UI Policy and Client Script

- Created a UI Policy to display the Relocation Address field only when Relocation is selected.
- Configured a Client Script to auto-populate the User Name, Email ID, and Phone Number based on the Opened on behalf of field.
- Verified the dynamic behavior of the form during request submission.

Catalog UI Policy
Show Relocation Address

Catalog UI policies are similar to standard UI policies. Catalog UI policies dynamically change variables that are part of a catalog item or change how variable sets are handled. Policies can also be applied when the variables are present in a Requested Item or Catalog Task form. [More Info](#)

Applies to: Application:

* Catalog item:

* Short description:

Active: ☒

When to Apply | **Script**

Catalog UI policy actions are applied only if all the following conditions are met:

1. The catalog UI policy is **Active**
2. The items in the **Conditions** field evaluate to true
3. The field specified in the catalog UI policy is present on the specified catalog item

Catalog Conditions:

is

AND OR

Applies on a Catalog Item view: ☒

Applies on Catalog Tasks: ☐

Applies on Requested Items: ☐

Apply the catalog UI policy actions when the form is loaded or when the user changes values on the form

On load: ☒

Catalog UI Policy Actions | Order | Search

UI policy = Show Relocation Address

☐	Q	Name	Read only	Mandatory	Visible	Order
☐		relocation_address	Leave alone	False	False	100
☐		relocation_address	Leave alone	True	True	100

Client Script:

Catalog Client Scripts
Auto-populate Requester Info

Name: Application:

Applies to: Type:

Active: ☒ Catalog item:

UI Type: Variable name:

Applies on a Catalog Item view: ☒

Applies on Requested Items: ☐

Applies on Catalog Tasks: ☐

Script



```

1 function onChange(control, oldValue, newValue, isLoading) {
2   // If the form is loading or the "opened on behalf of" field is cleared, do nothing
3   if (isLoading || newValue == '') {
4     // clear fields if the reference is emptied out manually by the user
5     if (newValue == '') {
6       g_form.setValue('user_name', '');
7       g_form.setValue('email_id', '');
8       g_form.setValue('phone_number', '');
9     }
10    return;
11  }
12
13  // Asynchronously fetch the user record from the sys_user table
14  g_form.getReference('opened_on_behalf_of', function(userRecord) {

```

Activity 2: Develop the Flow Designer Workflow


- Created the **Network Request Approval Flow** using **Flow Designer**.
- Configured the workflow to retrieve catalog variables, create records, and automate the approval process.
- Added decision logic to handle both approval and rejection scenarios.



Activity 3: Verify Workflow Execution and Record Creation

- Executed the workflow by submitting a sample **Network Request**.
- Verified the approval flow and record creation in the **u_network_database** table.
- Confirmed that the workflow executed according to the configured logic.

Network Databases							Search	Actions on selected rows...		New
All	User Name	Email	Customer Address	Device Details	Device Type	Requested For	Request Type			
☐	Aileen Mottern	aileen.mottern@example.com	789 IT Park, Hyderabad, India	2 Printers (HP LaserJet Pro MFP M428fdw)		71826bf03710200044e0bfc8bcbe5d3b	relocation			
2026-06-28 22:54:31							aileen.mottern@example.com	Network Request Submitted - Your request has been received		send-ready SMTP



Milestone 4: Testing and Validation

Objective: Verify that the complete network request workflow functions correctly.

Activities

- Activity 1: Test the Catalog Item and Form Submission.
- Activity 2: Validate the Workflow Execution.
- Activity 3: Verify Data Accuracy and Resolve Issues.

A screenshot of a web application interface for a 'Network Request' form. The top navigation bar shows 'Home > All Catalogs > Service Catalog > Network > Network Request'. A search bar is on the right. The main form is titled 'Network Request' and 'Network Services Request'. It has several sections: 'Types of Devices' with a dropdown menu showing 'Others'; 'Provide device details here' with a text input field containing 'Network Switch- Cisco Catalyst 9200, 24-Port Gigabit Switch, Serial No: CAT9200-12345'; 'If anything else, please specify' with a text input field containing 'Configure VLANs for Finance, HR, and Operations departments'; 'Opened on behalf of' with a dropdown menu; and 'User Name' with a text input field. On the right side, there is a sidebar with 'Quantity' (1), 'Price: \$200.00 + \$10.00 Annually', 'Delivery Time: 0 Days', and buttons for 'Add to Cart', 'Save as Draft', and 'Order Now'.

abraham.lincoln@example.com

Phone Number

(555) 555-0004

Please provide address here

123, Pink City, Mumbai

Proof of Document

Attached Below

Is this a New connection or Relocation?

☒ None
☐ New
☐ Relocation

Add attachments

[Choose a file](#) or drag it here.
Copy and paste clipboard files here.

Quantity: 1

Price: \$200.00 + \$10.00 Annually

Delivery Time: 0 Days

Add to Cart

Save as Draft

Order Now

Activity 2: Validate the Workflow Execution

- Verified that the **Flow Designer** workflow was triggered after request submission.
- Checked the approval process and workflow execution.
- Confirmed that the configured flow logic executed correctly.

Home > Request Summary - REQ0010013

Search Catalog

Submitted : 2026-06-29 08:08:42
Request Number : **REQ0010013**
Estimated Delivery : 2026-06-29


Item	Delivery Date	Stage	Price (each)	Quantity	Total
Network Request	2026-06-29		\$200.00 + \$10.00 Annually	1	\$200.00 + \$10.00 Annually

Total: \$200.0
+ \$10.00 Annual

Network Databases									
User Name Search									
All	User Name	Email	Customer Address	Device Details	Device Type	Requested For	Request Type	Approval Status	State
	Abraham Lincoln	abraham.lincoln@example.com	123, Pink City, Mumbai	Network Switch- Cisco Catalyst 9200, 24-		a8f98bb0eb32010045e1a5115206fe3a		requested	System Administrator requested to approv...
	2026-06-29 08:08:43	abraham.lincoln@example.com	Network Request Submitted - Your request has been received				send-ready	SMTP	(empty)
	2026-06-29 08:08:53	admin@example.com	Request REQ0010013 was created				send-ready	SMTP	(empty)
	2026-06-29 08:08:53	admin@example.com	Request REQ0010013 was approved				send-ready	SMTP	(empty)

Activity 3: Verify Data Accuracy and Resolve Issues

- Verified that request details were stored correctly in the u_network_database table.
- Checked email notifications and approval status updates.
- Identified and resolved issues encountered during testing.



Conclusion

- Successfully developed an automated **Network Request Approval System** using the ServiceNow platform.
- Implemented the Service Catalog, variables, UI Policy, Client Script, and Flow Designer workflow.
- Automated the request approval process, email notifications, and record creation in the **u_network_database** table.
- Improved the efficiency of handling network requests by reducing manual effort and ensuring a standardized approval process.
- Validated the overall functionality through testing and documented the implementation for future enhancements.