23/9/26

Exp-3 Packet Tracer tool installation and User Interface.

Aim

To Study the packet Tracer tool installation and user Interface overview

Procedure


1. From the network component box, click and drag and drop the below component:
   a) 4 Generic PCs and one HUB
   b) 4 Generic PCs and one Switch


2. Click on connections:
   a) click on copper Straight through Cable.
   b) Select one of the PC and connect it to HUB using the cable. The Link LED Should glow in green Indicating that the Link is up.

3. Click on the PCs connected to the Hub, go to the Desktop tab, click on Ip configuration and enter an Ip configuration and enter an Ip address and Subnet mask

   Click on the PDU (message icon) from the common tool bar.

   a) Drag & Drop it on one of the PC (Source machine) and drop it on another PC (destination machine) connected to the HUB.




Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
PC-PT PC3
Hub-PT Hub0
PC-PT PC1
PC-PT PC2
PC-PT PC4
PC-PT PC5
2960-24TT Switch1
PC-PT PC6
PC-PT PC7


4. Observe the flow of PDU from source PC to destination PC by selecting the Realtime mode of Simulation

5. Repeat Step 3 to Step 5 for the PCs connected to the Switch.

6. Observe how HUB & Switch are forwarding the PDU and write your observation and conclusion about the behaviours of Switch & HUB.

Result:

Thus, the study of packet tracer tool installation and user interface overview was successfully implemented.


PC1
Physical
Config
Desktop
Programming
Attributes
IP Configuration
Interface
FastEthernet0
IP Configuration
DHCP
Static
IPv4 Address
10.1.1.1
Subnet Mask
255.0.0.0
Default Gateway
0.0.0.0
DNS Server
0.0.0.0
IPv6 Configuration
Automatic
Static
IPv6 Address
Link Local Address
FE80::2D0:FFFF:FED4:60E4
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication
PAP
Username
Password