Model Development Phase Template

Date	15 March 2024
Team ID	739666
Project Title	Student Adaptability Level of Online Education
Maximum Marks	**10 Marks**

Initial Model Training Code, Model Validation and Evaluation Report

```
[25]: rf = RandomForestClassifier()
rf.fit(X_train,y_train)
y_predict = rf.predict(X_test)
print('confusion matrix:')
print(confusion_matrix(y_predict,y_test))
print()
print('classification report:')
print(classification_report(y_predict,y_test))
```

```
confusion matrix:
[[ 15   2   0]
 [  0  97   8]
 [  8   4 107]]

classification report:
              precision    recall  f1-score   support

           0       0.65      0.88      0.75        17
           1       0.94      0.92      0.93       105
           2       0.93      0.90      0.91       119

    accuracy                           0.91       241
   macro avg       0.84      0.90      0.87       241
weighted avg       0.92      0.91      0.91       241
```

```
[22]: from sklearn.metrics import classification_report
print(classification_report(Y_test,predictions_2))
```

```
              precision    recall  f1-score   support

           0       0.88      0.65      0.75        23
           1       0.93      0.94      0.94       103
           2       0.90      0.94      0.92       115

    accuracy                           0.91       241
   macro avg       0.91      0.84      0.87       241
weighted avg       0.91      0.91      0.91       241
```

```
[23]: from sklearn.metrics import accuracy_score
print("Accuracy_test:",accuracy_score(predictions_2,Y_test))
print("Accuracy_train:",accuracy_score(pred_train2,Y_train))
```

```
Accuracy_test: 0.9128630705394191
Accuracy_train: 0.9346473029045643
```

Initial Model Training Code (5 marks):

```
### Train Test Split
from sklearn.model_selection import train_test_split
X_train,X_test,y_train,y_test = train_test_split(X,y,test_size=0.2,random_state=42)
```

Building a model

```
#### Model selection
from sklearn.linear_model import LogisticRegression
from sklearn.svm import SVC
from sklearn.tree import DecisionTreeClassifier
from sklearn.ensemble import RandomForestClassifier,AdaBoostClassifier
from sklearn.neighbors import KNeighborsClassifier
from sklearn.model_selection import cross_val_score
from sklearn.metrics import confusion_matrix,classification_report

models = {'LogisticRegression':LogisticRegression(),
          'svm':SVC(),
          'DecsionTree':DecisionTreeClassifier(),
          'RadomForestClassier':RandomForestClassifier()}
```

```
for i in range(len(models)):
    model =list(models.values())[i]
    model.fit(X_train,y_train)
    print(list(models.keys())[i]+' score: ',model.score(X_test,y_test))
    cros_score = cross_val_score(model,X_train,y_train,cv=5)
    print(list(models.keys())[i]+' Cross_Val :',list(cros_score))
    print('mean : ',np.mean(cros_score))
    print('__'*40)
```

```
LogisticRegression score:  0.6887966804979253
LogisticRegression Cross_Val : [0.7409326424870466, 0.6994818652849741, 0.6839378238341969, 0.6321243523316062, 0.65625]
mean :  0.6825453367875648
--------------------------------------------------------------------------------
svm score:  0.7717842323651453
svm Cross_Val : [0.7875647668393783, 0.7512953367875648, 0.7305699481865285, 0.6787564766839378, 0.6927083333333334]
mean :  0.7281789723661485
--------------------------------------------------------------------------------
DecsionTree score:  0.9087136929460581
DecsionTree Cross_Val : [0.8704663212435233, 0.927461139896373, 0.9222797927461139, 0.8911917098445595, 0.9114583333333334]
mean :  0.9045714594127807
```

Model Validation and Evaluation Report (5 marks):

Model	Summary	Training and Validation Performance Metrics
Random Forest Classification	A function named random forest regressor is created and train and test data are passed as the parameters, inside the function, random forest regressor is initialized and training data is passed to the model with the .fit() function. Test data is predicted with .predict () function and saved in a new variable. For evaluating the model with R2_score.	

Random Forest

```
rf = RandomForestClassifier()
rf.fit(X_train,y_train)
y_predict = rf.predict(X_test)
print('confusion matrix:')
print(confusion_matrix(y_predict,y_test))
print()
print('classification report:')
print(classification_report(y_predict,y_test))
```

```
confusion matrix:
[[ 15   2   0]
 [  0  97   8]
 [  0   4 107]]

classification report:
              precision    recall  f1-score   support

           0       0.88      0.88      0.88        17
           1       0.94      0.92      0.93       105
           2       0.93      0.96      0.94       119

    accuracy                           0.93       241
   macro avg       0.94      0.92      0.92       241
weighted avg       0.93      0.93      0.93       241
```

Decision Tree Classification	A function named decision tree regressor is created and train and test data are passed as the parameters, inside the function, decision tree regressor is initialized and training data is passed to the model with the .fit() function. Test data is predicted with .predict () function and saved in a new variable. For evaluating the model with R2_score.	
Xg Boost	A function named xg boost is created and train and test data are passed as the parameters, inside the function, Gradient boosting regressor is initialized and training data is passed to the model with the .fit() function. Test data is predicted with .predict () function and saved in a new variable. For evaluating the model with R2_score.