


12/8/24

JFS

gitechwing@gmail.com



\* Waterfall / Agile → Agile is preferred in all companies.  
In waterfall method if any project is given it can be seen or verified only after the complete project is done. No modifications are done in between the project. The client can see his project only at the end. Where as in Agile method the project is divided and then the work is done, in this method in between the changes and modifications can be done which are given by the client. The client can see his project for every 7 or 14 days and can be done as per his requirements.

\* git hub → global media  
git bash → local media

\* To create a new folder  $\text{ctrl} + \text{shift} + \text{N}$

\* Directory is a collection of folders.

\* Folders is the collection of files.







SSH Key - Password type

It is of Binary type.

git bash — git hub

connection should be given.

4096

webpage

website.

Bus step git SSH key can be accessed within 5 members.

SSH key is the security key.

\*No system should have open ports.

\*Shift insert.

\*git hub connections.

git init

ls -la to check all hidden files.

files added — To check the status of files  
git status are there or not.

red colour means — no data.

If the files are shown in red  
then command git add.

labeling

git commit -m "message to be sent"

to send it to address give specific address.

\*git remote add origin url

to get url go to git hub ✓ your profile - your repositories  
new repositories - name should be given and create  
repository then copy url and paste it in git bash.  
git push -u origin master (to deliver)