📋 Milestone 1 — Legacy System Analysis & Requirements Gathering

> **Project:** Conversational IVR Modernization Framework **Author:** M. Ramya Srivalli | Infosys Intern | Batch 13, Group-2 **Organization:** Infosys Internship Project **Submitted:** February 2026

📌 What is Milestone 1?

Milestone 1 is the **research and planning phase** of the project. Before writing a single line of code, this milestone deeply examines the existing IRCTC IVR system — how it works, why it fails, and exactly what needs to change. The output is a comprehensive analysis report (`milestone1.pdf`) that defines the technical requirements for all future milestones.

📂 Files

```
Milestone_1/
├── README_M1.md      ← This file
└── milestone1.pdf    ← Full legacy system analysis report (submitted document)
```

🎯 Core Objectives

Task	Description
Task 1	Review existing IVR architecture and capabilities
Task 2	Document integration needs for ACS and BAP platforms
Task 3	Identify technical challenges, constraints, and compatibility gaps

---

📞 What is an IVR System?

An **Interactive Voice Response (IVR)** is an automated phone system that interacts with callers through a telephone network to provide information or execute predefined services without human intervention.

Core functional elements of a traditional IVR:

- Call answering and session management
- Voice prompt playback (pre-recorded or synthesized)
- Input collection using keypad (DTMF) or limited speech recognition
- Execution of predefined business rules
- Integration with backend services for data retrieval

🔍 IRCTC IVR — Current State

The IRCTC IVR system serves millions of passengers daily. It is one of India's largest public-facing IVR deployments. Passengers call **139** to access railway information without needing a smartphone or internet connection.

Current Services Available

- PNR status enquiry
- Train running status
- Train schedules and seat availability
- Ticket booking guidance
- General railway information

How the Current System Works

```
Passenger calls 139 (IRCTC helpline)
          ↓
Language selection prompt → Press 1 for Hindi, Press 2 for English
          ↓
Main Menu → "Press 1 for PNR Status
             Press 2 for Train Running Status
             Press 3 for Ticket Booking
             Press 4 for Seat Availability
             Press 9 for Agent"
          ↓
User presses DTMF key on phone keypad
          ↓
IVR fetches data from IRCTC railway backend systems
          ↓
Pre-recorded or synthesized audio response plays
```

```
          ↓
Call ends OR returns to main menu
```

Existing Architecture

```
PSTN / VoIP Network
        ↓
Telecom Operator & Media Gateway
        ↓
┌──────────────────────────────────┐
│       IRCTC IVR Platform         │
│                                  │
│  Voice Browser (VXML / CCXML)    │
│         ↕                        │
│  ASR / TTS Engine                │
│         ↕                        │
│  Call Flow Logic                 │
│         ↕                        │
│  DTMF Processor                  │
└──────────────────────────────────┘
        ↓  Middleware API Layer
┌──────────────────────────────────┐
│    IRCTC Backend Systems         │
│                                  │
│  • Reservation System (PRS)      │
│  • Passenger Database (PNR)      │
│  • Train Enquiry System (NTES)   │
│  • Payment Gateway Interface     │
└──────────────────────────────────┘
```

Key architectural characteristics:

- Centralized control of IVR logic in VXML scripts
- Tight coupling between IVR menus and backend APIs
- Static, predefined interaction paths
- Menu-driven DTMF navigation only
- Minimal conversational or contextual intelligence
- Strong emphasis on uptime, fault tolerance, and predictability

---

❌ Limitations of the Current System

The analysis identified the following critical problems with the existing IRCTC IVR:

1. Rigid Menu-Driven Navigation

Users must navigate through **multiple layers of menus** — pressing keys at each level. As IRCTC added more services, the menu depth increased, causing user frustration, longer call durations, and higher drop-off rates.

2. No Natural Language Understanding

The system **cannot understand spoken sentences**. A user saying *"Train late hai kya?"* (Is my train late?) cannot be processed unless mapped to a specific numeric option. Every query requires the user to follow a fixed script.

3. Poor Peak-Hour Performance

IRCTC experiences extreme call spikes during **Tatkal booking windows** (10 AM for AC classes, 11 AM for Sleeper), festive seasons, and train disruption events. Fixed infrastructure cannot auto-scale, causing long wait times and dropped calls.

4. High Dependency on Human Agents

Because the traditional IVR handles only simple, predictable queries, complex requests immediately escalate to human agents — increasing operational cost and agent wait times.

5. Limited Multilingual Support

Adding a new regional language requires **re-recording every prompt** in that language — a slow, expensive process. The current system is restricted to Hindi and English.

6. Zero Personalization

Every caller is treated identically regardless of their history, preferences, or current journey context. A frequent passenger must repeat their PNR or journey details every single call.

7. High Maintenance Cost

Every new IRCTC service (e.g., new Tatkal rules, special trains, new quotas) requires **manually rewriting VXML scripts** and re-testing the entire IVR flow. This slows down deployment significantly.

🎯 What is the Proposed Solution?

A **hybrid modernization approach** — adding a conversational AI layer on top of the existing

legacy system without removing it. The legacy DTMF menus continue to work for simple queries and as a fallback, while the conversational layer handles natural language interactions.

System Call Flow (Proposed)

```
Incoming Call to IRCTC 139
          ↓
ACS Cloud Gateway Answers
          ↓
AI Voice Bot Greeting: "Namaste! How can I help you today?"
          ↓
Caller Speaks: "I want to check my PNR 1234567890"
          ↓
ACS Speech-to-Text (en-IN) → Text: "check PNR 1234567890"
          ↓
NLU Processing → Intent: pnr_status | Entity: PNR = 1234567890
          ↓
Query IRCTC PNR Backend
          ↓
Process Response → Generate Neural TTS
          ↓
"Your PNR 1234567890 is CONFIRMED on train 12951,
 Coach B4, Berth 32, Platform 3. Shubh Yatra!"
          ↓
If not understood (2 retries) → Bridge to Legacy DTMF Menu OR Human Agent
```

🔗 Integration Targets — ACS and BAP

Azure Communication Services (ACS)

ACS is the **telephony and media layer** that replaces or extends the legacy telephony gateway.

Role	Description
Call Reception	Receives PSTN and VoIP calls from IRCTC number
Speech-to-Text	Converts caller voice to text (en-IN, 95%+ accuracy)
Text-to-Speech	Plays bot responses using Neural TTS (en-IN-NeerjaNeural)
Call Control	Manages call sessions, hold, transfer, hangup
Scalability	Auto-scales for Tatkal rush and festival surges
Security	AES-256 encryption, enterprise-grade authentication

BAP (Bot Application Platform)

BAP is the **intelligence layer** — the brain of the conversational IVR.

Role	Description
Intent Detection	Understands what the user wants from free-form speech
Entity Extraction	Pulls structured data (PNR, station, date, class) from sentences
Dialogue Management	Manages multi-turn conversations with full context
Backend Orchestration	Connects to IRCTC PNR, booking, tracking, refund APIs
Agent Handoff	Transfers call to human agent with full conversation history
Feature Expansion	New services added by defining new intents — no VXML rewrite needed

---

🗺️ Six-Phase Integration Roadmap

Phase	Name	Key Activities
1	Assessment & Legacy Mapping	Audit VXML flows, map backend APIs, classify queries
2	Telephony Modernization via ACS	Route incoming calls to ACS, enable STT/TTS, establish fallback to legacy

Phase	Name	Key Activities
3	Conversational Layer via BAP	Design intents, train NLU for railway queries, build dialogue flows
4	Backend Service Orchestration	Integrate BAP with PNR, booking, tracking, refund APIs securely
5	Hybrid Coexistence & Migration	Run legacy + conversational in parallel; complex queries to ACS+BAP, simple to legacy
6	Scalability, Optimization & Expansion	Auto-scaling, multi-language expansion, analytics-driven optimization

---

⚠️ Technical Challenges Identified

Challenge 1: VXML Incompatibility

VXML scripts cannot be directly reused in conversational platforms. Menu-based deterministic logic does not map to probabilistic intent-based models. An **adapter layer** is required.

Challenge 2: Context Management

Traditional IVRs have zero context memory — each menu press is independent. Conversational IVRs need multi-turn context (user said "Delhi" two turns ago, system must remember it). Integrating this without breaking legacy fallback flows is complex.

Challenge 3: Real-Time Data Synchronization

IRCTC services like PNR and live train status are highly time-sensitive. Any latency in fetching data from backend APIs translates directly to an awkward pause the caller hears. Strict latency budgets apply.

Challenge 4: Peak Load — Tatkal Rush

Every morning at 10 AM IST, IRCTC receives thousands of simultaneous calls. The system must auto-scale to handle this without service degradation. Horizontal scaling via ACS cloud infrastructure is mandatory.

Challenge 5: Indian Language and Accent Variability

IRCTC serves users from all Indian states speaking multiple languages with diverse accents. Speech recognition must handle Hindi-English code mixing (e.g., *"Mera ticket confirm hua kya?"*) and regional pronunciations of city names.

Challenge 6: Regulatory and Security Constraints

PNR numbers, passenger names, phone numbers, and booking details are **Personally Identifiable Information (PII)**. All data must be encrypted (AES-256), masked in logs, and handled per government data protection guidelines.

🔐 Architectural and Security Constraints

Constraint	Requirement
Zero Downtime	IVR must remain available during migration — especially during Tatkal hours
Backward Compatibility	Legacy DTMF flows must continue functioning during transition
Government Compliance	Must follow Indian data protection and audit trail requirements
PII Protection	PNR numbers, names, contact details must never appear in plain-text logs
Secure API Access	Token-based authentication for all backend IRCTC API calls
Failure Fallback	On any error: retry → fallback to legacy DTMF → human agent

---

📊 Compatibility Gap Analysis

Aspect	Traditional IVR	Modern Conversational IVR	Gap
Input Type	Keypad DTMF only	Free-form speech + DTMF	Adapter layer needed
Context Awareness	None	Full multi-turn memory	State machine required
Personalization	None	User history and preferences	Session + profile store needed
Error Handling	Replay menu	AI fallback + agent transfer	Intent confidence threshold
Scalability	Hardware-limited	Cloud auto-scaling	Redis session store + ACS

Aspect	Traditional IVR	Modern Conversational IVR	Gap
New Feature Deployment	VXML script rewrite	Add new intent definition	NLU model update only
Language Support	2 languages, pre-recorded	Unlimited with speech models	Model training effort

---

🛣️ Milestone Roadmap

Milestone	Status	Description
M1	✅ Complete	Legacy analysis & requirements gathering — **this milestone**
M2	🔄 In Progress	FastAPI integration layer + DTMF web simulator
M3	🔜 Upcoming	Conversational AI — Voice + NLU + TTS
M4	🔜 Upcoming	Testing & deployment