Lacquer Thinner

(SAFRA SUPER TC)

1. Identification

Commercial Name	:	**SUPER TC**-Thinner.
Chemical Family	:	Thinners/Diluents.
Formula	:	Mixture of hydrocarbon & oxygenated solvents.
Molecular Weight	:	>140

2. Hazard Data TLV:

Toxicity	: Category 4
Effect of single over-Exposure	: Harmful, not recommended for long exposure, congestion resulting in labored breathing, aspirated in a large amount into Lungs may cause severe lung damage.
Skin Absorption	: Not known
Inhalation	: Harmful. In high concentrations, it may cause drowsiness.
Skin Contact	: Frequent or prolonged contact may irritate the skin
Eye Contact	: May injure eye tissues on prolonged contact
Effect or repeated exposures	: No adverse effects

3. Ingredients:

Materials	:	Contain Aromatic hydrocarbons, oxygenated solvents, glycols, Methyl Ethyl Ketone, & Acetone.
Hazards	:	Flammable. Harmful if swallowed or inhaled in large quantities.

4. Emergency and first aid procedure

Swallowing	: Do not induce vomiting. Keep the patient at rest
Inhalation	: Remove at once to fresh air using proper respiratory protection protection, in case of severe exposure.
Skin Contact	: Wash with soap and water after removing contaminated clothing.
Eye Contact	: Flush eyes with plenty of water

5. Fire and Explosion Hazard Data:

Flash Point (°C)	:	<4°C
Extinguishing Media	:	Use foam, dry chemical powder.
Special Fire Fighting	:	Alcoholic Foam to be used (RFFF foam).
Unusual fire explosion hazard	:	None.

6. Spill or Leak Protection:

Steps to be taken if material is released or spilled

1. Eliminate all sources of ignition
2. Call the fire brigade
3. Contain Spilled Liquid with Sand
4. Recover by pumping "explosion proof pump"
5. Collect all contaminated material for disposal

Safra Co. Ltd
Head Office (Jeddah) Tel: +966 (2) 644-4090, Fax: +966 (2) 643-1214,
Refinery (Yanbu) Tel.: +966 (4) 396-8022, Fax: +966 (4) 396-8355
Pakaged Products Factory Tel.: +966 (4) 604-8877.
P.O.Box: 2824, Jeddah: 21461, Saudi Arabia.
www.safraco.com

7. Handling & Storage:

The product should be confined within closed containers; in any case, a general (mechanical) ventilation should be sufficient.

8. Special Protection Information:

Respiratory Protection : Required
Protection Glove : Neoprene
Eye Protection : Safety Glasses

Special Precautions

- Keep away from heat, spark and flame
- Keep away from children
- Store in cold & dry area

9. Physical Data

Boiling Range (°C)	:	Min 70° --- Max 160°C
Freezing Point	:	Not reported.
Specific Gravity (Water = 1)	:	0.76 --- 0.75
Vapor Density (Air = 1)	:	Not reported.
Vapor Pressure (mPa)	:	Not defined.
Solubility in Water	:	Insoluble.
Evaporation (Butyl Acetate = 1)	:	>1.2

10. Reactivity Data:

Reactivity: No specific test data related to reactivity are available for this product or its ingredients.

Chemical stability: Stable under recommended storage and handling conditions (see Section 7).

Possibility of Hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: When exposed to high temperatures may produce hazardous decomposition Products.

Incompatible materials: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, and strong acids.

Hazardous Decomposition products: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, and oxides of nitrogen.

Safra Co. Ltd
Head Office (Jeddah) Tel: +966 (2) 644-4090, Fax: +966 (2) 643-1214,
Refinery (Yanbu) Tel.: +966 (4) 396-8022, Fax: +966 (4) 396-8355
Pakaged Products Factory Tel.: +966 (4) 604-8877.
P.O.Box: 2824, Jeddah: 21461, Saudi Arabia.
www.safraco.com

11. TOXICOLOGICAL Information:

There is no data available on the mixture itself. Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver, and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness, and, in extreme cases, loss of consciousness.
Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.
Ingestion may cause nausea, diarrhea, and vomiting.

This takes into account, where known, delayed and immediate effects, and also chronic effects of components from short-term and long-term exposure by oral, inhalation, and dermal routes of exposure and eye contact.

12. ECOLOGICAL Information:

Aquatic Life Toxicity: This product can be harmful or fatal to contaminated aquatic plant or animal life. Especially if released in large quantities in a body of water.
Mobility in soil: If released into the environment, this product can move rapidly through the soil.

13. Waste Disposal Method:

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS. If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT Information:

UN No:	1263
Dangerous Goods Class:	3
Packing Group:	II
Hazchem Code:	•3YE
Emergency Response Guide No:	14
Limited Quantities	5 L
Proper Shipping Name:	PAINT

15. REGULATORY INFORMATION:

Precautionary Label Information: Highly Flammable, Harmful, Dangerous

16. OTHER INFORMATION:

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

Safra Co. Ltd
Head Office (Jeddah) Tel: +966 (2) 644-4090, Fax: +966 (2) 643-1214,
Refinery (Yanbu) Tel.: +966 (4) 396-8022, Fax: +966 (4) 396-8355
Pakaged Products Factory Tel.: +966 (4) 604-8877.
P.O.Box: 2824, Jeddah: 21461, Saudi Arabia.
www.safraco.com