

CIBERSORTx Output Display

Input Sample	T cells	B cells	Plasma cells	Mono+mono derived cells	Circulating NK/NKT	Resident NK	cDC1s	cDC2s	Macrophages	pDCs	Basophils	Neutrophils	Mig.cDCs	P-value	Correlation
D3_ISO6_LTL_1	0.355	0.243	0.023	0.231	0.054	0.034	0	0	0.001	0.059	0	0	0.000	0.000	0.696
D3_ISO6_LTL_2	0.384	0.184	0.038	0.205	0.108	0	0	0.025	0	0.047	0.001	0	0.009	0.000	0.776
D4_ISO1_LTL_1	0.332	0.098	0.009	0.042	0.135	0.264	0.003	0.003	0.027	0.027	0.001	0	0.060	0.000	0.818
D4_ISO1_LTL_2	0.487	0.069	0.006	0.073	0.12	0.154	0.001	0	0.009	0.024	0.001	0	0.056	0.000	0.721
D3_ISO1_LTL_1	0.21	0.221	0.014	0.158	0.099	0.09	0	0.105	0	0.055	0	0	0.047	0.000	0.610
D3_ISO1_LTL_2	0.14	0.296	0.018	0.093	0.116	0.153	0	0.128	0	0.026	0.001	0	0.029	0.000	0.620
D3_INT_LTL_P1_1	0	0.314	0.007	0.115	0.13	0.082	0.063	0.085	0.018	0.067	0	0	0.119	0.000	0.688
D3_INT_LTL_P1_2	0.291	0.424	0.03	0.066	0.063	0	0.014	0.02	0.031	0.032	0.002	0	0.026	0.000	0.596
D3_INT_LTL_LPS_1	0.422	0.105	0.05	0.17	0.092	0	0	0	0	0.159	0.002	0	0.000	0.000	0.501
D3_INT_LTL_LPS_2	0.156	0.354	0.004	0	0.089	0.003	0.029	0.179	0.021	0.079	0.041	0.03	0.016	0.000	0.577
D3_INT_LTL_SOP_1	0.006	0.369	0.019	0	0.408	0	0	0.106	0	0.008	0	0.044	0.039	0.000	0.609
D3_INT_LTL_SOP_2	0.169	0.407	0.042	0	0.023	0.1	0	0.177	0	0.04	0	0	0.043	0.000	0.419
D3_INT_LTL_C_1	0.373	0.057	0.07	0	0.27	0.052	0.008	0.039	0.001	0.09	0	0.041	0.000	0.000	0.480
D3_INT_LTL_C_2	0.221	0.325	0.016	0.17	0.168	0	0	0.038	0	0.044	0.005	0	0.013	0.000	0.648
D4_INT_LTL_P1_1	0.334	0.165	0.023	0.082	0.165	0.023	0	0.04	0.015	0.11	0.001	0.025	0.018	0.020	0.173
D4_INT_LTL_P1_2	0.158	0.391	0.017	0.083	0.088	0.057	0.058	0	0.084	0.024	0.003	0	0.037	0.000	0.671
D4_INT_LTL_LPS_1	0.379	0.177	0.024	0.202	0.115	0	0.007	0	0.051	0.033	0.004	0	0.010	0.000	0.550
D4_INT_LTL_LPS_2	0.519	0.106	0.04	0.17	0	0.068	0	0	0.04	0.036	0.002	0	0.019	0.000	0.767
D4_INT_LTL_SOP_1	0.364	0.191	0.031	0.091	0.067	0.062	0	0.029	0.02	0.089	0.006	0.039	0.011	0.040	0.086
D4_INT_LTL_SOP_2	0.439	0.207	0.019	0.23	0.014	0	0.004	0	0.035	0.049	0.003	0	0.000	0.000	0.720
D4_INT_LTL_C_1	0.317	0.047	0.079	0.324	0.073	0.081	0	0	0.037	0.034	0.002	0	0.006	0.000	0.754
D4_INT_LTL_C_2	0.363	0.167	0.036	0.179	0.06	0.03	0	0	0.06	0.064	0.005	0	0.036	0.000	0.617
D4_ISO6_LTL_1	0.512	0.076	0.002	0.033	0.179	0.103	0.006	0.019	0.01	0.026	0.001	0	0.033	0.000	0.709
D4_ISO6_LTL_2	0.513	0.108	0.016	0.109	0.185	0.03	0	0	0.003	0.02	0.001	0	0.016	0.000	0.856