



UC-1 Sign-Up/Login (Cognito Hosted UI)

Story – The user clicks Login, authenticates in Cognito, the browser exchanges code → tokens, stores them in memory, and renders the signed-in UI.




UC-2 Generate Image (Prompt → Queue)

Story – The user enters a prompt; the Lambda validates the JWT, writes a pending record in DynamoDB, and pushes a message to SQS.




UC-3 Track Status (Polling / WebSocket)

Story – The browser periodically checks the job status until the image is ready.




UC-4 Personal Gallery

Story – The user opens /gallery; the Lambda returns presigned S3 URLs for that user's images.




UC-5 Delete Image

Story – The user deletes an image; the Lambda removes the object from S3 and the record from DynamoDB.




UC-6 Public Feed (Home)

Story – The browser fetches public/trending images without authentication.




UC-7 Admin Dashboard

Story – An admin retrieves statistics from SQS, DynamoDB, and CloudWatch Logs.




UC-8 Disable/Delete User (Admin)

Story – An admin disables a user; the Lambda updates Cognito and flags that user's items.




UC-9 Chat with Gemini Assistant

Story – The user sends a chat message; the Lambda calls the Gemini API and returns a reply.




UC-10 Style → Image Shortcut (Chat triggers Image)

Story – The Lambda combines a chosen style with the prompt and invokes the image-generation flow (UC-2).




UC-11 Download Image (High-Res Presign)

Story – The browser requests a short-lived presigned URL and downloads the file.



UC-12 Auto-Onboarding (Post-Confirmation Trigger)

Story – After sign-up, a Lambda trigger adds the new user to the **Users** group.



UC-13 Backend Worker (Queue → Stable Diffusion)

Story – A background worker pulls the SQS message, generates the image, uploads it to S3, and updates DynamoDB.

