


### Steps:


1. `ng g p powerTox --skip-tests`



The screenshot shows the VS Code interface with two tabs: `TS power-tox.pipe.ts U` and `<> app.component.html U X`. The file explorer on the left shows the path `src > app > <> app.component.html`. The editor displays the content of `app.component.html` with the text `Go to component` and a single line of code: `1 {{ 10 | powerTox:2 }}`. Below the editor, a browser preview bar shows navigation icons and the address `localhost:4200`.

100

2. `ng g p stringConvert --skip-tests`



The screenshot shows the VS Code interface with three tabs: `power-tox.pipe.ts U`, `TS string-convert.pipe.ts U`, and `<> app.component.html U X`. The file explorer on the left shows the path `src > app > <> app.component.html`. The editor displays the content of `app.component.html` with the text `Go to component` and three lines of code: `1 <!-- {{ 10 | powerTox:2 }} -->`, `2`, and `3 {{ "rana-ehab" | stringConvert }}`. Below the editor, a browser preview bar shows navigation icons and the address `localhost:4200`.

rana ehab

3. `ng g p arraySplice --skip-tests`

```
{{["angular","react","node"]|arraySplice:"node"}}  
<br>  
{{["angular","react","node"]|arraySplice:"java"}}
```

← → ↺ ⓘ localhost:4200

node  
Not Found

```
npm install primeng --save  
npm install primeicons -save
```

```
ng add @angular/material --skip-confirmation
```

```
npm i bootstrap font-awesome
```

```
ng g m shared  
ng g c shared/star --skip-tests
```

```
ng g class _models/product --skip-tests  
ng g m product  
ng g c product/product --skip-tests
```