AWESOME CYBER SECURITY HEAVEN — REALM DOSSIER · 2026 EDITION

# The Workshop

## Utilities & Swiss-Army Tools

| 117 | 786,306 | 80% | 52 |
|---|---|---|---|
| FREE TOOLS | COMMUNITY STARS | ON GITHUB ACTIVE | ACTIVE IN 2026 |

*117 tools · Part of Awesome Cyber Security Heaven — 1481 curated free tools across 14 realms · Data verified 2026-11-06 (re-verified monthly)*

## CURATOR'S NOTES

The swiss-army shelf: netcat-lineage utilities, intercept proxies, transport plumbing (Tor, socat), debuggers and format-inspectors. Unspecialized by definition — the tools you reach for when nothing specialized fits.

## MAINTENANCE SNAPSHOT (2026-11-06)

- **Active in the last 30 days:** 45 of 57 tracked GitHub repos (79%)
- **Quiet classics (no push in 12+ months, still listed):** Brida
- **Earliest entries:** mitmproxy (2010), Netron (2010), Apktool (2012)

## FLAGSHIP PICKS — THE HEAVYWEIGHTS

| TOOL | ★ STARS | CREATED | LAST PUSH | WHAT IT DOES |
|---|---|---|---|---|
| Ghidra | 96.6k | 2019 | 2026-10-30 ✅ | Ghidra is a software reverse engineering (SRE) framework |
| ImHex | 55.7k | 2020 | 2026-10-09 ✅ | 🔍 A Hex Editor for Reverse Engineers, Programmers and people who value their retinas when working at 3 AM. |
| jadx | 51.4k | 2013 | 2026-10-30 ✅ | Dex to Java decompiler |
| x64dbg | 50.1k | 2015 | 2026-10-28 ✅ | An open-source user mode debugger for Windows. Optimized for reverse engineering and malware analysis. |
| mitmproxy | 46.5k | 2010 | 2026-10-30 ✅ | An interactive TLS-capable intercepting HTTP proxy for penetration testers and software developers. |
| CyberChef | 36.3k | 2016 | 2026-10-30 ✅ | The Cyber Swiss Army Knife - a web app for encryption, encoding, compression and data analysis |

*Full inventory — 117 curated tools · ranked by GitHub adoption · 2026-11-06 census · non-GitHub tools listed without stars*

| TOOL | ★ STARS | CREATED | LAST PUSH | LICENSE / TIER |
|---|---|---|---|---|
| Ghidra | 96.6k | 2019 | 2026-10-30 ✅ | — the NSA's open-source reverse-engineering suite; disassembly, decompilation and scripting for free. Used by reverse engineers analyzing binaries of any architecture; the NSA's free suite that stands in for IDA Pro and Binary Ninja. |
| ImHex | 55.7k | 2020 | 2026-10-09 ✅ | — the hex editor with pattern language: parse formats while you view them. Used by reverse engineers parsing binaries with a pattern language; the free hex editor built for RE workflows. (GPL-2.0) |
| jadx | 51.4k | 2013 | 2026-10-30 ✅ | — the standard Java/Android decompiler: dex-to-java source recovery with both GUI and CLI — the first stop for APK and JAR analysis. Used by Android reverse engineers decompiling DEX to readable Java; the free decompiler every APK analysis starts with. (Apache-2.0) |
| x64dbg | 50.1k | 2015 | 2026-10-28 ✅ | — the open Windows debugger for x32/x64, with a plugin ecosystem built for RE. Used by malware analysts debugging Windows binaries; the free Windows debugger that stands in for commercial debuggers. (GPL-3.0) |
| mitmproxy | 46.5k | 2010 | 2026-10-30 ✅ | — interactive HTTPS interception for debugging and testing your own apps; scriptable as a library. Used by developers and pentesters intercepting HTTPS traffic programmatically; the free alternative to Charles Proxy and Fiddler. |
| CyberChef | 36.3k | 2016 | 2026-10-30 ✅ | — GCHQ's web Swiss-army knife: 400+ operations for decoding, transforming and analyzing data, all client-side. Used by analysts daily for decoding, crypto and data wrangling; GCHQ's free web tool that replaces a shelf of utilities. |

| | | | | |
|---|---|---|---|---|
| **Netron** | 33.6k | 2010 | 2026-10-31 ✅ | — visualize ML models: the layers, weights and graph of what you deploy. Used by ML engineers inspecting model architectures; the free visualizer for neural-network files. (MIT) |
| **OpenSSL** | 31.1k | 2013 | 2026-10-31 ✅ | — the TLS library the internet runs on — and the CLI for keys, certs, CSRs and everything crypto. Used by literally everyone through the TLS it provides; the open library the commercial internet runs on. |
| **Apktool** | 26.9k | 2012 | 2026-10-28 ✅ | — disassemble and rebuild Android APKs: decode resources to near-original form, patch smali, repackage and sign — the Android RE classic. Used by mobile pentesters decoding Android resources and smali; the standard free APK disassembler. (Apache-2.0) |
| **radare2** | 25.2k | 2012 | 2026-11-01 ✅ | — the scriptable reverse-engineering framework: disassemble, debug, patch, anywhere. Used by reverse engineers scripting binary analysis; the free framework that powers many commercial RE pipelines. (LGPL-3.0) |
| **Frida** | 22.6k | 2013 | 2026-10-30 ✅ | — inject JavaScript into running processes; dynamic instrumentation for mobile, desktop and IoT. Used by mobile pentesters and researchers injecting logic into running processes; the dynamic-instrumentation standard. (GPL-2.0 / wxWindows dual) |
| **Ciphey** | 21.7k | 2019 | 2026-11-01 ✅ | — automated decoder: paste ciphertext, get plaintext plus the method used — evidence triage in seconds. Used by CTF players and analysts auto-decoding ciphertext; the free automated decoder. |
| **Cutter** | 20.1k | 2017 | 2026-09-11 | — free and open reverse-engineering platform powered by rizin: graph disassembly, decompiler views and debugging in a polished desktop UI. Used by RE learners driving Ghidra through a friendlier GUI; the free reverse-engineering IDE. (GPL-3.0) |
| **Cheat Engine** | 19.4k | 2015 | 2025-04-19 ⏳ | — Industry-standard memory scanner and editor for game hacking, featuring value scanning, pointer scanning, code injection, and Lua scripting. Used by game hackers and reverse engineers; the de facto memory-editing workbench. |
| **XERJ** | 18.5k | 2026 | 2026-11-01 ✅ | — local-first search engine and MCP server in a single Rust binary: hybrid BM25 + vector search over code, docs, logs and PDFs with an Elasticsearch-compatible API — for agents and humans alike. Used by security teams giving AI agents searchable, air-gapped memory over case files and codebases; the self-hosted retrieval layer for agent workflows. (Apache-2.0) |
| **binwalk** | 14.6k | 2013 | 2026-08-11 | — firmware analysis: scan, extract and identify embedded files and filesystems. Used by firmware researchers extracting embedded filesystems and images; the standard free firmware-analysis tool. (MIT) |
| **Scapy** | 12.7k | 2015 | 2026-10-29 ✅ | — packet crafting without limits: forge, sniff, dissect and send anything — the Python network Swiss-army knife. Used by network researchers crafting packets in Python; the standard library protocol testing builds on. (GPL-2.0) |
| **Detect It Easy** | 11.8k | 2014 | 2026-10-30 ✅ | — packer/compiler/protection detection with a rule engine. Used by malware analysts identifying packers and compilers; the free packer-detection standard. (MIT) |
| **dnSpyEx** | 11.4k | 2021 | 2026-10-17 ✅ | — the .NET debugger and decompiler, continued; edit assemblies live. Used by .NET researchers decompiling and debugging managed code; the maintained fork of the classic .NET debugger. (GPL-3.0) |
| **pwndbg** | 11.1k | 2015 | 2026-11-01 ✅ | — GDB with a exploit-dev UX: heap awareness, shortcuts and sane defaults. Used by CTF players and exploit developers making GDB pwn-friendly; the standard GDB plugin for exploitation work. (MIT) |
| **CTF Tools** | 9.6k | 2015 | 2026-10-21 ✅ | — Setup scripts for security research tools commonly used in CTFs and binary exploitation. Used by CTF players and researchers; a convenient tooling installer. (BSD-3-Clause) |
| **Capstone** | 9.2k | 2013 | 2026-10-27 ✅ | — the disassembly framework behind countless security tools. Used by security developers embedding disassembly; the free engine behind countless RE and EDR tools. (BSD-3-Clause) |
| **pyWhat** | 7.3k | 2021 | 2026-10-13 ✅ | — identify anything: hashes, keys, URLs, PII — the "what is this string?" answer. Used by analysts identifying arbitrary blobs and strings; the free 'what is this' identifier. |
| **Faraday** | 6.8k | 2013 | 2026-10-29 ✅ | — the pentest collaboration platform: import tool output, deduplicate findings and manage the whole engagement. Used by pentest teams collaborating on findings; the community edition of the commercial collaboration platform. (GPL-3.0) |

| | | | | |
|---|---|---|---|---|
| **Dangerzone** | 5.8k | 2020 | 2026-10-29 ✅ | — takes hostile documents and re-renders them as safe PDFs inside an isolated sandbox. Used by newsrooms converting untrusted documents into safe PDFs; the free sanitization tool for adversarial files. (AGPL-3.0) |
| **UEFITool** | 5.8k | 2013 | 2026-10-27 ✅ | — parse, extract and replace UEFI firmware images. Used by firmware analysts parsing UEFI images; the free tool for BIOS/UEFI research. (BSD-2-Clause) |
| **ExifTool** | 5.2k | 2018 | 2026-10-28 ✅ | — the metadata reader/writer for files and images; the last word in metadata triage. Used by investigators reading and stripping file metadata; the standard free metadata tool used across forensics. (Perl Artistic/GPL) |
| **DefectDojo** | 5.2k | 2015 | 2026-11-01 ✅ | — open-source vulnerability management and AppSec platform: import findings from your whole scanner fleet, deduplicate, track remediation and map to compliance from one self-hosted app. Used by security teams running continuous vulnerability management across scanners; the free alternative to commercial ASPM platforms. (BSD-3-Clause) |
| **Kaitai Struct** | 4.7k | 2016 | 2026-10-26 ✅ | — declare a binary format once, generate parsers for nine languages. Used by protocol researchers declaring binary formats as YAML; the free declarative parser generator for format RE. (MIT) |
| **Interactsh** | 4.6k | 2021 | 2026-10-31 ✅ | — out-of-band interaction server for detecting blind vulnerabilities (SSRF, blind RCE, blind XXE). Used by bug hunters detecting out-of-band interactions blind spots miss; ProjectDiscovery's free alternative to Burp Collaborator. |
| **Lychee** | 4.1k | 2020 | 2026-11-02 ✅ | — Fast broken link checker that can be used to spot dead or suspicious links across sites and repositories. Used by developers and security testers; a utility with light security-adjacent value. (Apache-2.0) |
| **Evan's Debugger** | 3k | 2015 | 2026-10-27 ✅ | — the C/C++ debugger with a RE focus: memory views built for analysis. Used by RE practitioners debugging Linux binaries in a GUI; the free Qt-based debugger. (GPL-2.0+) |
| **can-utils** | 3.0k | 2015 | 2026-10-14 ✅ | — Essential SocketCAN userspace utilities including candump, cansend, and cangen for capture, injection, and fuzzing. Used by automotive engineers; the standard CAN toolkit. (GPL-2.0) |
| **pwndoc** | 2.9k | 2020 | 2026-10-26 ✅ | — offline pentest report generator: reusable finding databases, CVSS scoring and multi-language docx templates that turn engagement notes into client-ready reports. Used by pentesters producing polished client reports without cloud tooling; the free offline reporting suite for engagements. (MIT) |
| **Stress-ng** | 2.8k | 2015 | 2026-11-05 ✅ | — Tool that stress tests CPU, RAM, I/O, and more with a wide range of configurable stressors. Used by sysadmins and testers; a comprehensive system stress-testing utility. (GPL-2.0) |
| **ATT&CK Navigator** | 2.5k | 2018 | 2026-11-01 ✅ | — MITRE's matrix explorer: layer, annotate and score ATT&CK techniques for detection-coverage planning. Used by purple teams planning and visualizing coverage; the free MITRE tool for layer-based ATT&CK exploration. |
| **Inspectrum** | 2.5k | 2015 | 2025-12-06 ⏳ | — Offline spectrum analysis tool with spectrogram visualization, zoom and pan for examining captured RF signals including Iridium bursts. Used by RF analysts and satellite researchers; a focused tool for inspecting recorded IQ data. (GPL-3.0) |
| **SatDump** | 2.5k | 2021 | 2026-11-03 ✅ | — Satellite image decoding software supporting a wide range of weather and Earth observation satellites, processing received RF signals into imagery. Used by satellite hobbyists and researchers; a comprehensive decoder for many downlink formats. (GPL-3.0) |
| **boofuzz** | 2.4k | 2015 | 2026-09-21 | — network protocol fuzzing framework descended from Sulley — script your protocol and hardware bug hunts. Used by protocol fuzzers finding crashes in network services; the open-source fuzzing framework from the Sulley lineage. (GPL-2.0) |
| **ReClass.NET** | 2.2k | 2016 | 2024-05-10 ⏳ | — Memory scanner and structure dissect tool for the .NET platform with a plugin ecosystem for visualizing process memory. Used by game hackers and reverse engineers; a modern, extensible alternative to classic class-rebuilding tools. (MIT) |
| **Brida** | 1.9k | 2017 | 2025-10-30 ⏳ | — the bridge between Burp and Frida: custom instrumentation in your proxy workflow. Used by mobile pentesters bridging Frida into Burp; the free companion for SSL-pinning bypass work. (MIT) |
| **scanmem** | 1.9k | 2015 | 2026-11-01 ✅ | — Linux memory scanner used for Cheat Engine-style value scanning, allowing game state manipulation via interactive commands. Used by Linux game hackers and reverse engineers; a lightweight, scriptable memory search utility. (GPL-3.0) |

| | | | | |
|---|---|---|---|---|
| tcpreplay | 1.4k | 2013 | 2026-10-26 ✅ | — replay captured traffic at arbitrary speed for testing and validation. Used by engineers replaying captures at original speed; the free pcap replay tool for testing sensors. (GPL-3.0) |
| Unfurl | 1.3k | 2018 | 2023-08-12 ⏳ | — Extracts and parses URLs and their components from text streams for recon and analysis. Used by bug bounty hunters and recon analysts; a handy pipeline utility for URL wrangling. (MIT) |
| reconmap | 1k | 2021 | 2026-10-30 ✅ | — Collaboration-first security-operations platform: plan engagements, run and parse recon commands, AI-assist the summaries and export client-ready reports — built for infosec teams and MSSPs. Used by pentest teams managing engagements end to end; the self-hosted alternative to commercial pentest-management SaaS.. (MIT) |
| GnuPG | 995 | 2015 | 2026-10-29 ✅ | — the free implementation of OpenPGP: encrypt, sign and verify files and mail, everywhere. Used by privacy-conscious users for email and file encryption; the free open implementation of OpenPGP. (GPL-3.0) |
| OCSF | 909 | 2022 | 2026-10-30 ✅ | — the Open Cybersecurity Schema Framework: one schema for security events. Used by SIEM and security vendors normalizing telemetry; the open schema standard the industry is converging on. (Apache-2.0) |
| Dradis CE | 845 | 2016 | 2026-10-30 ✅ | — collaborative pentest reporting: team notes, evidence and findings assembled into one professional report. Used by pentest teams assembling reports from tool output; the free edition of the commercial reporting platform. (GPL-2.0) |
| Hachoir | 671 | 2016 | 2026-10-14 ✅ | — binary field inspection: split any file into its fields, even damaged ones. Used by researchers extracting metadata from damaged binaries; the free Python metadata extractor. (GPL-2.0) |
| Vulnrepo | 583 | 2017 | 2026-10-26 ✅ | — free end-to-end-encrypted vulnerability report generator and repository: CWE/CVE/MITRE templates, scanner imports, DOCX output and Jira export. Used by pentesters assembling reports fast after engagements; the free alternative to commercial reporting suites. (Apache-2.0) |
| friTap | 565 | 2021 | 2026-10-26 ✅ | — intercept TLS keys in real time for analysis; a Frida script for the lab. Used by traffic analysts extracting TLS keys from apps via Frida; the free tool for decrypting stubborn mobile traffic. (GPL-3.0) |
| IPObfuscator | 145 | 2016 | 2022-07-29 ⏳ | — Simple tool converting an IP address to its DWORD representation. Used by pentesters; a small obfuscation helper. |
| cybersec-toolkit | 87 | 2026 | 2026-11-01 ✅ | — single-command installer for 670+ security tools with an authorization-gated MCP server, allowlist and flag-denylist execution policy and a prompt-injection output sanitizer. Used by security engineers building safe tool environments for AI agents; the least-privilege installer for agent-accessible security tooling. (MIT) |
| cheat-engine-linux | 61 | 2026 | 2026-10-21 ✅ | — Native C++/Qt6 reimplementation of Cheat Engine for Linux with faster first scans than the official native build. Used by Linux game hackers; a performance-focused memory scanning front end. (NOASSERTION) |
| espi0n/Dockerfiles | 40 | 2017 | 2018-08-25 ⏳ | — Dockerfiles packaging various OSINT tools for easy deployment. Used by OSINT practitioners; a convenient containerized toolset. |
| charsetinspect | 27 | 2016 | 2016-06-23 ⏳ | — Script inspecting multi-byte character sets for characters with user-defined properties. Used by security researchers; a niche encoding analysis utility. |
| PyModbus | 0 | 2015 | 2015-02-02 ⏳ | — Python Modbus library used for simulating industrial environments and crafting custom protocol packets for ICS security testing and fuzzing. Used by ICS developers and testers; a widely adopted building block for Modbus tooling. |
| angr | — | — | — | — the binary-analysis platform from UCSB's Shellphish: symbolic execution at scale. Used by researchers and CTF players symbolically executing binaries; the free platform for program analysis research. (BSD-2-Clause) |
| Hex Fiend | — | — | — | — the fast, open-source hex editor for macOS. Used by macOS researchers editing binaries fast. (BSD-2-Clause) |
| I2P | — | — | — | — the Invisible Internet Project: anonymous, self-organizing overlay network. Used by privacy-focused users running encrypted overlay networking; the free Invisible Internet Project with no commercial counterpart. (multiple open licenses) |
| netcat | — | — | — | — the original TCP/IP Swiss army knife: reads and writes across networks with one command. Used by everyone from sysadmins to CTF players for raw TCP/UDP plumbing. (freeware) |

| | | | | |
|---|---|---|---|---|
| **socat** | — | — | — | — the relay for bidirectional data transfer between addresses: TCP, UDP, sockets, pipes. Used by sysadmins and pentesters relaying and shaping network connections; the netcat successor for serious plumbing. (GPL-2.0) |
| **Tails** | — | — | — | — the amnesic incognito live system: no trace left on the machine. Used by journalists needing amnesic, compartmentalized computing; the free live system that leaves no trace. (GPL-3.0) |
| **tcpdump** | — | — | — | — the command-line packet capture classic; quick looks and long captures where Wireshark won't fit. Used by admins capturing packets on servers without GUIs; the classic free CLI sniffer preinstalled everywhere. |
| **Wireshark** | — | — | — | — the packet analyzer everyone knows; deep protocol visibility for troubleshooting and forensics. Used by network engineers and DFIR analysts everywhere; the standard free packet analyzer commercial tools still get compared to. (GPL-2.0) |
| **PentestKit** | 40 | 2025 | 2026-11-01 ✅ | — honest authorized-target CLI; per-finding: what, exact evidence, attacker gain, fix; soft-404-aware exposure checks. (MIT) |
| **4ndr0tools userscripts** | 44 | 2024 | 2026-11-01 ✅ | — browser userscripts for recon, OSINT lookups, secret scanning and workflow automation. (MIT) |
| **OLYMPUS Security** | 0 | 2026 | 2026-11-01 ✅ | — scope-gated assessment platform with chain-of-custody evidence and SARIF secret scanning; every command validates against an explicit scope. (GPL-3.0) |
| **TestDisk** | 2659 | 2015 | 2026-10-25 ✅ | — partition-table and file recovery. (GPL-2.0) |
| **androguard** | 6398 | 2014 | 2026-10-25 ✅ | — Android RE framework: DEX parsing, decompile, diffing. (Apache-2.0) |
| **hurl** | 19293 | 2020 | 2026-11-01 ✅ | — plain-text HTTP requests with assertions. (Apache-2.0) |
| **chisel** | 16719 | 2015 | 2026-10-11 ✅ | — TCP tunnel over HTTP. (MIT) |
| **GoReplay** | 19325 | 2013 | 2026-01-27 | — capture and replay real HTTP traffic at scale. (LGPL-3.0, open-core) |
| **GQRX** | — | — | — | — Software defined radio receiver built on GNU Radio and Qt supporting HackRF, RTL-SDR, Airspy, and USRP hardware for AM/FM/SSB reception. Used by RF hobbyists and security researchers; a popular general-purpose SDR frontend. (GPL-3.0) |
| **GNU Radio** | — | — | — | — Free and open-source signal processing framework providing blocks for modulation, demodulation, filtering, and spectrum analysis with graphical flowgraphs. Used by RF engineers and SDR developers; the foundational toolkit for software radio work. (GPL-3.0) |
| **RTL-SDR** | — | — | — | — Budget-friendly SDR receiver based on the RTL2832U chipset, widely used for satellite signal reception including NOAA weather satellites and amateur radio. Used by hobbyists and RF researchers; the entry-level hardware for software-defined radio. |
| **WXtoImg** | — | — | — | — NOAA weather satellite image decoding software that processes APT signals received via SDR to generate weather imagery with map overlays. Used by weather satellite hobbyists; a classic tool for receiving NOAA APT broadcasts. |
| **Gpredict** | — | — | — | — Real-time satellite tracking and orbit prediction software for identifying satellite passes over ground stations and accounting for Doppler shift. Used by satellite operators and SDR hobbyists; a reliable pass-planning tool. (GPL-3.0) |
| **Steampipe** | — | — | — | — Zero-ETL SQL tool for querying cloud APIs and services across AWS, Azure, GCP, and Kubernetes. Used by cloud and security engineers; a flexible free-tier query engine. |
| **Ghidra** | — | — | — | — Open-source software reverse engineering framework for disassembly and decompilation. Used by reverse engineers and malware analysts; a leading free RE suite. |
| **OllyDbg** | — | — | — | — 32-bit assembler-level debugger for Windows binaries. Used by reverse engineers and malware analysts; a classic free debugging tool. (free, proprietary) |
| **x64dbg** | — | — | — | — Open-source Windows debugger for x64 and x86 binaries. Used by reverse engineers and malware analysts; a popular free debugging tool. |
| **Cutter** | — | — | — | — GUI for Radare2 with advanced analysis features. Used by reverse engineers and malware analysts; a free graphical reverse-engineering front-end. |
| **RetDec** | — | — | — | — Open-source decompiler for machine code across multiple architectures. Used by reverse engineers and malware analysts; a free retargetable decompiler. |

| | | | | |
|---|---|---|---|---|
| **Frida** | — | — | — | — Dynamic instrumentation toolkit for hooking and inspecting running processes. Used by reverse engineers and mobile security researchers; a leading free instrumentation framework. |
| **Rizin** | — | — | — | — Fork of Radare2 focused on usability for binary analysis. Used by reverse engineers and malware analysts; a free reverse-engineering framework. |
| **PEiD** | — | — | — | — Detects packers, cryptors, and compilers in PE executables. Used by malware analysts and reverse engineers; a classic free identification utility. (free, proprietary) |
| **LIEF** | — | — | — | — Library for parsing and modifying executable formats. Used by reverse engineers and security tool developers; a free cross-platform binary analysis library. |
| **mosquitto_sub** | — | — | — | — MQTT client for subscribing to IoT device topics, used to test broker authentication and topic ACL enforcement. Used by IoT testers; a standard broker utility. (EPL-2.0) |
| **QEMU** | — | — | — | — Emulation platform used with qemu-mips and qemu-mipsel to run extracted embedded binaries in controlled environments. Used by firmware analysts; the standard emulation engine. (GPL-2.0) |
| **ps5dbg-scanner** | — | — | — | — Cross-platform Cheat Engine-style tool for PS5 built on the ps5dbg library, supporting value scanning, freeze/edit operations, and server-resident tuning. Used by console game hackers; a specialized memory scanner for PlayStation 5 research. |
| **snort2lua** | — | — | — | — Conversion utility included with Snort and Suricata that converts Snort 2.x rules and configuration to Snort 3 Lua format. Used by rule maintainers; a handy migration utility. |
| **Fluentd** | — | — | — | — Log collector and forwarder gathering logs from many sources and routing them to other systems for processing. Used by platform engineers; a clean open-source log pipeline component. (Apache-2.0) |
| **Capstone** | — | — | — | — Disassembly framework for binary analysis supporting many architectures. Used by reverse engineers and tool developers; a foundational free disassembly engine. |
| **Cryptii** | — | — | — | — Web-based modular conversion, encoding, and encryption tool supporting classical and modern ciphers. Used by CTF players and analysts; a handy free browser utility. |
| **Dcode** | — | — | — | — Online cipher and code identification/decoding tool covering classical ciphers, modern cryptographic challenges, and CTF tasks. Used by CTF players and puzzle solvers; a broad reference for decoding. (free, proprietary) |
| **LibreWolf** | — | — | — | — Privacy-hardened Firefox fork with no telemetry, uBlock Origin pre-installed, DuckDuckGo default search, and built-in DNS-over-HTTPS. Used by privacy-conscious desktop users; a hardened daily browser. (MPL-2.0) |
| **Brave** | — | — | — | — Chromium-based browser with built-in ad and tracker blocking plus fingerprinting protection enabled by default, including optional Tor-powered private windows. Used by mainstream privacy adopters; a drop-in private browser. (MPL-2.0) |
| **Mullvad Browser** | — | — | — | — Collaboration between Tor Project and Mullvad providing Tor Browser's anti-fingerprinting protections without requiring the Tor network. Used by privacy advocates; a strong anti-fingerprinting browser. (free, proprietary) |
| **Signal** | — | — | — | — End-to-end encrypted private messaging with open-source clients and minimal metadata collection. Used by journalists and privacy advocates; the gold standard for private messaging. (GPL-3.0) |
| **Session** | — | — | — | — Decentralized messenger requiring no phone number or email, using onion routing for metadata protection on the Oxen network. Used by privacy-focused users; a metadata-resistant messaging option. (GPL-3.0) |
| **Proton Mail** | — | — | — | — End-to-end encrypted email service based in Switzerland requiring no personal information to sign up. Used by privacy-conscious individuals; a leading encrypted mail provider with a free tier. (free tier) |
| **Tutanota** | — | — | — | — German encrypted email service with open-source clients, a free tier, and post-quantum encryption. Used by privacy-focused users; a future-proof encrypted mail alternative. (GPL-3.0) |

| | | | | |
|---|---|---|---|---|
| **OnionShare** | — | — | — | — Open-source tool for securely and anonymously sharing files, hosting websites, and chatting over the Tor network via temporary onion services. Used by privacy advocates; a simple Tor-based sharing tool. (GPL-3.0) |
| **SearXNG** | — | — | — | — Self-hosted privacy metasearch engine aggregating results from multiple sources without profiling users. Used by privacy-conscious self-hosters; a community-maintained search front-end. (AGPL-3.0) |
| **SimpleLogin** | — | — | — | — Email aliasing service creating anonymous addresses to protect your real inbox from spam and data breaches. Used by privacy-minded users; an open-source aliasing solution with a free tier. (MIT) |
| **uBlock Origin** | — | — | — | — Efficient wide-spectrum content blocker blocking ads, trackers, and malware domains with minimal resource usage across browsers. Used by millions of users; the most recommended content blocker. (GPL-3.0) |
| **Privacy Badger** | — | — | — | — Automatic tracker blocker from the Electronic Frontier Foundation that learns which domains track you and blocks them without configuration. Used by privacy-conscious browsers; an EFF-backed defense. (GPL-3.0) |
| **7-Zip** | — | — | — | — Open-source file archiver with AES-256 encryption support for creating encrypted archives on Windows and cross-platform. Used by everyday users; a reliable encrypted archiving utility. (LGPL-2.1) |
| **LaTeX** | — | — | — | — High-quality typesetting system often used to produce professional security reports. Used by technical writers and pentesters; a standard for polished document output. |
| **Markdown** | — | — | — | — Lightweight markup language for clean, portable report writing. Used by security professionals and developers; a simple way to author readable documentation. |
| **SecuriTool** | — | — | — | — Free online collection of 29 client-side web security tools including a web auditor, JWT attacker, CVE search and CSP evaluator. Used by web developers and testers; a handy browser-based toolkit. (free, proprietary) |
| **csp evaluator** | — | — | — | — Online evaluator for analyzing and scoring Content-Security-Policy headers. Used by web developers and security engineers; a quick CSP assessment utility. (free, proprietary) |
| **Charles** | — | — | — | — HTTP proxy and monitor that lets developers view all HTTP and SSL/HTTPS traffic between their machine and the internet. Used by developers and testers; a long-standing debugging proxy with a limited free tier. (free tier) |
| **AppSec Santa** | — | — | — | — Independent comparison of 129+ web application security tools across SAST, DAST, SCA and more. Used by security buyers; a free tool-selection reference. (free, proprietary) |
| **Web Application Exploitation @ R…** | — | — | — | — Rawsec inventory list of web application exploitation tools. Used by pentesters; a broad catalog of web testing tools. |
| **MetaDefender** | — | — | — | — Multi-engine file and URL malware scanning service. Used by analysts and defenders; a convenient reputation and malware check. (free tier) |