AWESOME CYBER SECURITY HEAVEN — REALM DOSSIER · 2026 EDITION

The Cartographers

Recon, OSINT & Attack-Surface Mapping Tools

140	461,225	51%	41
FREE TOOLS	COMMUNITY STARS	ON GITHUB ACTIVE	ACTIVE LAST 30 DAYS

140 tools · Part of Awesome Cyber Security Heaven — 1465 curated free tools across 14 realms · Data verified 2026-11-12 (re-verified monthly)

CURATOR'S NOTES

The mapping layer of offensive work — subdomain enumeration, certificate transparency, DNS archaeology and attack-surface diffing. The projectdiscovery suite lives here, alongside the classic recon one-liners every bounty hunter memorizes.

MAINTENANCE SNAPSHOT (2026-11-12)

- **Active in the last 30 days:** 41 of 81 tracked GitHub repos (51%)
- **Quiet classics (no push in 12+ months, still listed):** 18 tools (⍰ marks in the table)
- **Earliest entries:** dnsrecon (2010), theHarvester (2011), dirsearch (2013)

FLAGSHIP PICKS — THE HEAVYWEIGHTS

TOOL	★ STARS	CREATED	LAST PUSH	WHAT IT DOES
sherlock	95.4k	2018	2026-11-01 ✅	Hunt down social media accounts by username across social networks
GHunt	19.8k	2020	2026-04-10	🕵️ Offensive Google framework.
theHarvester	18.2k	2011	2026-10-30 ✅	E-mails, subdomains and names Harvester - OSINT
katana	17.8k	2021	2026-11-01 ✅	A next-generation crawling and spidering framework.
ffuf	17k	2018	2026-09-26	Fast web fuzzer written in Go
Amass	15.4k	2018	2026-10-25 ✅	In-depth attack surface mapping and asset discovery

Full inventory — 140 curated tools · ranked by GitHub adoption · 2026-11-12 census · non-GitHub tools listed without stars

TOOL	★ STARS	CREATED	LAST PUSH	LICENSE / TIER
sherlock	95.4k	2018	2026-11-01 ✅	— hunt one username across 400+ social networks; people-OSINT in seconds. Used by OSINT investigators checking username presence across hundreds of platforms; the standard free account-discovery tool.
GhostTrack	20.4k	2023	2024-01-11 ⏳	— Open-source phone and IP lookup tool that queries free APIs. Used by OSINT investigators and bug-bounty hunters; a quick tracking and reconnaissance utility. (GPL-3.0)
GHunt	19.8k	2020	2026-04-10	— investigate a Google account's public footprint (photos, reviews, services) from an email — for authorized OSINT; respect ToS. Used by OSINT investigators profiling Google accounts from public artifacts; the open alternative to commercial people-intel tools. (AGPL-3.0)
theHarvester	18.2k	2011	2026-10-30 ✅	— emails, subdomains, hosts and names from public sources — the OSINT starter kit. Used by pentesters in the recon phase harvesting emails, names and subdomains; the veteran free OSINT gatherer. (GPL-2.0)
katana	17.8k	2021	2026-11-01 ✅	— next-generation crawler with headless-browser support for JavaScript-heavy applications. Used by bug hunters and pentesters crawling modern JS-heavy apps; the ProjectDiscovery successor to legacy crawlers in recon pipelines.
ffuf	17k	2018	2026-09-26	— the fast web fuzzer everyone uses for content, parameter and vhost discovery. Used by web pentesters as the de facto standard free web fuzzer.
Amass	15.4k	2018	2026-10-25 ✅	— deep attack-surface mapping: DNS enumeration, scraping, archives, APIs and permutations in one OWASP project. Used by recon teams and bug bounty hunters for deep subdomain enumeration; the OWASP project that anchors most

sherlock	110.3k	2018	2026-11-12 ✓	— hunt one username across 400+ social networks; people-OSINT in seconds. Used by OSINT investigators checking username presence across hundreds of platforms; the standard free account-discovery tool.
GhostTrack	20.6k	2023	2024-01-11 ◇	— Open-source phone and IP lookup tool that queries free APIs. Used by OSINT investigators and bug-bounty hunters; a quick tracking and reconnaissance utility. (GPL-3.0)
GHunt	19.8k	2020	2026-04-10 ✓	— investigate a Google account's public footprint (photos, reviews, services) from an email — for authorized OSINT; respect ToS. Used by OSINT investigators profiling Google accounts from public artifacts; the open alternative to commercial people-intel tools. (AGPL-3.0)
theHarvester	18.3k	2011	2026-11-10 ✓	— emails, subdomains, hosts and names from public sources — the OSINT starter kit. Used by pentesters in the recon phase harvesting emails, names and subdomains; the veteran free OSINT gatherer. (GPL-2.0)
katana	17.8k	2021	2026-11-09 ✓	— next-generation crawler with headless-browser support for JavaScript-heavy applications. Used by bug hunters and pentesters crawling modern JS-heavy apps; the ProjectDiscovery successor to legacy crawlers in recon pipelines.
ffuf	17k	2018	2026-09-26 ✓	— the fast web fuzzer everyone uses for content, parameter and vhost discovery. Used by web pentesters as the de facto standard free web fuzzer.
Amass	15.5k	2018	2026-11-12 ✓	— deep attack-surface mapping: DNS enumeration, scraping, archives, APIs and permutations in one OWASP project. Used by recon teams and bug bounty hunters for deep subdomain enumeration; the OWASP project that anchors most serious attack-surface pipelines.
dirsearch	15.1k	2013	2026-11-05 ✓	— the 2013-vintage web path brute-forcer with an optional Rust native backend, wordlist transformations and resumable sessions. Used by web pentesters enumerating hidden paths and endpoints for over a decade; the classic Python scanner — the lineage anchor alongside ffuf and feroxbuster. (GPL-2.0)
subfinder	14.8k	2018	2026-11-09 ✓	— fast, passive subdomain discovery from dozens of sources; the standard first command of any engagement. Used by bug bounty hunters for fast passive subdomain discovery; the ProjectDiscovery staple of recon automation.
gobuster	14.3k	2014	2026-11-12 ✓	— the classic directory/DNS/vhost buster in Go; the tool feroxbuster and ffuf grew from. Used by pentesters for directory, DNS and vhost brute-forcing; the veteran free alternative to commercial content scanners.
Sublist3r	11.1k	2015	2024-08-02 ◇	— Subdomain enumeration tool that queries search engines to discover hosts. Used by recon specialists and bug-bounty hunters; a classic open-source starting point for attack-surface mapping. (GPL-2.0)
bbot	11.1k	2022	2026-11-11 ✓	— recursive, modular OSINT/scanning framework — spider the whole attack surface with one command. Used by attack-surface teams running modular, recursive recon; the open-source framework rivaling commercial ASM discovery. (AGPL-3.0)
httpx	10.6k	2020	2026-11-11 ✓	— the HTTP prober: filter thousands of hosts by status, title, tech, CDN and TLS in a single pass. Used by bug bounty hunters triaging alive hosts from mass subdomain lists; the ProjectDiscovery prober in nearly every recon pipeline.
OneForAll	10.1k	2018	2026-11-02 ✓	— subdomain enumeration powerhouse: brute-force with wildcard detection, agent-based crawling and dozens of passive sources folded into one tool with clean export formats. Used by bug bounty hunters building deep subdomain inventories; the maintained Chinese-security-community subdomain canon. (GPL-3.0)
reNgine	8.9k	2020	2026-11-08 ✓	— Automated web reconnaissance framework with highly configurable scan engines, recon-data correlation, continuous monitoring and a clean web UI. Used by bug bounty hunters running repeatable, scheduled recon; the self-hosted alternative to commercial ASM platforms for web recon.. (GPL-3.0)
reconFTW	8.4k	2020	2026-11-02 ✓	— fully automated recon framework orchestrating ~100 external tools (subfinder, nuclei, nmap, gitleaks…) into one configurable pipeline with OSINT, cloud-enum and Azure-tenant stages. Used by recon teams running scheduled attack-surface sweeps without hand-rolling bash; the Docker-deployed recon automation standard. (MIT)

feroxbuster	8.2k	2020	2026-11-12 ✓	— fast recursive content discovery in Rust with great heuristics and recursion handling. Used by web pentesters for fast recursive content discovery; the Rust-based favorite alongside ffuf and gobuster.
wfuzz	6.6k	2014	2026-01-21 ✓	— the web fuzzer that replaces any part of a request with a payload — parameters, headers, paths, verbs. Used by web pentesters fuzzing any part of an HTTP request; the classic free fuzzer predating ffuf. (GPL-2.0)
naabu	6.4k	2020	2026-11-09 ✓	— fast, SYN-based port scanner built to be pipelined, not watched. Used by bug bounty hunters for SYN port scanning; the ProjectDiscovery port scanner in recon pipelines.
recon-ng	6k	2019	2026-10-05 ✓	— the other recon framework: fully modular, database-backed web recon with a Metasploit-style console. Used by pentesters running structured recon workflows; the Metasploit-style framework for the recon phase. (GPL-3.0)
EyeWitness	5.9k	2014	2026-01-05 ✓	— screenshots, headers and key info from web servers during authorized recon passes. Used by pentesters screenshotting and triaging web servers in bulk; the standard free recon triage tool. (GPL-3.0)
hakrawler	5.2k	2019	2026-08-05 ✓	— lightweight Go crawler that eats URLs from stdin and emits discovered endpoints and JavaScript file locations up to a configurable depth. Used by bug bounty hunters seeding recon pipelines from quick crawls; hakluke's pipeline-friendly staple, packaged in Kali. (GPL-3.0)
gau	5.2k	2020	2026-10-12 ✓	— fetch URLs indexed by AlienVault OTX, the Wayback Machine and Common Crawl. Used by bug bounty hunters pulling all known URLs from public archives; the free fetcher that seeds most recon pipelines.
Waybackurls	4.6k	2018	2024-05-01 ◇	— Fetches URLs from the Wayback Machine for a given domain to aid historical recon. Used by bug bounty hunters and recon analysts; a staple for discovering forgotten endpoints. (MIT)
LinkFinder	4.5k	2017	2024-04-13 ◇	— Python script that finds endpoints and links hidden inside JavaScript files. Used by bug-bounty hunters and recon specialists; a popular JS endpoint discovery tool. (MIT)
IVRE	4.2k	2014	2026-10-30 ✓	— Self-hosted network recon framework for building your own Shodan or Censys alternative using Nmap, Masscan, and Zeek. Used by network researchers and attack-surface analysts; a powerful self-hosted reconnaissance platform. (GPL-3.0)
Raccoon	4.1k	2018	2026-04-21 ✓	— High performance offensive security tool for reconnaissance and vulnerability scanning. Used by pentesters; a fast recon and scanning framework. (MIT)
massdns	3.7k	2016	2026-09-27 ✓	— high-performance DNS stub resolver for bulk subdomain brute-forcing at scale. Used by recon pipelines resolving millions of subdomains; the free high-performance resolver no commercial tool beats on price. (GPL-3.0)
Assetfinder	3.7k	2019	2024-06-07 ◇	— Subdomain discovery tool that pulls results from multiple public sources. Used by recon specialists and pentesters; a fast open-source way to enumerate an organization's hosts. (MIT)
subDomainsBrute	3.6k	2015	2022-09-15 ◇	— Simple and fast subdomain brute-forcing tool for pentesters. Used by recon specialists; a quick subdomain enumeration utility.
ParamSpider	3.2k	2020	2026-03-07 ✓	— mines archived URLs and parameters from the Wayback Machine to seed injection testing. Used by bug hunters mining hidden parameters from archives; the free parameter-mining step before injection testing.
S3Scanner	3.2k	2017	2026-08-03 ✓	— Cloud storage scanner for identifying exposed S3 buckets containing firmware or configuration data. Used by cloud security testers; a focused exposure scanner. (MIT)
dnsrecon	3.1k	2010	2026-11-10 ✓	— DNS enumeration workhorse: records, zone transfers, reverse lookups and subdomain brute-forcing. Used by pentesters enumerating DNS records and zone transfers; the veteran free DNS enumeration tool. (GPL-2.0)
FinalRecon	3k	2019	2026-10-31 ✓	— all-in-one web recon: headers, whois, SSL, DNS, subdomains, ports, directories and traceroute in a single modular run. Used by pentesters running a fast first-pass recon sweep before deep-dive tooling; the modular Python alternative to juggling ten single-purpose scripts. (MIT)

dnsx	2.9k	2020	2026-11-09 ✓	— multi-purpose DNS toolkit: reverse lookups, wildcard detection, response filtering. Used by recon teams for DNS querying and reverse lookups at scale; the ProjectDiscovery DNS multitool.
waymore	2.8k	2022	2026-06-11 ✓	— pull way more from the Wayback Machine: full responses, not just URLs. Used by bug hunters mining the Wayback Machine deeply for hidden endpoints and parameters; the successor to gau for archive URL intel.
CloakQuest3r	2.3k	2023	2026-01-06 ✓	— unmask the real origin IP behind Cloudflare and similar CDNs using historical DNS, SSL certificates and subdomain correlation. Used by security teams verifying true origin exposure before hardening allowlists; the open-source alternative to commercial CDN-unmasking services. (MIT)
subjack	2.1k	2017	2026-10-21 ✓	— subdomain-takeover scanner that flags dangling CNAMEs, stale NS delegations, orphaned A records and SPF/MX/SRV vectors across large concurrent domain lists. Used by bug bounty hunters and asset teams hunting hijackable subdomains before attackers do; the veteran takeover checker that still anchors this bug class. (MIT)
GitMiner	2.1k	2016	2025-11-05 ◇	— Advanced mining tool for searching content and secrets across GitHub repositories. Used by OSINT analysts and bug-bounty hunters; a powerful GitHub recon engine. (GPL-3.0)
ReconDog	2.1k	2017	2021-01-26 ◇	— Reconnaissance Swiss Army knife gathering domain and network information. Used by pentesters; a multi-purpose recon toolkit. (Apache-2.0)
snallygaster	2.1k	2018	2026-10-18 ✓	— Scans HTTP servers for accidentally exposed secret files and leftover artifacts. Used by pentesters and bug-bounty hunters; a fast, focused exposure scanner. (0BSD)
dirhunt	2k	2018	2023-10-29 ◇	— Web crawler optimized for searching and analyzing a site's directory structure. Used by pentesters; an efficient content discovery tool. (MIT)
domain_analyzer	1.9k	2017	2022-12-29 ◇	— Analyzes the security of a domain by gathering all possible information. Used by pentesters; a broad domain reconnaissance script.
Fierce	1.8k	2016	2024-08-28 ◇	— DNS reconnaissance and attack tool for mapping domains and nearby hosts. Used by pentesters and network testers; an open-source way to enumerate DNS infrastructure. (GPL-3.0)
buster	1.4k	2019	2020-03-26 ◇	— Open-source tool that checks whether an email address is registered on popular online services. Used by OSINT investigators and bug-bounty hunters; a quick account-enumeration aid. (GPL-3.0)
JARM	1.3k	2020	2026-08-13 ✓	— active TLS server fingerprint: identifies servers behind CDNs from their handshake behavior. Used by CTI analysts identifying TLS server infrastructure; the free passive fingerprint actively used in threat research. (BSD-3-Clause)
VHostScan	1.3k	2017	2025-08-18 ◇	— enumerates virtual hosts on a shared IP — discover the neighbors your target lives with. Used by pentesters discovering virtual hosts on shared infrastructure; a focused free tool for shared-hosting engagements. (GPL-3.0)
Awesome Censys Queries	1.3k	2022	2026-10-26 ✓	— a curated corpus of Censys search queries for internet-wide recon. Used by CTI analysts running certified Censys hunting; the community cookbook for asset-search queries. (CC-BY-4.0, curated list)
SpiderSuite	990	2023	2026-08-13 ✓	— Cross-platform web security crawler with standard, headless, interactive, brute-force and archive modes for attack-surface mapping. Used by pentesters and bug-bounty hunters; a versatile crawling workbench.
urlfinder	923	2024	2026-11-09 ✓	— passive URL and endpoint discovery from Wayback, Common Crawl, AlienVault and URLScan with per-source rate limits and JSONL output. Used by recon pipelines building endpoint inventories before fuzzing; the projectdiscovery complement to subfinder for paths. (MIT)
Recog	799	2013	2026-11-11 ✓	— the fingerprint database behind Metasploit and Nexpose: service banners mapped to OS and product families. Used by fingerprinting tool maintainers for service identification; the open database behind Metasploit and Rapid7 tooling. (BSD-3-Clause)

ARL-Next	532	2026	2026-11-11 ✓	— attack-surface reconnaissance platform combining subdomain enumeration, port scanning, fingerprinting and a nuclei PoC pipeline with task scheduling. Used by attack-surface teams running scheduled recon over large asset lists; the actively maintained continuation of the ARL recon platform. (GPL-3.0)
lit-bb-hack-tools	398	2021	2026-11-05 ✓	— monorepo of 26 small stdin/stdout CLI utilities that reshape and pivot recon output — subdomain-takeover checks, redirect chains, JS and parameter mining. Used by bug bounty hunters gluing tool outputs into pipelines; the unix-philosophy companion to monolithic recon suites. (GPL-3.0)
nerva	379	2026	2026-11-11 ✓	— high-performance service fingerprinting CLI identifying 170+ protocols on TCP, UDP and SCTP with safe misconfiguration checks. Used by recon teams fingerprinting services at scale without credentials; Praetorian's open-source protocol identification engine. (Apache-2.0)
JoomlaScan	267	2016	2023-08-01 ◇	— Free scanner that enumerates components installed on Joomla CMS sites to reveal the attack surface. Used by pentesters and bug-bounty hunters; a focused CMS recon tool. (GPL-3.0)
GSDF	184	2016	2018-02-01 ◇	— Domain searcher named GoogleSSLdomainFinder for enumerating related domains. Used by recon specialists; a Google-based domain discovery tool. (Apache-2.0)
DorkEye	162	2025	2026-11-11 ✓	— OSINT dork pipeline: email, subdomain and people discovery through structured query automation. Used by bug hunters running Google dorks via SearX; the free web-based dork launcher. (MIT)
plcscan	116	2015	2023-04-07 ◇	— Tool for enumerating Siemens S7 PLCs via TCP/IP or LLC networks, serving as a foundational discovery utility for ICS networks. Used by OT security assessors; a simple, reliable first step for mapping industrial assets. (GPL-3.0)
reKover	60	2026	2026-10-21 ✓	— stealth hybrid URL mapper merging wayback-machine history with wordlist probing to recover hidden and forgotten paths. Used by bug bounty hunters recovering forgotten endpoints and legacy paths; the zero-dependency bash alternative to heavy content-discovery suites. (MIT per README)
AtDork	57	2026	2026-10-21 ✓	— multi-engine Google-dork scraper with categorized GHDB output for authorized reconnaissance. Used by bug bounty hunters automating Google dorking for exposed targets; the free dork engine for recon. (MIT)
Reddit_Persona	26	2016	2017-07-19 ◇	— Open-source tool building a persona from a Reddit user's data. Used by OSINT researchers and investigators; a social-media profiling aid. (MIT)
BloodRecon	22	2025	2026-10-16 ✓	— automated recon pipeline that chains subdomain discovery, JavaScript endpoint extraction and a nuclei handoff with Telegram notifications. Used by bug bounty hunters automating the recon-to-scan handoff; the one-command recon pipeline for bounty workflows. (MIT)
Dork	10	2026	2026-08-21 ✓	— curated Google-dork payload library for cloud, AI, SaaS and IoT reconnaissance. Used by recon teams pulling tested dorks per target class; the categorized dork corpus for scoped discovery. (MIT)
DorkCraft	10	2026	2026-11-11 ✓	— rule-based dork generator: translates intent into search queries deterministically, zero AI, zero outbound calls. Used by recon practitioners bulk-running dork queries; the open dork-scanning alternative to paid search tooling. (MIT)
Marshall Extensions	8	2026	2026-02-27 ✓	— OSINT and security extensions for the Marshall privacy browser. Used by OSINT practitioners; a plugin bundle for reconnaissance.
wayparam	8	2025	2026-11-10 ✓	— Python CLI that pulls historical URLs from the Wayback CDX API and normalizes parameterized URLs for fuzzing. Used by recon specialists and bug-bounty hunters; a tidy recon helper. (GPL-3.0)
recon	5	2026	2026-11-01 ✓	— passive domain-intelligence framework with per-phase structured output for tech-stack and email-security audits. Used by auditors assembling passive domain profiles without touching the target; the structured-output recon framework for assessment prep. (Apache-2.0)
slurp	3	2022	2022-07-30 ◇	— Tool to evaluate the security of Amazon S3 buckets. Used by cloud security testers; a focused bucket misconfiguration scanner.

targetfinder	3	2026	2026-11-12 ✓	— Self-hosted bug bounty scope tracker that watches new programs, targets, fee and reward changes across HackerOne, Bugcrowd, Intigriti, YesWeHack, HackenProof and Sherlock — CLI, HTTP API and MCP server, no API keys. Used by bug bounty hunters catching scope changes the moment they happen; the free alternative to paid program-monitoring services.. (MIT)
subsonar	1	2026	2026-10-30 ✓	— Ultra-fast asynchronous subdomain and web-interface scanner with anonymous DNS resolution and 0-100 confidence scores that explain every verdict. Used by recon teams enumerating live web surfaces quickly; the confidence-scored free subdomain scanner.. (MIT)
Dorker	0	2026	2026-10-23 ✓	— cross-platform multi-engine Google-dork CLI with per-engine query translation and scoped validation. Used by OSINT hunters running one dork across multiple engines; the dork translator for cross-engine reconnaissance. (Apache-2.0)
DorkIntel	0	2026	2026-10-21 ✓	— client-side library of 162 categorized Google dorks for intelligence dashboards. Used by OSINT tool builders embedding dork queries in dashboards; the embeddable dork dataset for client-side intel tooling. (MIT)
CeWL	—	—	— ◇	— custom wordlist generation by spidering target sites — the content-aware dictionary for authorized assessments. Used by pentesters building custom wordlists from target sites for password audits; the standard free custom-wordlist spider. (GPL-3.0)
DNSdumpster	—	—	— ◇	— visual DNS reconnaissance: subdomains, MX, and infrastructure maps from public records. Used by beginners and quick-recon tasks for visual DNS mapping; the free web tool that kickstarts attack-surface discovery. (free service)
Maltego CE	—	—	— ◇	— the standard OSINT graphing tool for entity-relationship investigation; free community edition. Used by OSINT analysts and investigators for link analysis; the free community edition of the commercial Maltego. (free tier)
Merklemap	—	—	— ◇	— subdomain discovery through certificate-transparency logs; billions of entries, searchable. Used by recon teams searching Certificate Transparency for subdomains; the free CT search joining crt.sh-style tooling. (free service)
WiGLE	—	—	— ◇	— the wireless network mapping archive; queries by BSSID/SSID across millions of observed networks. Used by wireless OSINT researchers mapping networks worldwide; the free wardriving database with no commercial equal. (free service)
cvcemap	2.7k	2023	2026-11-09 ✓	— CVE-to-version mapping (repo: vulnx). (MIT)
tlsx	1.2k	2022	2026-11-11 ✓	— TLS recon: ciphers, certs, SANs, versions. (MIT)
cdncheck	998	2020	2026-11-09 ✓	— CDN / cloud provider detection before scanning. (MIT)
findomain	3.8k	2019	2026-11-04 ✓	— CT-based subdomain discovery with database backend. (GPL-3.0)
knockpy	4.2k	2014	2026-02-19 ✓	— subdomain enum by wordlist + CT with wildcard detection. (GPL-3.0)
subcat	490	2022	2026-10-08 ✓	— passive subdomain discovery for pipelines. (MIT)
graphw00f	918	2021	2026-05-16 ✓	— GraphQL engine fingerprinter. (BSD-3-Clause)
gowitness	4.6k	2017	2026-10-29 ✓	— website screenshot recon with browsable reports. (GPL-3.0)
FAVIHUNTER	256	2023	2026-08-14 ✓	— favicon-hash asset discovery against scan datasets. (MIT)
gitjacker	1.6k	2020	2025-12-05 ◇	— .git directory leak dump + repo reconstruction. (Unlicense)
IP-Lookup.org	—	—	— ◇	— IP lookup tool resolving geolocation, ISP, ASN, and hostname details for any address. Used by analysts and admins; a quick free way to map network origins. (free, proprietary)
Securewp Online Scanner	—	—	— ◇	— Online WordPress scanner that finds vulnerabilities, profiles sites, and detects malware or exposed files. Used by site owners and small security teams; a free first-pass check on WordPress exposure. (free, proprietary)
IPLocation.net	—	—	— ◇	— IP geolocation lookup service showing location, ISP, and related details for addresses. Used by analysts and admins; a free quick-reference for mapping network origins. (free, proprietary)

ViewDNS.info	—	—	—	◇	— Suite of domain and IP intelligence tools covering DNS, reverse lookups, and propagation checks. Used by recon specialists and admins; a free one-stop shop for domain research. (free, proprietary)
Check-Host	—	—	—	◇	— Network monitoring and diagnostic tool checking host availability, ping, HTTP, TCP, and DNS from multiple locations. Used by admins and researchers; a free way to probe reachability worldwide. (free, proprietary)
WHOIS	—	—	—	◇	— Domain registration and ownership lookup service. Used by investigators and admins; a free reference for checking who owns a domain. (free, proprietary)
CC.LA	—	—	—	◇	— Free WHOIS and RDAP lookup with DNS records, name server history, IP WHOIS, and SSL certificate search. Used by recon specialists and admins; a broad free domain intelligence hub. (free, proprietary)
Netcraft	—	—	—	◇	— Website profiling and phishing detection service. Used by analysts and defenders; a free-tier way to fingerprint site infrastructure and spot suspicious hosts. (free tier)
BuiltWith	—	—	—	◇	— Website technology lookup and analysis service. Used by recon specialists and researchers; a free-tier way to fingerprint the stack behind a site. (free tier)
StackScan	—	—	—	◇	— Website technology lookup and asset footprint search service. Used by recon specialists and bug-bounty hunters; a free-tier way to map a target's tech stack and assets. (free tier)
WebSentry	—	—	—	◇	— Website security scanner for detecting misconfigurations, analyzing SSL/TLS, security headers, CSP, CORS, DNS, and vulnerable JavaScript libraries. Used by web developers and security testers; a quick external posture check. (free tier)
Wappalyzer	—	—	—	◇	— Identifies technologies used on websites by fingerprinting headers, scripts, and assets. Used by recon analysts and security researchers; a widely relied-on technology fingerprinting service. (free tier)
Shodan / Censys	—	—	—	◇	— Internet-connected ICS device OSINT search engines for discovering publicly exposed industrial control assets and conducting external reconnaissance. Used by OT security analysts; a fast way to map exposed industrial infrastructure. (free tier)
Kismet	—	—	—	◇	— Wireless network detector, sniffer, and intrusion detection system. Used by wireless analysts and wardrivers; a long-standing free passive Wi-Fi discovery platform.
FOFA	—	—	—	◇	— Cyberspace search engine for discovering internet-facing assets and services. Used by recon specialists and researchers; a broad attack-surface search platform. (free tier)
OpenBuckets	—	—	—	◇	— Search engine for misconfigured public cloud storage buckets across providers. Used by security researchers; a fast exposure discovery service. (free, proprietary)
VirusTotal domain information	—	—	—	◇	— VirusTotal documentation for searching domain information. Used by analysts and recon specialists; a reference for domain intelligence queries. (free tier)
grayhatwarfare	—	—	—	◇	— Search engine indexing publicly exposed cloud storage buckets for reconnaissance. Used by security researchers and bug-bounty hunters; a useful exposure-discovery resource. (free tier)
Finding The Real Origin IPs Hiding ...	—	—	—	◇	— Article on finding real origin IPs hiding behind Cloudflare or TOR. Used by recon specialists; a practical guide to origin discovery.
SaaSFort	—	—	—	◇	— Runs a free 60-second external NIS2 and security posture scan with an A-F grade and no signup. Used by compliance-minded teams; a quick external exposure check. (free tier)
HTTP Security Report	—	—	—	◇	— Generates an instant report of how a website measures against HTTP security best practices. Used by web developers and admins; a fast header and configuration review. (free, proprietary)
ImmuniWeb CyberScore	—	—	—	◇	— Provides a free cybersecurity, privacy, and AI security rating for a company, partner, or supplier. Used by risk and procurement teams; a quick external posture score. (free tier)

ImmuniWeb - Website Security Test	—	—	—	◇	— Tests a website for vulnerabilities, AI bot protection, HTTP security and privacy headers, DNSSEC, CSP, and compliance. Used by defenders and auditors; a broad external web check. (free tier)
Pentest Tools - Network Vulnerab...	—	—	—	◇	— Online scanner identifying vulnerabilities, misconfigurations, outdated services, and exposed ports in network infrastructure. Used by security teams; a hosted external network discovery tool. (free tier)
KeyDrift	—	—	—	◇	— Scans deployed HTML and JavaScript for exposed secrets while recognizing public browser credentials that are not leaks. Used by web developers and security teams; reduces false-positive secret alerts. (free tier)
Scorifya	—	—	—	◇	— Gives a 0-100 security score for any website covering TLS, headers, cookies, DNS, and email signals. Used by defenders and site owners; a quick external configuration rating. (free, proprietary)
ImmuniWeb SSL Security Test	—	—	—	◇	— Free online tool checking a website or email server's SSL/TLS configuration against security standards. Used by admins and auditors; a focused TLS compliance test. (free tier)
Reverse Whois	—	—	—	◇	— Reverse WHOIS lookup mapping domains to registrants. Used by recon analysts and investigators; a domain ownership discovery tool. (free, proprietary)
Email Dossier	—	—	—	◇	— Email domain and MX diagnostics for mail infrastructure. Used by admins and investigators; a mail configuration lookup. (free, proprietary)
MailTester	—	—	—	◇	— Free web service that verifies whether an email address exists via SMTP checks. Used by OSINT researchers and marketers; a simple email-existence validation tool. (free, proprietary)
Verify-Email	—	—	—	◇	— Free web service that verifies email addresses through SMTP and syntax checks. Used by OSINT investigators and list cleaners; a quick email-validation utility. (free, proprietary)
ignorant	—	—	—	◇	— Python package that checks whether a phone number is registered on real platforms. Used by OSINT investigators and bug-bounty hunters; a fast phone-enumeration tool. (free, proprietary)
Vimeo search tool	—	—	—	◇	— Free OSINT tool for searching Vimeo profiles and content. Used by investigators and researchers; a quick social-media reconnaissance aid. (free, proprietary)
Google to search profiles on Dribb...	—	—	—	◇	— Free Google CSE that returns real Dribbble profiles. Used by OSINT researchers and recruiters; a quick social-media profile discovery tool. (free, proprietary)
Facebook Photo Search Engine	—	—	—	◇	— Free Google CSE for searching Facebook profiles and photos. Used by OSINT researchers and investigators; a quick social-media profile discovery tool. (free, proprietary)
twint	—	—	—	◇	— Open-source Twitter scraper for profiles and tweets. Used by OSINT investigators and researchers; a fast social-media data collection tool. (MIT)
Twitter Advanced Search	—	—	—	◇	— Platform search returning real tweets by keyword, user, and date. Used by OSINT researchers and investigators; a native social-media reconnaissance tool. (free, proprietary)
Twitter Analytics	—	—	—	◇	— Free profile analytics lookup confirming account activity and stats. Used by OSINT investigators and researchers; a quick social-media profile verification aid. (free, proprietary)
TweeterID	—	—	—	◇	— Free converter mapping Twitter usernames to numeric IDs. Used by OSINT researchers and investigators; a handy social-media identifier lookup. (free, proprietary)
Vapor	—	—	—	◇	— Free per-user Reddit account activity lookup tool. Used by OSINT investigators and researchers; a quick social-media profile reconnaissance aid. (free, proprietary)
Reveddit.com	—	—	—	◇	— Free service showing removed content for a Reddit user. Used by OSINT researchers and investigators; a useful social-media history recovery tool. (free, proprietary)

redditsfinder	—	—	—	◇	— Open-source Python package aggregating a Reddit username's real history. Used by OSINT investigators and researchers; a fast social-media data collection tool. (MIT)
Reddit User Analyser	—	—	—	◇	— Free web tool analyzing a Reddit username's profile and activity. Used by OSINT investigators and researchers; a quick social-media profile analysis aid. (free, proprietary)
RedditMetis	—	—	—	◇	— Free web tool summarizing a Reddit account's activity. Used by OSINT researchers and investigators; a quick social-media profile reconnaissance aid. (free, proprietary)
Search Reddit Comments by User	—	—	—	◇	— Free search tool for Reddit comments by user. Used by OSINT investigators and researchers; a quick social-media history lookup aid. (free, proprietary)
LinkedIn Search Engine	—	—	—	◇	— Free Google CSE returning real LinkedIn profiles. Used by OSINT researchers and recruiters; a quick professional-profile discovery tool. (free, proprietary)
Discord ID Lookup	—	—	—	◇	— Free lookup tool resolving Discord account details by ID. Used by OSINT investigators and researchers; a quick social-media identifier lookup aid. (free, proprietary)
DiscordLookup	—	—	—	◇	— Free lookup tool resolving Discord account details by ID. Used by OSINT investigators and researchers; a quick social-media identifier lookup aid. (free, proprietary)
TwitchTracker	—	—	—	◇	— Free analytics site showing per-channel Twitch statistics. Used by OSINT researchers and streamers; a quick social-media channel reconnaissance aid. (free, proprietary)
Search for a Twitch channel	—	—	—	◇	— Free Twitch channel search with statistics. Used by OSINT investigators and researchers; a quick social-media channel discovery aid. (free, proprietary)
Twitch Following	—	—	—	◇	— Free tool listing a Twitch channel's following accounts. Used by OSINT researchers and investigators; a quick social-media relationship mapping aid. (free, proprietary)
Twitch Tools	—	—	—	◇	— Free viewer for a Twitch channel's follower list. Used by OSINT investigators and researchers; a quick social-media audience reconnaissance aid. (free, proprietary)
Twitchmetrics.net	—	—	—	◇	— Free analytics site showing Twitch channel statistics. Used by OSINT researchers and streamers; a quick social-media channel reconnaissance aid. (free, proprietary)