JEE OS DATA - extraction review (5 questions with figures)

Copy_of_0dea66c2_p009_q007 · Structure of Atom · key **A**

The correct representation of wavelength intensity relationship of an ideal black body radiation at two different temperatures T1 and T2 is

(A) T1 Wavelength T2T>T 2 1 Intensity


(B) $)_{T1}$ Wavelength T1T>T 2 1 Intensity

(C) T2 Wavelength T1T2 >T1 Intensity


(D) [figure option]

intensity relationship of an ideal black body radiation at two different temperatures T_1 and T_2 is


(a)




(b)



(c)




(d)




7. The correct representation of wavelength intensity relationship of an ideal black body radiation at two different temperatures T_1 and T_2 is


(a)




(b)



(c)



(d)



printed page region (original)

extracted text + cropped figure (the JSON)

Copy_of_odea66c2_p028_q014 · Equilibrium · key **A**

The figure shows the change in concentration of species A and B as a function of time. The equilibrium constant K_c for the reaction $A(g) \rightleftharpoons 2B(g)$ is:


(A) $K_c > 1$

(B) K < 1

(C) K = 1


(D) data insufficient

The equilibrium constant K_c for the reaction



extracted text + cropped figure (the JSON)

14. The figure shows the change in concentration of species A and B as a function of time. The equilibrium constant K_c for the reaction



$A(g) \rightleftharpoons 2B(g)$ is :

(a) $K_c > 1$ (b) $K < 1$

(c) $K = 1$ (d) data insufficient

printed page region (original)

Copy_of_odea66c2_p042_q012 · Organic Chemistry-Some Basic Principles and Techniques · key **D**

In the below mentioned compounds the decreasing order of reactivity towards electrophilic substitution is


(A) (iv) > (i) > (ii) > (iii)

(B) (ii) > (iii) > (i) > (iv)

(C) (iii) > (i) > (iv) > (ii)


(D) (i) > (ii) > (iii) > (iv)

decreasing order of reactivity towards electrophilic substitution is

(i) 

(ii) 

(iii) 

(iv) 


(a) (iv) > (i) > (ii) > (iii)

(b) (ii) > (iii) > (i) > (iv)


extracted text + cropped figure (the JSON)

12. In the below mentioned compounds the decreasing order of reactivity towards electrophilic substitution is

(i) 

(ii) 

(iii) 

(iv) 

(a) (iv) > (i) > (ii) > (iii)

(b) (ii) > (iii) > (i) > (iv)

(c) (iii) > (i) > (iv) > (ii)

(d) (i) > (ii) > (iii) > (iv)

printed page region (original)

extracted text + cropped figure (the JSON)

Copy_of_odea66c2_p048_q028 · Hydrocarbons · key **C**

Bromination of ethyl benzene in presence of light gives


(A) [figure option]


(B) [figure option]


(C) [figure option]

(D) Both (a) and (b)

28. Bromination of ethyl benzene in presence of light gives

(a) 

(b) 


(c) 


(d) Both (a) and (b)


29. Which of the following would not give 2-

extracted text + cropped figure (the JSON)

28. Bromination of ethyl benzene in presence of light gives

(a) 

(b) 

(c) 

(d) Both (a) and (b)

printed page region (original)

Copy_of_odea66c2_p081_q010 · Halolalkanes and Haloarenes · key **B**

Pick up the final product in the following reaction.

(A) [figure option]


(B) [figure option]


(C) [figure option]


(D) [figure option]


(c) III or IV (d) Any of the four


10. Pick up the final product in the following reaction.



(a) 

(b) 


(c) 


(d) 


11. The structure of the major product formed in the following reaction


extracted text + cropped figure (the JSON)


10. Pick up the final product in the following reaction.



(a) 

(b) 

(c) 

(d) 

printed page region (original)