

Sum of Squared Errors - Sanity Check

INM431 week 5 - daniel.sikar@city.ac.uk + big sister

Given a line equation:

$$y = b + mx$$

where b is the intercept, and m is the slope. We change this into the form:

$$\hat{y} = \hat{\beta}_0 + \hat{\beta}_1 x \quad (1)$$

and define an error function:

$$E = \sum_{i=1}^n (y_i - \hat{y}_i)^2 \quad (2)$$

where y_i is the i th observation of y , and corresponds to the input x_i , and \hat{y}_i is the corresponding prediction. Substituting (1) in (2):

$$E = \sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)^2$$

We want to minimize the error E and can see it is a function of $\hat{\beta}_0$ and $\hat{\beta}_1$ so give it a more descriptive name:

$$SSE(\hat{\beta}_0, \hat{\beta}_1) = \sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)^2 \quad (3)$$

We take two derivatives, one with respect to $\hat{\beta}_0$ and the other with respect to $\hat{\beta}_1$. Since our error function consists of two functions, one outside function (exponentiation) and one inside function, we apply the chain rule for a general case:

$$g(f(x)) = \frac{\partial g}{\partial f} \cdot \frac{\partial f}{\partial x}$$

For $\hat{\beta}_0$ we have:

$$\frac{\partial g}{\partial f} \cdot \frac{\partial f}{\partial \hat{\beta}_0} = \frac{\partial g}{\partial f} \sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)^2 \cdot \frac{\partial f}{\partial \hat{\beta}_0} (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)$$

We apply the derivative sum rule - the derivative of the sum is equal to the sum of the derivatives:

$$\begin{aligned} \frac{\partial g}{\partial f} \cdot \frac{\partial f}{\partial \hat{\beta}_0} &= \sum_{i=1}^n \frac{\partial g}{\partial f} (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)^2 \cdot \frac{\partial f}{\partial \hat{\beta}_0} (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i) \\ &= 2 \sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i) \cdot (-1) \\ &= -2 \sum_{i=1}^n y_i + 2 \sum_{i=1}^n \hat{\beta}_0 + 2 \sum_{i=1}^n \hat{\beta}_1 x_i \end{aligned}$$

Since we are trying to minimize:

$$\frac{\partial}{\partial \hat{\beta}_0} SSE(\hat{\beta}_0, \hat{\beta}_1)$$

we set the result to zero and solve for $\hat{\beta}_0$:

$$-2 \sum_{i=1}^n y_i + 2 \sum_{i=1}^n \hat{\beta}_0 + 2 \sum_{i=1}^n \hat{\beta}_1 x_i = 0$$

$$2 \sum_{i=1}^n \hat{\beta}_0 = 2 \sum_{i=1}^n y_i - 2 \sum_{i=1}^n \hat{\beta}_1 x_i$$

$$n\bar{y} = \sum_{i=1}^n y_i$$

$$2 \sum_{i=1}^n \hat{\beta}_0 = 2n\bar{y} - 2 \sum_{i=1}^n \hat{\beta}_1 x_i$$

$$2 \sum_{i=1}^n \hat{\beta}_0 = 2n\bar{y} - \hat{\beta}_1 2 \sum_{i=1}^n x_i$$

$$n\bar{x} = \sum_{i=1}^n x_i$$

$$2 \sum_{i=1}^n \hat{\beta}_0 = 2n\bar{y} - \hat{\beta}_1 2n\bar{x}$$

$$2n\hat{\beta}_0 = 2n\bar{y} - \hat{\beta}_1 2n\bar{x}$$

$$\hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x} \tag{4}$$

For $\hat{\beta}_1$ we have:

$$\begin{aligned} \frac{\partial g}{\partial f} \cdot \frac{\partial f}{\partial \hat{\beta}_1} &= \sum_{i=1}^n \frac{\partial g}{\partial f} (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)^2 \cdot \frac{\partial f}{\partial \hat{\beta}_1} (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i) \\ &= 2 \sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i) \cdot (-x_i) \\ &= -2 \sum_{i=1}^n x_i y_i + 2 \sum_{i=1}^n \hat{\beta}_0 x_i + 2 \sum_{i=1}^n \hat{\beta}_1 x_i^2 \end{aligned}$$

Setting result equal to zero:

$$\begin{aligned}
-2 \sum_{i=1}^n x_i y_i + 2 \sum_{i=1}^n \hat{\beta}_0 x_i + 2 \sum_{i=1}^n \hat{\beta}_1 x_i^2 &= 0 \\
-\sum_{i=1}^n x_i y_i + \sum_{i=1}^n \hat{\beta}_0 x_i + \sum_{i=1}^n \hat{\beta}_1 x_i^2 &= 0 \\
-\sum_{i=1}^n x_i y_i + \hat{\beta}_0 \sum_{i=1}^n x_i + \hat{\beta}_1 \sum_{i=1}^n x_i^2 &= 0
\end{aligned}$$

Substituting $\hat{\beta}_0$ from (4):

$$\begin{aligned}
-\sum_{i=1}^n x_i y_i + (\bar{y} - \hat{\beta}_1 \bar{x}) \sum_{i=1}^n x_i + \hat{\beta}_1 \sum_{i=1}^n x_i^2 &= 0 \\
-\sum_{i=1}^n x_i y_i + \bar{y} \sum_{i=1}^n x_i - \hat{\beta}_1 \bar{x} \sum_{i=1}^n x_i + \hat{\beta}_1 \sum_{i=1}^n x_i^2 &= 0 \\
-\sum_{i=1}^n x_i y_i + \bar{y} \sum_{i=1}^n x_i - \hat{\beta}_1 (\bar{x} \sum_{i=1}^n x_i - \sum_{i=1}^n x_i^2) &= 0 \\
\hat{\beta}_1 (\bar{x} \sum_{i=1}^n x_i - \sum_{i=1}^n x_i^2 x_i y_i) &= -\sum_{i=1}^n x_i y_i + \bar{y} \sum_{i=1}^n x_i \\
\hat{\beta}_1 (\bar{x} \sum_{i=1}^n x_i - \sum_{i=1}^n x_i^2) &= \bar{y} \sum_{i=1}^n x_i - \sum_{i=1}^n x_i y_i
\end{aligned}$$

$$\hat{\beta}_1 = \frac{\bar{y} \sum_{i=1}^n x_i - \sum_{i=1}^n x_i y_i}{\bar{x} \sum_{i=1}^n x_i - \sum_{i=1}^n x_i^2}$$

$$\sum_{i=1}^n x_i = n\bar{x}$$

$$\hat{\beta}_1 = \frac{\bar{y} n \bar{x} - \sum_{i=1}^n x_i y_i}{\bar{x} n \bar{x} - \sum_{i=1}^n x_i^2}$$

$$\hat{\beta}_1 = \frac{n \bar{y} \bar{x} - \sum_{i=1}^n x_i y_i}{n \bar{x}^2 - \sum_{i=1}^n x_i^2}$$

$$\hat{\beta}_1 = \frac{n \bar{y} \bar{x} - \sum_{i=1}^n x_i y_i}{n \bar{x}^2 - \sum_{i=1}^n x_i^2} \cdot \frac{-1}{-1}$$

$$\hat{\beta}_1 = \frac{\sum_{i=1}^n x_i y_i - n \bar{y} \bar{x}}{\sum_{i=1}^n x_i^2 - n \bar{x}^2} \tag{5}$$

Removing n term from nominator in (5):

$$\begin{aligned}
\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y} &= \sum_{i=1}^n x_i y_i - n\bar{x}\bar{y} - n\bar{x}\bar{y} + n\bar{x}\bar{y} \\
n\bar{x}\bar{y} &= \sum_{i=1}^n \bar{x}\bar{y} \\
&= \sum_{i=1}^n x_i y_i - n\bar{x}\bar{y} - n\bar{x}\bar{y} + \sum_{i=1}^n \bar{x}\bar{y} \\
\bar{x} &= \frac{\sum_{i=1}^n x_i}{n} \\
&= \sum_{i=1}^n x_i y_i - n \frac{\sum_{i=1}^n x_i}{n} \bar{y} - n\bar{x}\bar{y} + \sum_{i=1}^n \bar{x}\bar{y} \\
&= \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \bar{y} - n\bar{x}\bar{y} + \sum_{i=1}^n \bar{x}\bar{y} \\
&= \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \bar{y} - \bar{x}n\bar{y} + \sum_{i=1}^n \bar{x}\bar{y} \\
\bar{y} &= \frac{\sum_{i=1}^n y_i}{n} \\
&= \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \bar{y} - \bar{x}n \frac{\sum_{i=1}^n y_i}{n} + \sum_{i=1}^n \bar{x}\bar{y} \\
&= \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \bar{y} - \bar{x} \sum_{i=1}^n y_i + \sum_{i=1}^n \bar{x}\bar{y} \\
&= \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \bar{y} - \sum_{i=1}^n \bar{x} y_i + \sum_{i=1}^n \bar{x}\bar{y} \\
&= \sum_{i=1}^n (x_i y_i - x_i \bar{y} - \bar{x} y_i + \bar{x}\bar{y}) \\
&= \sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})
\end{aligned}$$

Substituting in (5):

$$\hat{\beta}_1 = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n x_i^2 - n\bar{x}^2} \quad (6)$$

Removing n term from denominator in (6):

$$\begin{aligned}
 \sum_{i=1}^n x_i^2 - n\bar{x}^2 &= \sum_{i=1}^n x_i^2 - 2n\bar{x}^2 + n\bar{x}^2 \\
 &= \sum_{i=1}^n x_i^2 - 2\bar{x}n\bar{x} + n\bar{x}^2 \\
 n\bar{x} &= \sum_{i=1}^n x_i \\
 &= \sum_{i=1}^n x_i^2 - 2\bar{x} \sum_{i=1}^n x_i + n\bar{x}^2 \\
 &= \sum_{i=1}^n x_i^2 - \sum_{i=1}^n 2x_i\bar{x} + n\bar{x}^2 \\
 &= \sum_{i=1}^n x_i^2 - \sum_{i=1}^n 2x_i\bar{x} + \sum_{i=1}^n \bar{x}^2 \\
 &= \sum_{i=1}^n (x_i^2 - 2x_i\bar{x} + \bar{x}^2) \\
 &= \sum_{i=1}^n (x_i - \bar{x})^2
 \end{aligned}$$

Substituting in (6):

$$\hat{\beta}_1 = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2} \quad (7)$$

Solving for example given in class:

```

x = [2 4 10] % average speed on freeway
y = [75 45 35] % patrol cars deployed

xbar = (2 + 4 + 10) / 3 % 5.333333333333
ybar = (75 + 45 + 35) / 3 % 51.6666666667

// beta hat subscript 1 ~ slope
m = ((2 - xbar)(75 - ybar) + ...
      (4 - xbar)(45 - ybar) + ...
      (10 - xbar)(35 - ybar)) / ...
      ((2 - xbar)^2 + (4 - xbar)^2 + (10 - xbar)^2) % -4.23076923077

// beta hat subscript 0 ~ intercept
b = ybar - -4.23076923077 * xbar % 74.2307692308

```

```

% line of best fit
% y = 74.2307692308 - 4.23076923077 * x

% prediction y for x = 5
% y = 53.0769230769mph

% MATLAB solution for b and m
glmfit([2 4 10], [75 45 35]) % coefficient estimates
ans =

    74.2308
   -4.2308

```