# File permissions in Linux

## Project description

The research team at an organization needs to update the file permissions for certain files and directories within the `projects` directory. The permissions do not currently reflect the level of authorization that should be given. Checking and updating these permissions will help keep their system secure. To complete this task, I performed the following tasks:

## File and directory details

The following code demonstrates how I used Linux commands to determine the existing permissions set for a specific directory in the file system.

```
researcher2@5d738f0f927b:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 ..
-rw--w---- 1 researcher2 research_team   46 Dec  2 15:27 .project_x.txt
drwx--x--- 2 researcher2 research_team 4096 Dec  2 15:27 drafts
-rw-rw-rw- 1 researcher2 research_team   46 Dec  2 15:27 project_k.txt
-rw-r----- 1 researcher2 research_team   46 Dec  2 15:27 project_m.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_r.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_t.txt
researcher2@5d738f0f927b:~/projects$
```

The first line of the screenshot displays the command I entered and display the output. The code lists all contents of the `projects` directory. I used the `ls` command with the `-la` option to display a detailed listing of the file contents that also returned hidden files. The output of my command indicates that there is one directory named `drafts`, one hidden file named `.project_x.txt`, and five other project files. The 10-character string in the first column represents the permissions set on each file or directory.

## Description of  permissions

The file permissions for `project_t.txt` are `-rw-rw-r--`. Since the first character is a hyphen (`-`), this indicates that `project_t.txt` is a file, not a directory. The second, fifth, and eighth characters are all `r`, which indicates that user, group, and other all have read permissions. The third and sixth characters are `w`, which indicates that only the user and group have write permissions. No one has execute permissions for `project_t.txt`.

## Changing file permissions

Suppose, organization determined that other shouldn't have write access to any of their files. To comply with this, I referred to the file permissions that I previously returned. I determined `project_k.txt` must have the write access removed for other.
The following code demonstrates how I used Linux commands to do this:

```
researcher2@5d738f0f927b:~/projects$ chmod o-w project_k.txt
researcher2@5d738f0f927b:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 ..
-rw--w---- 1 researcher2 research_team   46 Dec  2 15:27 .project_x.txt
drwx--x--- 2 researcher2 research_team 4096 Dec  2 15:27 drafts
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_k.txt
-rw-r----- 1 researcher2 research_team   46 Dec  2 15:27 project_m.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_r.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_t.txt
researcher2@5d738f0f927b:~/projects$
```

The first two lines of the screenshot display the commands I entered, and the other lines display the output of the second command. The `chmod` command changes the permissions on files and directories. The first argument indicates what permissions should be changed, and the second argument specifies the file or directory. In this example, I removed write permissions from other for the `project_k.txt` file. After this, I used `ls -la` to review the updates I made.

## Changing file permissions on a hidden file

The research team at an organization recently archived `project_x.txt`. They do not want anyone to have write access to this project, but the user and group should have read access. The following code demonstrates how I used Linux commands to change the permissions:

```
researcher2@3213bbc1d047:~/projects$ chmod u-w,g-w,g+r .project_x.txt
researcher2@3213bbc1d047:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec 20 15:36 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec 20 15:36 ..
-r--r----- 1 researcher2 research_team   46 Dec 20 15:36 .project_x.txt
drwx--x--- 2 researcher2 research_team 4096 Dec 20 15:36 drafts
-rw-rw-rw- 1 researcher2 research_team   46 Dec 20 15:36 project_k.txt
-rw-r----- 1 researcher2 research_team   46 Dec 20 15:36 project_m.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec 20 15:36 project_r.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec 20 15:36 project_t.txt
researcher2@3213bbc1d047:~/projects$
```

The first two lines of the screenshot display the commands I entered, and the other lines display the output of the second command. I know `.project_x.txt` is a hidden file because it starts with a period (`.`). In this example, I removed write permissions from the user and group, and added read permissions to the group. I removed write permissions from the user with `u-w`. Then, I removed write permissions from the group with `g-w`, and added read permissions to the group with `g+r`.

## Change directory permissions

Now organization only wants the `researcher2` user to have access to the `drafts` directory and its contents. This means that no one other than `researcher2` should have execute permissions.
The following code demonstrates how I used Linux commands to change the permissions:

```
researcher2@5d738f0f927b:~/projects$ chmod g-x drafts
researcher2@5d738f0f927b:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 ..
-r--r----- 1 researcher2 research_team   46 Dec  2 15:27 .project_x.txt
drwx------ 2 researcher2 research_team 4096 Dec  2 15:27 drafts
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_k.txt
-rw-r----- 1 researcher2 research_team   46 Dec  2 15:27 project_m.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_r.txt
-rw-rw-r-- 1 researcher2 research_team   46 Dec  2 15:27 project_t.txt
researcher2@5d738f0f927b:~/projects$
```

The first two lines of the screenshot display the commands I entered, and the other lines display the output of the second command. I previously determined that the group had execute permissions, so I used the `chmod` command to remove them. The `researcher2` user already had execute permissions, so they did not need to be added.

## Summary

I changed multiple permissions to match the level of authorization an organization wanted for files and directories in the `projects` directory. The first step in this was using `ls -la` to check the permissions for the directory. This informed my decisions in the following steps. I then used the `chmod` command multiple times to change the permissions on files and directories.