

B - Arrays

分值: 200 分

Problem Statement

You are given N sequences $A_1, A_2, \dots, A_N$.

给定 N 个序列 $A_1, A_2, \dots, A_N$ 。

The length of sequence A_i is L_i , and $A_i = (A_{i,1}, A_{i,2}, \dots, A_{i,L_i})$.

序列 A_i 的长度为 L_i , 且 $A_i = (A_{i,1}, A_{i,2}, \dots, A_{i,L_i})$ 。

After that, integers X and Y are given. Output the value of $A_{X,Y}$.

之后给出整数 X 和 Y , 输出 $A_{X,Y}$ 的值。

Constraints

- $1 \leq N \leq 2 \times 10^5$
- $1 \leq L_i$
- The sum of L_i is at most 2×10^5 .
- $1 \leq A_{i,j} \leq 1000$
- $1 \leq X \leq N$
- $1 \leq Y \leq L_X$
- All input values are integers.
- $1 \leq N \leq 2 \times 10^5$
- $1 \leq L_i$
- L_i 的总和不超过 2×10^5 。
- $1 \leq A_{i,j} \leq 1000$
- $1 \leq X \leq N$

- $1 \leq Y \leq L_X$
- 所有输入值均为整数。

Input

The input is given from Standard Input in the following format:

输入按照以下格式从标准输入给出：

```
N
L1 A1,1 A1,2 ... A1,L1
L2 A2,1 A2,2 ... A2,L2
⋮
LN AN,1 AN,2 ... AN,LN
X Y
```

Output

Output the value of $A_{X,Y}$.

输出 $A_{X,Y}$ 的值。

Sample Input 1

```
3
3 10 20 30
1 7
4 5 6 7 8
3 4
```

Sample Output 1

```
8
```

We have $(A_1, A_2, A_3) = ((10, 20, 30), (7), (5, 6, 7, 8))$.

Since $A_3 = (5, 6, 7, 8)$ and $A_{3,4} = 8$, output 8.

我们有 $(A_1, A_2, A_3) = ((10, 20, 30), (7), (5, 6, 7, 8))$ 。由于 $A_3 = (5, 6, 7, 8)$ 且 $A_{3,4} = 8$, 输出 8。

Sample Input 2

```
4
2 9 1
3 8 2 6
1 5
2 4 3
2 2
```

Sample Output 2

```
2
```

Since $A_2 = (8, 2, 6)$, we have $A_{2,2} = 2$.

由 $A_2 = (8, 2, 6)$, 可得 $A_{2,2} = 2$ 。

Sample Input 3

```
1
5 100 200 300 400 500
1 5
```

Sample Output 3

```
500
```