

Cleanroom Equipment by Aureole PharmaTech

Engineered for GMP. Built for Reliability. Trusted for Sterility.

At Aureole, we design and manufacture cleanroom equipment that complies with WHO-GMP, EU-GMP, USFDA, ISO 14644, and ISO 5–8 cleanroom standards.

Every system is built with pharma-grade stainless steel, contamination-control airflow design, and validation-ready documentation (DQ/IQ/OQ) — ensuring seamless integration into regulated facilities.

Static Pass Box (SPB)

Contamination-Free Material Transfer. Simple. Safe. Reliable.

Aureole Static Pass Boxes provide a secure and economical solution for transferring materials between classified and non-classified areas without compromising room integrity. Designed with mechanical interlocks and seamless SS construction, they eliminate cross-contamination risks while ensuring smooth operations.

Sizes:

500×500×500(Sizes in mm)

450x450x450(Sizes in mm)

Key Highlights:

- ✓ WHO-GMP compliant hygienic design
- ✓ SS304 / SS316 construction with smooth crevice-free finish
- ✓ Dual doors with fail-safe mechanical interlock
- ✓ Flush wall mounting for cleanroom integration
- ✓ UV sterilization & LED lighting
- ✓ Easy cleaning with coved corners
- ✓ Custom sizes for ISO 7 / ISO 8 areas
- ✓ Validation documentation support (IQ/OQ)

Ideal For

Material transfer between warehouse → production, corridor → cleanroom, or different grade zones.

Dynamic Pass Box (DPB)

Active Protection with HEPA-Filtered Airflow

Aureole Dynamic Pass Boxes create an ISO 5 (Class 100) micro-environment inside the chamber using HEPA-filtered laminar airflow, ensuring sterile transfers between high-grade cleanroom zones.

Sizes:

500×500×500(Sizes in mm)

450x450x450(Sizes in mm)

Key Highlights

- ✓ ISO 5 / Class 100 internal cleanliness
- ✓ H13/H14 HEPA or ULPA filtration
- ✓ Uniform vertical laminar airflow
- ✓ Electromagnetic door interlocks
- ✓ Digital display / touch control panel
- ✓ Magnehelic Pressure gauge & airflow indicators
- ✓ UV sterilization cycle with timer
- ✓ Low noise, energy-efficient blower
- ✓ GMP-ready construction with validation support

Ideal For

Sterile materials, components, garments, and aseptic process areas.

Laminar Air Flow (LAF)

Localized ISO 5 Clean Air for Critical Operations

Aureole Laminar Air Flow Units deliver unidirectional HEPA-filtered airflow across the work surface, creating a sterile environment for product handling, sampling, and assembly.

Sizes:

1220x610x610 (Sizes in mm)

910x610x610 (Sizes in mm)

Key Highlights

- ✓ ISO 5 / Class 100 work zone
- ✓ Horizontal or vertical airflow options
- ✓ HEPA H14 / ULPA filtration
- ✓ Uniform velocity ($0.45 \pm 20\%$ m/s)
- ✓ 18/19 g SS work table with easy sanitization
- ✓ Energy-efficient LED lighting
- ✓ Low vibration & noise
- ✓ UV sterilization option
- ✓ DOP / PAO test ports for validation

Ideal For

Sterile compounding, microbiology testing, inspection, and filling preparation.

Sampling / Dispensing Booth

Operator Protection + Product Protection in One Smart Enclosure

Aureole Sampling & Dispensing Booths ensure dust containment and contamination control during powder sampling, weighing, and dispensing operations. Engineered with reverse laminar airflow, they protect both personnel and products.

Sizes:

1220x610x610 (Sizes in mm)

910x610x610(Sizes in mm)

Key Highlights

- ✓ ISO 5/7 controlled environment
- ✓ HEPA-filtered downflow + containment airflow
- ✓ SS304 anti-static working surface
- ✓ Operator comfort & ergonomic layout
- ✓ Low turbulence airflow design
- ✓ Easy filter replacement & maintenance
- ✓ Optional exhaust/ducting integration
- ✓ GMP/WHO compliant construction

Ideal For

API handling, raw material dispensing, formulation areas.

Biosafety Cabinets (Class II A2/B2)

Triple Protection: Operator. Product. Environment.

Aureole Biosafety Cabinets provide advanced biological containment with HEPA-filtered inflow and downflow air, making them ideal for microbiology labs, MLT, and sterility testing environments.

Sizes:

1220x610x610 (Sizes in mm)

910x610x610 (Sizes in mm)

Key Highlights

- ✓ Class II A2 / B2 compliant design
- ✓ 99.995% HEPA filtration efficiency
- ✓ Personnel, product & environmental protection
- ✓ Digital airflow monitoring & alarms
- ✓ UV sterilization & programmable timer
- ✓ Tempered glass sash with ergonomic access
- ✓ SS304 interior with seamless finish
- ✓ NSF/EN standard compliant construction

Ideal For

Microbiology labs, sterility testing, cell culture, BET/MLT testing.

For all above - Custom sizes & configurations available