
REQUIREMENTS DOCUMENT

Software Requirements Specification

[Project name] for [Client name]



CLIENT	PROJECT	VERSION
[Client name]	[Project name]	0.1 · Draft
DATE	PREPARED BY	STATUS
[Date]	BeForth	For client review

support@beforth.in · +91 97661 83834
Nashik, Maharashtra, India · beforth.in

Document control

This page records who wrote this specification, which version it is, and who agreed to it. A requirement is only binding once the approvals below are signed.

Document information

ITEM	DETAIL
Project	[Project name]
Client	[Client name and company]
Prepared by	BeForth, Nashik, Maharashtra, India
Author	[Author name, role]
Client reviewer	[Reviewer name, role]

Revision history

VERSION	DATE	AUTHOR	SUMMARY OF CHANGE
0.1	[Date]	[Name]	First draft for client review.

Approvals

ROLE	NAME	SIGNATURE	DATE
Client sponsor	[Name]		
Client project lead	[Name]		
BeForth project lead	[Name]		
BeForth technical lead	[Name]		

> HOW TO USE THIS TEMPLATE
>
> Everything shaded in blue with a dashed underline, like [this], is a placeholder to replace. Boxes headed "How to fill this section" are guidance for the author and should be deleted before the document goes to the client. Anything you do not know yet should say **TBD** rather than be guessed.

Contents

1 Introduction 4
1.1 Purpose 4
1.2 Scope 4
1.3 Definitions and abbreviations 4
1.4 References 4
1.5 How this document is organised 5
2 Overall description 6
2.1 Product perspective 6
2.2 Users and roles 6
2.3 Operating environment 6
2.4 Constraints 6
2.5 Assumptions and dependencies 6
3 Functional requirements 7
3.1 How requirements are written 7
3.2 Module: [Module name] 7
3.3 Module: [Next module name] 7
3.4 Reports and dashboards 8
3.5 Notifications and approvals 8
4 External interface requirements 9
4.1 User interface 9
4.2 Software and API interfaces 9
4.3 Hardware interfaces 9
4.4 Communication 9
5 Non-functional requirements 10
6 Data requirements 11
6.1 Main records 11
6.2 Moving existing data in 11
6.3 Retention and ownership 11
7 Delivery and acceptance 12
7.1 How we deliver 12
7.2 Acceptance criteria 12
7.3 Changing a requirement 12
8 Appendices 13
A Open issues 13
B Traceability 13
C Contact 13

1 Introduction

1.1 Purpose

This document specifies the software requirements for [Project name], which BeForth is building for [Client name]. It is the agreed reference for what the system must do, and for what has been deliberately left out. The client uses it to confirm the system will fit the way the business runs. BeForth uses it to design, build and test.

> HOW TO FILL THIS SECTION
> Two or three sentences. Name the system, the client, and who reads this document. Do not describe features here; that comes in section 3.

1.2 Scope

The system will help [Client name] to [the business outcome, in one sentence].

In scope

- [Module or capability]
- [Module or capability]
- [Module or capability]

Out of scope

- [What this release will not do]
- [What is left for a later phase]

1.3 Definitions and abbreviations

TERM	MEANING
SRS	Software Requirements Specification: this document.
ERP	Enterprise resource planning: software that connects a company's day-to-day operations.
CRM	Customer relationship management: software for leads, customers and follow-ups.
HRMS	Human resource management system.
UAT	User acceptance testing: the client's own testing before sign-off.
[Term]	[Meaning in this project]

1.4 References

- [Client brief, proposal or contract: title, date]
- [Process documents or forms supplied by the client]

- [Any standard or regulation the system must follow]

1.5 How this document is organised

Section 2 describes the system and its users. Section 3 lists what it must do. Section 4 describes how it connects to people and other systems. Section 5 sets the quality targets. Section 6 covers data. Section 7 sets out delivery and acceptance. The appendices hold open questions and traceability.

2 Overall description

2.1 Product perspective

[Project name] replaces [the current process: spreadsheets, paper, scattered tools]. It [stands alone / connects to existing systems named in section 4].

> HOW TO FILL THIS SECTION
> Describe the situation today and where the new system fits. A simple diagram of the current process beside the proposed one helps the client confirm we understood it.

2.2 Users and roles

ROLE	WHO THEY ARE	WHAT THEY CAN DO
[Role]	[Who holds it]	[Main permissions]
[Role]	[Who holds it]	[Main permissions]
Administrator	[Who administers the system]	Manages users, roles and settings.

2.3 Operating environment

- **Users access it through:** [browsers / Android / iOS]
- **Hosting:** [cloud provider or client servers]
- **Offices and locations using it:** [number and places]

2.4 Constraints

Fixed limits the design must respect, such as deadline, budget, mandatory tools or rules the business must follow.

- [Constraint]
- [Constraint]

2.5 Assumptions and dependencies

Things we are relying on being true. If one turns out to be false, the scope or schedule may change.

- [Assumption, for example: the client provides existing data in an agreed format by a given date]
- [Dependency on a third party]

3 Functional requirements

3.1 How requirements are written

Each requirement has a unique ID, one clear statement that begins "The system shall", a priority, and a check that proves it works.

PRIORITY	MEANING
MUST	Needed for the system to be accepted.
SHOULD	Important, but the system works without it.
COULD	Useful if time allows; first to move to a later phase.

IDs follow the pattern **FR-*module*-*number***, for example **FR-LEAD-01**.

3.2 Module: [Module name]

[One sentence on what this module is for.]

ID	REQUIREMENT	PRIORITY	HOW WE WILL CHECK IT
FR-XXX-01	The system shall [do one specific thing].	MUST	[A test a person can run]
FR-XXX-02	The system shall [do one specific thing].	MUST	[A test a person can run]
FR-XXX-03	The system shall [do one specific thing].	SHOULD	[A test a person can run]
FR-XXX-04	The system shall [do one specific thing].	COULD	[A test a person can run]

> HOW TO FILL THIS SECTION
> One statement per row. If a sentence has "and" in it, it is probably two requirements. Describe what the user sees or gets, not how it is built. Repeat the table for each module, copying section 3.2.

3.3 Module: [Next module name]

ID	REQUIREMENT	PRIORITY	HOW WE WILL CHECK IT
FR-YYY-01	The system shall [...].	MUST	[...]
FR-YYY-02	The system shall [...].	SHOULD	[...]

3.4 Reports and dashboards

ID	REPORT	USED BY	FREQUENCY
FR-RPT-01	[Report name and what it shows]	[Role]	[Daily / weekly / on demand]
FR-RPT-02	[Report name and what it shows]	[Role]	[Daily / weekly / on demand]

3.5 Notifications and approvals

ID	EVENT	WHO IS TOLD	HOW
FR-NTF-01	[What happens]	[Role]	[Email / in app / SMS]

4 External interface requirements

4.1 User interface

The interface follows the BeForth design system: plain, legible, and built around how the team already works. Each main screen is listed below.

SCREEN	PURPOSE	USED BY
[Screen name]	[What the user does here]	[Role]
[Screen name]	[What the user does here]	[Role]

4.2 Software and API interfaces

SYSTEM	DIRECTION	WHAT IS EXCHANGED	METHOD
[Accounting or other system]	[In / out / both]	[Data exchanged]	[API / file / database]

4.3 Hardware interfaces

[Devices the system talks to: biometric readers, printers, barcode scanners, handheld phones. Write "None" if there are none.]

4.4 Communication

[Email, SMS or messaging services the system uses to send notifications. Write "None" if there are none.]

5 Non-functional requirements

How well the system must work, as opposed to what it does. Every target must be something that can be measured; replace **TBD** with a number the client agrees.

CATEGORY	REQUIREMENT	TARGET	HOW WE WILL CHECK IT
NFR-PERF	Pages respond quickly under normal use.	TBD	Load test
NFR-AVAIL	The system is available during business hours.	TBD	Uptime monitoring
NFR-SEC	Users sign in, and see only what their role allows.	Role-based access	Permission tests
NFR-PRIV	Personal data is stored and handled in line with the law that applies to the client.	[Applicable rules, TBD]	Review
NFR-USE	A new user can do their daily tasks without a training manual.	TBD	User testing
NFR-ACC	The interface is usable with a keyboard and readable at standard contrast.	WCAG 2.2 AA	Accessibility audit
NFR-COMP	The system works on the browsers and devices in section 2.3.	[List]	Cross-device test
NFR-BKP	Data is backed up and can be restored.	[Frequency, restore time]	Restore drill
NFR-MAINT	The system can be extended with new modules without a rebuild.	Modular design	Design review

6 Data requirements

6.1 Main records

RECORD	WHAT IT HOLDS	OWNER
[Customer, Item, Employee…]	[Key fields]	[Role]
[Record]	[Key fields]	[Role]

6.2 Moving existing data in

[What data exists today, in what form (spreadsheets, another system), who cleans it, and when it must be ready.]

6.3 Retention and ownership

The client owns its data. [How long records are kept, and what happens to them at the end of the contract.]

7 Delivery and acceptance

7.1 How we deliver

BeForth works in six stages. Each ends with something the client can review.

#	STAGE	WHAT THE CLIENT RECEIVES	TARGET DATE
1	**Discovery**	A written map of the current process, users and bottlenecks.	[Date]
2	**Architecture**	Database, application structure, roles, permissions and integrations.	[Date]
3	**Development**	Working software in stages, reviewed throughout.	[Date]
4	**Testing and onboarding**	Validated behaviour, migrated data and trained users.	[Date]
5	**Deployment**	Release for real use, with the infrastructure it needs.	[Date]
6	**Optimization**	Monitoring, improvement and extension as requirements change.	[Ongoing]

7.2 Acceptance criteria

The system is accepted when all of the following are true.

- Every MUST requirement in section 3 passes its check.
- The client's users have completed user acceptance testing, and open defects are agreed in writing.
- The non-functional targets in section 5 are met or a signed exception is recorded.
- The client sponsor and BeForth project lead sign the approvals page.

7.3 Changing a requirement

Requirements can change. Any change is written down, reviewed for its effect on scope, schedule and cost, approved by both sides, and recorded in the revision history before work starts.

8 Appendices

A Open issues

#	QUESTION OR ISSUE	OWNER	DUE	STATUS
1	[Open question]	[Name]	[Date]	Open
2				
3				

B Traceability

Links each requirement to the test that proves it, so nothing is built without a check and nothing is checked without a reason.

REQUIREMENT	TEST CASE	RESULT	DATE
FR-XXX-01	[Test case ID and name]		
FR-XXX-02			
NFR-SEC			

C Contact

BeForth
Nashik, Maharashtra, India
support@beforth.in · +91 97661 83834
Mon to Fri, 9:00 AM to 6:00 PM IST