




Administrator: C:\Windows\system32\cmd.exe

Connection-specific DNS Suffix . :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . :

IPv6 Address. : 2002:3200:14::3200:14

Default Gateway :

C:\Users\user>whoami
sys2\user

C:\Users\user>ping sys1

Pinging sys1 [fe80::2ceb:ccb5:788:1e35%11] with 32 bytes of data:
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms

Ping statistics for fe80::2ceb:ccb5:788:1e35%11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\user>

Administrator: C:\Windows\system32\cmd.exe
C:\Users\user>ping 50.0.0.10

Pinging 50.0.0.10 with 32 bytes of data:
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128

Ping statistics for 50.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\user>_

Administrator: C:\Windows\system32\cmd.exe

Pinging sys2 [fe80::35fd:cc8:9b31:c87e%11] with 32 bytes of data:
Reply from fe80::35fd:cc8:9b31:c87e%11: time<1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time<1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Ping statistics for fe80::35fd:cc8:9b31:c87e%11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\user>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128

Ping statistics for 50.0.0.20:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\user>

Network > 50.0.0.20 > Search 50.0.0.20

```
Administrator: C:\Windows\system32\cmd.exe
Connection-specific DNS Suffix . :
Tunnel adapter 6T04 Adapter:
    Connection-specific DNS Suffix . :
    IPv6 Address . . . . . : 2002:3200:a::3200:a
    Default Gateway . . . . . :

C:\Users\user>whoami
sys1\user

C:\Users\user>ping sys2

Pinging sys2 [fe80::35fd:cc8:9b31:c87e%11] with 32 bytes of data:
Reply from fe80::35fd:cc8:9b31:c87e%11: time<1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time<1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Ping statistics for fe80::35fd:cc8:9b31:c87e%11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\user>
```