

Session Statistics

[8589934593] http://localhost:1234/ Wed Oct 14 2020 17:01:01 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687584677712 (id=8589934593 url=http://localhost:1234/)

RTCConfiguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): Not Provided
 sdpSemantics: Not Provided
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): Not Provided
 userName(Provided/Not Provided): Not Provided
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): Provided
 userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
succeeded	true	true	158.69.221.198:61152/udp(relay-udp) [non-proxied]	2.47.215.54:1028/udp(prflx)	1	396069376505020900	4386	4436
failed	false	false	84800881-5b19-4df5-bb8b-d887f4f72670.local:34275/udp(host) [non-proxied]	2.47.215.54:34337/udp(srflx)	1	7241541910156673000	0	0
failed	true	false	84800881-5b19-4df5-bb8b-d887f4f72670.local:34275/udp(host) [non-proxied]	158.69.221.198:61013/udp(relay)	1	396069377041891840	0	0
failed	true	false	84800881-5b19-4df5-bb8b-d887f4f72670.local:34275/udp(host) [non-proxied]	158.69.221.198:61013/udp(relay)	1	396069377041891840	0	0
failed	false	false	158.69.221.198:61152/udp(relay-udp) [non-proxied]	2.47.215.54:34337/udp(srflx)	1	396069376169492500	0	0
succeeded	true	false	2.47.215.54:34275/udp(srflx) [non-proxied]	158.69.221.198:61013/udp(relay)	1	396069376169492500	0	0
succeeded	true	false	158.69.221.198:61152/udp(relay-udp) [non-proxied]	158.69.221.198:61013/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates**Raw Local Candidate**

host(IP4:192.168.1.13:34275/UDP)
 host(IP4:192.168.1.13:64807/TCP) active
 srflx(IP4:192.168.1.13:34275/UDP|stun.xten.com:3478)
 turn-relay(IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)

Raw Remote Candidate

candidate:1 1 UDP 1686052863 2.47.215.54 34337 typ srflx raddr 0.0.0.0 rport 0
 candidate:3 1 UDP 92217087 158.69.221.198 61013 typ relay raddr 158.69.221.198 rport 61013
 prflx

SDP**Local SDP (Answer)**

```
v=0
o=mozilla...THIS_IS_SDPARTA-00.0 5096303192542955722 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 52:94:06:E6:FD:18:AD:58:2E:B8:60:9F:BF:3B:C0:B5:8C:1E:28:56:24:20:02:21:CF:B6:4D:69:CA:22:2E:3F
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 61152 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 212252543 84800881-5b19-4df5-bb8b-d887f4f72670.local 34275 typ host
a=candidate:4 1 TCP 2105524479 84800881-5b19-4df5-bb8b-d887f4f72670.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 34275 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr 158.69.221.198 rport 61152
a=sendrecv
a=end-of-candidates
a=ice-pwd:b0a7e74d1d5ad0fb6e19907b0e9ac06
a=ice-ufrag:5a81d43a
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Offer)

v=0

```

o=mozilla...THIS_IS_SDPARTA-80.0 4635789586036271091 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 49:2E:6C:F1:4A:4C:38:C4:61:3C:E3:CE:CF:0D:1D:AB:76:39:1E:94:F8:A8:96:E1:28:D8:25:52:4F:E9:FA:47
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:4 1 TCP 2105524479 05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 34337 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 61013 typ relay raddr 158.69.221.198 rport 61013
a=candidate:0 1 UDP 212252543 05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local 34337 typ host
a=sendrecv
a=end-of-candidates
a=ice-pwd:b2db66a4ae1b48ed81616ffff672174e5
a=ice-ufrag:0be88916
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
    
```

SDP History

Set Remote SDP at timestamp 1602687585181

Set Local SDP at timestamp 1602687585185

Local SDP	Remote SDP
<p>Timestamp 1602687585185 (+ 4 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 5096303192542955722 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 52:94:06:E6:FD:18:AD:58:2E:B8:60:9F:BF:3B:C0:B5:8C:1E:28: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:b0a7e74d1d5ad00fb6e19907b0e9ac06 a=ice-ufrag:5a81d43a a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823 </pre>	<p>Timestamp 1602687585181 (+ 0 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 4635789586036271091 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 49:2E:6C:F1:4A:4C:38:C4:61:3C:E3:CE:CF:0D:1D:AB:76:39:1E: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:b2db66a4ae1b48ed81616ffff672174e5 a=ice-ufrag:0be88916 a=mid:0 a=setup:actpass a=sctp-port:5000 </pre>

RTP Stats

[2147483650] http://localhost:1234/ Wed Oct 14 2020 17:01:01 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687576667260 (id=2147483650 url=http://localhost:1234/)

RTCConfiguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): Not Provided
 sdpSemantics: Not Provided
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): Not Provided
 userName(Provided/Not Provided): Not Provided
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): Provided
 userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
succeeded	true	true	2.47.215.54:1028/udp(prflx) [non-proxied]	158.69.221.198:61152/udp(relay)	1	396069376505020900	4436	4386
failed	false	false	05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local:34337/udp(host) [non-proxied]	2.47.215.54:34275/udp(srflx)	1	7241541910156673000	0	0
failed	false	false	05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local:34337/udp(host) [non-proxied]	158.69.221.198:61152/udp(relay)	1	396069377041891840	0	0
inprogress	false	false	05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local:34337/udp(host) [non-proxied]	158.69.221.198:61152/udp(relay)	1	396069377041891840	0	0
succeeded	true	false	158.69.221.198:61013/udp(relay-udp) [non-proxied]	2.47.215.54:34275/udp(srflx)	1	396069376169492500	0	0
succeeded	true	false	158.69.221.198:61013/udp(relay-udp) [non-proxied]	158.69.221.198:61152/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0
 ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

```
host(IP4:192.168.1.13:34337/UDP)
host(IP4:192.168.1.13:56400/TCP) active
prflx
srflx(IP4:192.168.1.13:34337/UDP|stun.xten.com:3478)
turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)
```

Raw Remote Candidate

```
candidate:0 1 UDP 2122252543 84800881-5b19-4df5-bb8b-d887f4f72670.local 34275 typ host
candidate:1 1 UDP 1686052863 2.47.215.54 34275 typ srflx raddr 0.0.0.0 rport 0
candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr 158.69.221.198 rport 61152
candidate:4 1 TCP 2105524479 84800881-5b19-4df5-bb8b-d887f4f72670.local 9 typ host tcptype active
```

SDP

Local SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 4635789586036271091 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 49:2E:6C:F1:4A:4C:38:C4:61:3C:E3:CE:CF:0D:1D:AB:76:39:1E:94:F8:A8:96:E1:28:D8:25:52:4F:E9:FA:47
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 61013 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local 34337 typ host
a=candidate:4 1 TCP 2105524479 05a2a930-5ded-4b0b-b995-e83e2e2d3cbf.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 34337 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 61013 typ relay raddr 158.69.221.198 rport 61013
a=sendrecv
a=end-of-candidates
a=ice-pwd:b2db66a4ae1b48ed81616fff672174e5
a=ice-ufrag:0be88916
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 5096303192542955722 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 52:94:06:E6:FD:18:AD:58:2E:B8:60:9F:BF:3B:C0:B5:8C:1E:28:56:24:20:02:21:CF:B6:4D:69:CA:22:2E:3F
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 2122252543 84800881-5b19-4df5-bb8b-d887f4f72670.local 34275 typ host
a=candidate:4 1 TCP 2105524479 84800881-5b19-4df5-bb8b-d887f4f72670.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 34275 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr 158.69.221.198 rport 61152
a=sendrecv
a=end-of-candidates
a=ice-pwd:b0a7e74d1d5ad0fb6e19907b0e9ac06
a=ice-ufrag:5a81d43a
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

SDP History

[Set Local SDP at timestamp 1602687583417](#)

[Set Remote SDP at timestamp 1602687586186](#)

Local SDP	Remote SDP
<p>Timestamp 1602687583417 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 4635789586036271091 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 49:2E:6C:F1:4A:4C:38:C4:61:3C:E3:CE:CF:0D:1D:AB:76:39:1E:94:F8:A8:96:E1:28:D8:25:52:4F:E9:FA:47 a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:b2db66a4ae1b48ed81616fff672174e5 a=ice-ufrag:0be88916 a=mid:0 a=setup:actpass a=sctp-port:5000 a=max-message-size:1073741823</pre>	<p>Timestamp 1602687586186 (+ 2769 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 5096303192542955722 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 52:94:06:E6:FD:18:AD:58:2E:B8:60:9F:BF:3B:C0:B5:8C:1E:28:56:24:20:02:21:CF:B6:4D:69:CA:22:2E:3F a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:b0a7e74d1d5ad0fb6e19907b0e9ac06 a=ice-ufrag:5a81d43a a=mid:0 a=setup:active a=sctp-port:5000</pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:44 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687583183689 (id=2147483650 url=http://localhost:1234/)

RTCConfiguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): Not Provided
 sdpSemantics: Not Provided
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): Not Provided
 userName(Provided/Not Provided): Not Provided
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): Provided
 userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
inprogress	false	false	898aa70c-b5f3-4b1a-965d-6ab36fed79e8.local:38664/udp(host) [non-proxied]	2.47.215.54:45326/udp(srflx)	1	7241541910156673000	0	0
inprogress	false	false	898aa70c-b5f3-4b1a-965d-6ab36fed79e8.local:38664/udp(host) [non-proxied]	158.69.221.198:60917/udp(relay)	1	396069377041891840	0	0
inprogress	false	false	158.69.221.198:61016/udp(relay-udp) [non-proxied]	2.47.215.54:45326/udp(srflx)	1	396069376169492500	0	0
inprogress	false	false	158.69.221.198:61016/udp(relay-udp) [non-proxied]	158.69.221.198:60917/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

host(IP4:192.168.1.13:38664/UDP)
 host(IP4:192.168.1.13:58309/TCP) active
 srflx(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)
 turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)

Raw Remote Candidate

candidate:1 1 UDP 1686052863 2.47.215.54 45326 typ srflx raddr 0.0.0.0 rport 0
 candidate:3 1 UDP 92217087 158.69.221.198 60917 typ relay raddr 158.69.221.198 rport 60917

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-0.0 4741308562995031381 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 8B:66:E7:FB:CD:47:34:B8:71:44:68:58:C0:BE:05:18:C5:CE:27:E6:D5:4C:36:E0:56:DF:9C:2C:EE:65:92:EF
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 61016 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 212252543 898aa70c-b5f3-4b1a-965d-6ab36fed79e8.local 38664 typ host
a=candidate:4 1 TCP 2105524479 898aa70c-b5f3-4b1a-965d-6ab36fed79e8.local 9 typ host tcptype active
a=candidate:2 1 UDP 1686052607 2.47.215.54 38664 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 61016 typ relay raddr 158.69.221.198 rport 61016
a=sendrecv
a=end-of-candidates
a=ice-pwd:39b9eb5827e6644a340be87b65cafc2e
a=ice-ufrag:49ae955f
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-0.0 8783588381896644302 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 2B:7E:82:C5:0B:3B:77:B5:DC:7D:2E:51:82:8A:90:81:84:FB:E6:06:AA:88:06:84:7E:71:E0:B5:BB:84:5E:23
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 212252543 18af1958-5959-4ea0-a53d-4e9f51900512.local 45326 typ host
a=candidate:4 1 TCP 2105524479 18af1958-5959-4ea0-a53d-4e9f51900512.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 45326 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 60917 typ relay raddr 158.69.221.198 rport 60917
a=sendrecv
a=end-of-candidates
a=ice-pwd:3b86217ad7b805425bb71d54d3ca3c5a
```

```
a=lce-ufrag:ea73bdf8
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
```

SDP History

Set Remote SDP at timestamp 1602687583401

Set Local SDP at timestamp 1602687583428

Local SDP	Remote SDP
<p>Timestamp 1602687583428 (+ 27 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 4741308562995031381 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 8B:66:E7:FB:CD:47:34:B8:71:44:68:58:C0:BE:05:18:C5:CE:27: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=lce-pwd:39b9eb5827e6644a340be87b65cafc2e a=lce-ufrag:49ae955f a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823</pre>	<p>Timestamp 1602687583401 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 8783588381896644302 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 2B:7E:B2:C5:0B:3B:77:B5:DC:7D:2E:51:82:8A:90:81:84:FB:E6: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=lce-pwd:3b86217ad7b805425bb71d54d3ca3c5a a=lce-ufrag:ea73bdf8 a=mid:0 a=setup:actpass a=sctp-port:5000</pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:44 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687583181301 (id=2147483650 url=http://localhost:1234/)

RTCCConfiguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): *Not Provided*
 sdpSemantics: *Not Provided*
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): *Not Provided*
 userName(Provided/Not Provided): *Not Provided*
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): *Provided*
 userName(Provided/Not Provided): *Provided*

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
inprogress	false	false	54777669-d23e-4708-81f5-e6e3c95fefde.local:41964/udp(host) [non-proxied]	2.47.215.54:48351/udp(srflx)	1	7241541910156673000	0	0
inprogress	false	false	54777669-d23e-4708-81f5-e6e3c95fefde.local:41964/udp(host) [non-proxied]	158.69.221.198:60915/udp(relay)	1	396069377041891840	0	0
inprogress	false	false	158.69.221.198:61014/udp(relay-udp) [non-proxied]	2.47.215.54:48351/udp(srflx)	1	396069376169492500	0	0
inprogress	false	false	158.69.221.198:61014/udp(relay-udp) [non-proxied]	158.69.221.198:60915/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate
 host(IP4:192.168.1.13:41964/UDP)
 host(IP4:192.168.1.13:63237/TCP) active
 srflx(IP4:192.168.1.13:41964/UDP|stun.xten.com:3478)
 turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)

Raw Remote Candidate
 candidate:1 1 UDP 1686052863 2.47.215.54 48351 typ srflx raddr 0.0.0.0 rport 0
 candidate:3 1 UDP 92217087 158.69.221.198 60915 typ relay raddr 158.69.221.198 rport 60915

SDP

Local SDP (Answer)

```
v=0
```

```

o=mozilla...THIS_IS_SDPARTA-80.0 6882316203060453229 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 11:9D:B8:65:CD:88:23:BA:4A:5E:7C:01:10:AD:40:8A:F1:E0:DC:D3:DD:C3:EB:71:A1:01:68:01:E5:99:3E:68
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 61014 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 54777669-d23e-4708-81f5-e6e3c95fefde.local 41964 typ host
a=candidate:4 1 TCP 2105524479 54777669-d23e-4708-81f5-e6e3c95fefde.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 41964 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 61014 typ relay raddr 158.69.221.198 rport 61014
a=sendrecv
a=end-of-candidates
a=ice-pwd:36e2aa5352f638a361004610805d726a
a=ice-ufrag:afa72e44
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823

```

Remote SDP (Offer)

```

v=0
o=mozilla...THIS_IS_SDPARTA-80.0 8116844869756126537 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 27:A9:A8:95:DE:E3:4D:78:D5:31:85:62:AC:0E:46:F8:77:71:8C:82:5E:2A:38:01:8A:F9:49:C3:85:1F:C9:3C
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 2122252543 49debc0f-40f6-4054-8f3f-5b7fd166b465.local 48351 typ host
a=candidate:4 1 TCP 2105524479 49debc0f-40f6-4054-8f3f-5b7fd166b465.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 48351 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 60915 typ relay raddr 158.69.221.198 rport 60915
a=sendrecv
a=end-of-candidates
a=ice-pwd:2ad0415f8b2b79c78831b3f27de5b2a1
a=ice-ufrag:1735cf21
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823

```

SDP History

Set Remote SDP at timestamp 1602687583400

Set Local SDP at timestamp 1602687583423

Local SDP	Remote SDP
<p>Timestamp 1602687583423 (+ 23 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 6882316203060453229 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 11:9D:B8:65:CD:88:23:BA:4A:5E:7C:01:10:AD:40:8A:F1:E0:DC:D3:DD:C3:EB:71:A1:01:68:01:E5:99:3E:68 a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:36e2aa5352f638a361004610805d726a a=ice-ufrag:afa72e44 a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823 </pre>	<p>Timestamp 1602687583400 (+ 0 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 8116844869756126537 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 27:A9:A8:95:DE:E3:4D:78:D5:31:85:62:AC:0E:46:F8:77:71:8C:82:5E:2A:38:01:8A:F9:49:C3:85:1F:C9:3C a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:2ad0415f8b2b79c78831b3f27de5b2a1 a=ice-ufrag:1735cf21 a=mid:0 a=setup:actpass a=sctp-port:5000 </pre>

RTP Stats

[8589934593] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:38 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687575553500 (id=8589934593 url=http://localhost:1234/)

RTCTConfiguration

bundlePolicy: balanced

iceTransportPolicy: all

peerIdentity(Provided/Not Provided): Not Provided

sdpSemantics: Not Provided

iceServers:

- urls: ["stun:stun.xten.com"]
- credential(Provided/Not Provided): Not Provided
- userName(Provided/Not Provided): Not Provided
- urls: ["turn:numb.viagenie.ca"]
- credential(Provided/Not Provided): Provided
- userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
inprogress	false	false	1635b9ce-d744-4f30-a087-7073100d4e19.local:57272/udp(host) [non-proxied]	2.47.215.54:51610/udp(srflx)	1	7241541910156673000	0	0
inprogress	false	false	1635b9ce-d744-4f30-a087-7073100d4e19.local:57272/udp(host) [non-proxied]	158.69.221.198:60315/udp(relay)	1	396069377041891840	0	0
inprogress	false	false	158.69.221.198:60498/udp(relay-udp) [non-proxied]	2.47.215.54:51610/udp(srflx)	1	396069376169492500	0	0
inprogress	false	false	158.69.221.198:60498/udp(relay-udp) [non-proxied]	158.69.221.198:60315/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0
ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

```
host(IP4:192.168.1.13:57272/UDP)
host(IP4:192.168.1.13:64843/TCP) active
srflx(IP4:192.168.1.13:57272/UDP|stun.xten.com:3478)
turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)
```

Raw Remote Candidate

```
candidate:1 1 UDP 1686052863 2.47.215.54 51610 typ srflx raddr 0.0.0.0 rport 0
candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay raddr 158.69.221.198 rport 60315
```

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 6478102485507085482 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 30:E0:FC:75:29:F2:24:61:11:7D:FB:5F:38:88:19:3F:8F:B8:2D:F3:24:32:BC:73:BD:54:83:8F:88:EF:EB:9B
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 60498 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 1635b9ce-d744-4f30-a087-7073100d4e19.local 57272 typ host
a=candidate:4 1 TCP 2105524479 1635b9ce-d744-4f30-a087-7073100d4e19.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 57272 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 60498 typ relay raddr 158.69.221.198 rport 60498
a=sendrecv
a=end-of-candidates
a=ice-pwd:5579a1d0136422137a7e5d9c0adf0685
a=ice-ufrag:deb1cbbc
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 2301703149982548780 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 EF:F3:1E:3A:91:53:DF:1C:1F:96:DE:1C:39:0E:9A:02:70:07:85:2B:AF:2E:65:D9:3E:39:1A:B5:42:C2:B4:64
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:4 1 TCP 2105524479 b0fa6425-2a56-496a-aa2b-1a2f30776f9e.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 51610 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay raddr 158.69.221.198 rport 60315
a=candidate:0 1 UDP 2122252543 b0fa6425-2a56-496a-aa2b-1a2f30776f9e.local 51610 typ host
a=sendrecv
a=end-of-candidates
a=ice-pwd:42df32c9a692d41c8ba4de410931589d
a=ice-ufrag:a41e2e68
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
```

SDP History

Set Remote SDP at timestamp 1602687576162

Set Local SDP at timestamp 1602687576167

<p>Local SDP</p> <p>Timestamp 1602687576167 (+ 5 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 6478102485507085482 0 IN IP4 0.0.0.0 s=-</pre>	<p>Remote SDP</p> <p>Timestamp 1602687576162 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 2301703149982548780 0 IN IP4 0.0.0.0 s=-</pre>
--	---

```
t=0 0
a=fingerprint:sha-256 30:E0:FC:75:29:F2:24:61:11:7D:FB:5F:38:88:19:3F:8F:B8:2D:
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=sendrecv
a=ice-pwd:5579a1d0136422137a7e5d9c0adf0685
a=ice-frag:deb1cbbc
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823

t=0 0
a=sendrecv
a=fingerprint:sha-256 EF:F3:1E:3A:91:53:DF:1C:1F:96:DE:1C:39:0E:9A:02:70:07:85:
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=sendrecv
a=ice-pwd:42df32c9a692d41c8ba4de410931589d
a=ice-frag:a41e2e68
a=mid:0
a=setup:actpass
a=sctp-port:5000
```

RTP Stats

[8589934593] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:37 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687565153444 (id=8589934593 url=http://localhost:1234/)

RTCCConfiguration

bundlePolicy: balanced

iceTransportPolicy: all

peerIdentity(Provided/Not Provided): Not Provided

sdpSemantics: Not Provided

iceServers:

- urls: ["stun:stun.xten.com"]
- credential(Provided/Not Provided): Not Provided
- userName(Provided/Not Provided): Not Provided
- urls: ["turn:numb.viagenie.ca"]
- credential(Provided/Not Provided): Provided
- userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
failed	false	false	cae25727-3437-45f1-8568-20126e93298e.local:35549/udp(host) [non-proxied]	2.47.215.54:53521/udp(srflx)	1	7241541910156673000	0	0
failed	false	false	cae25727-3437-45f1-8568-20126e93298e.local:35549/udp(host) [non-proxied]	2.47.215.54:53521/udp(srflx)	1	7241540810645045000	0	0
failed	false	false	cae25727-3437-45f1-8568-20126e93298e.local:35549/udp(host) [non-proxied]	158.69.221.198:55154/udp(relay)	1	396069377041891840	0	0
failed	false	false	158.69.221.198:59642/udp(relay-udp) [non-proxied]	2.47.215.54:53521/udp(srflx)	1	396069376169492500	0	0
failed	false	false	158.69.221.198:59642/udp(relay-udp) [non-proxied]	2.47.215.54:53521/udp(srflx)	1	396069376169492000	0	0
failed	false	false	158.69.221.198:59642/udp(relay-udp) [non-proxied]	158.69.221.198:55154/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

- host(IP4:192.168.1.13:35549/UDP)
- host(IP4:192.168.1.13:62154/TCP) active
- srflx(IP4:192.168.1.13:35549/UDP|stun.xten.com:3478)
- turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)

Raw Remote Candidate

- candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0
- candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0
- candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-00.0 1031452234571472922 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 BC:72:35:1A:F5:FA:02:D5:66:BC:45:EC:59:44:B7:68:C3:C1:85:13:84:F0:06:3A:B4:A7:34:5F:AF:F1:A9:1E
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 59642 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 cae25727-3437-45f1-8568-20126e93298e.local 35549 typ host
a=candidate:4 1 TCP 2105524479 cae25727-3437-45f1-8568-20126e93298e.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 35549 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 59642 typ relay raddr 158.69.221.198 rport 59642
a=sendrecv
a=end-of-candidates
a=ice-pwd:2d09bcfaf005fe573a4935a6c7c243b85
a=ice-frag:7c544625
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```


Remote SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 7746117086217401100 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 0D:5C:3A:1E:E9:A1:A3:53:29:8C:A1:0D:BB:0D:19:CE:22:91:CF:67:76:A8:80:36:43:C8:C5:25:00:C8:35:4D
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:4 1 TCP 2105524479 5316ed82-662a-4d79-9af3-2d9f30262cd9.local 9 typ host tcptype active
a=candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154
a=candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0
a=candidate:0 1 UDP 2122252543 5316ed82-662a-4d79-9af3-2d9f30262cd9.local 53521 typ host
a=sendrecv
a=end-of-candidates
a=ice-pwd:467ca8f4f34347c76287411ad8c4fb445
a=ice-ufrag:a90c0a89
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
```

SDP History

Set Remote SDP at timestamp 1602687566152

Set Local SDP at timestamp 1602687566157

Local SDP	Remote SDP
<p>Timestamp 1602687566157 (+ 5 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 1031452234571472922 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 BC:72:35:1A:F5:FA:02:D5:66:BC:45:EC:59:44:87:68:C3:C1:85: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:2d09bc0af005fe573a4935a6c7c243b85 a=ice-ufrag:7c544625 a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823</pre>	<p>Timestamp 1602687566152 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 7746117086217401100 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 0D:5C:3A:1E:E9:A1:A3:53:29:8C:A1:0D:BB:0D:19:CE:22:91:CF: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:467ca8f4f34347c76287411ad8c4fb445 a=ice-ufrag:a90c0a89 a=mid:0 a=setup:actpass a=sctp-port:5000</pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:36 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687560888409 (id=2147483650 url=http://localhost:1234/)

RTCConguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): Not Provided
 sdpSemantics: Not Provided
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): Not Provided
 userName(Provided/Not Provided): Not Provided
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): Provided
 userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
failed	false	false	397eac67-8203-4626-bd91-33e326226e02.local:50926/udp(host) [non-proxied]	2.47.215.54:42055/udp(srflx)	1	7241541910156673000	0	0
failed	false	false	397eac67-8203-4626-bd91-33e326226e02.local:50926/udp(host) [non-proxied]	158.69.221.198:59161/udp(relay)	1	396069377041891840	0	0
failed	false	false	158.69.221.198:59579/udp(relay-udp) [non-proxied]	2.47.215.54:42055/udp(srflx)	1	396069376169492500	0	0
failed	false	false	158.69.221.198:59579/udp(relay-udp) [non-proxied]	158.69.221.198:59161/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0
 ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

```
host(IP4:192.168.1.13:50926/UDP)
host(IP4:192.168.1.13:56011/TCP) active
srflx(IP4:192.168.1.13:50926/UDP|stun.xten.com:3478)
turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)
```

Raw Remote Candidate

```
candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0
candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161
```

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 530323939443683614 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 D4:22:61:EE:EC:74:D1:00:FD:27:BC:BA:1F:37:F5:4D:C8:1D:90:9C:6D:A6:DC:EF:49:7B:F2:95:3A:5D:A1:F1
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 59579 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 212252543 397eac67-8203-4626-bd91-33e326226e02.local 50926 typ host
a=candidate:4 1 TCP 2105524479 397eac67-8203-4626-bd91-33e326226e02.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 50926 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 59579 typ relay raddr 158.69.221.198 rport 59579
a=sendrecv
a=end-of-candidates
a=ice-pwd:938f328c0ff88ee89167e52e5a4f6475
a=ice-ufrag:818d46aa
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 6482320842753218262 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 F0:7B:10:2F:48:05:24:4F:12:D6:B0:E5:28:D2:56:34:CE:80:89:ED:F1:19:5C:AC:6E:36:5F:06:CB:2E:C0
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 212252543 53226f5c-4f99-423d-acdc-5d668800c9b0.local 42055 typ host
a=candidate:4 1 TCP 2105524479 53226f5c-4f99-423d-acdc-5d668800c9b0.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161
a=sendrecv
a=end-of-candidates
a=ice-pwd:791709ffaf19c6013e5a4d54b39532ed
a=ice-ufrag:8fac7810
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
```

SDP History

[Set Remote SDP at timestamp 1602687565153](#)

[Set Local SDP at timestamp 1602687565226](#)

Local SDP	Remote SDP
<p>Timestamp 1602687565226 (+ 73 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 530323939443683614 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 D4:22:61:EE:EC:74:D1:00:FD:27:BC:BA:1F:37:F5:4D:C8:1D:90:9C:6D:A6:DC:EF:49:7B:F2:95:3A:5D:A1:F1 a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:938f328c0ff88ee89167e52e5a4f6475 a=ice-ufrag:818d46aa a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823</pre>	<p>Timestamp 1602687565153 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 6482320842753218262 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 F0:7B:10:2F:48:05:24:4F:12:D6:B0:E5:28:D2:56:34:CE:80:89:ED:F1:19:5C:AC:6E:36:5F:06:CB:2E:C0 a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:791709ffaf19c6013e5a4d54b39532ed a=ice-ufrag:8fac7810 a=mid:0 a=setup:actpass a=sctp-port:5000</pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:33 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687540866079 (id=2147483650 url=http://localhost:1234/)

RTCConfiguration

```

bundlePolicy: balanced
iceTransportPolicy: all
peerIdentity(Provided/Not Provided): Not Provided
sdpSemantics: Not Provided
iceServers:
  urls: ["stun:stun.xten.com"]
  credential(Provided/Not Provided): Not Provided
  userName(Provided/Not Provided): Not Provided
  urls: ["turn:numb.viagenie.ca"]
  credential(Provided/Not Provided): Provided
  userName(Provided/Not Provided): Provided

```

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
inprogress	false	false	b8295e95-33e2-404e-878c-aed28b4f3a4b.local:50529/udp(host) [non-proxied]	2.47.215.54:43392/udp(srflx)	1	7241541910156673000	0	0
inprogress	false	false	b8295e95-33e2-404e-878c-aed28b4f3a4b.local:50529/udp(host) [non-proxied]	158.69.221.198:57647/udp(relay)	1	396069377041891840	0	0
inprogress	false	false	158.69.221.198:59577/udp(relay-udp) [non-proxied]	2.47.215.54:43392/udp(srflx)	1	396069376169492500	0	0
inprogress	false	false	158.69.221.198:59577/udp(relay-udp) [non-proxied]	158.69.221.198:57647/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates**Raw Local Candidate**

```

host(IP4:192.168.1.13:50529/UDP)
host(IP4:192.168.1.13:62220/TCP) active
srflx(IP4:192.168.1.13:50529/UDP|stun.xten.com:3478)
turn-relay(IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP)

```

Raw Remote Candidate

```

candidate:1 1 UDP 1686052863 2.47.215.54 43392 typ srflx raddr 0.0.0.0 rport 0
candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay raddr 158.69.221.198 rport 57647

```

SDP**Local SDP (Answer)**

```

v=0
o=mozilla...THIS_IS_SDPARTA-80.0 8521197290928428246 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 AF:BC:1B:0D:36:90:0F:69:4A:EA:AE:A2:9D:65:79:3F:9E:0B:E5:E8:B5:73:AF:8F:34:90:5B:29:9B:3D:62:24
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 59577 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 b8295e95-33e2-404e-878c-aed28b4f3a4b.local 50529 typ host
a=candidate:4 1 TCP 2105524479 b8295e95-33e2-404e-878c-aed28b4f3a4b.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 50529 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 59577 typ relay raddr 158.69.221.198 rport 59577
a=sendrecv
a=end-of-candidates
a=lce-pwd:49381d9c04e8570cfb6c754471fd2df7
a=lce-ufrag:6f49c0c7
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823

```

Remote SDP (Offer)

```

v=0
o=mozilla...THIS_IS_SDPARTA-80.0 6817070379291465750 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 4B:44:41:A7:C3:90:6D:DC:97:ED:E9:4C:3C:5F:65:1D:C6:FB:15:63:2A:BA:66:5B:BA:87:66:AB:02:A5:C1:AC
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 2122252543 313157e3-d5c3-4e0b-9841-c5b71ed97bf1.local 43392 typ host
a=candidate:4 1 TCP 2105524479 313157e3-d5c3-4e0b-9841-c5b71ed97bf1.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 43392 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay raddr 158.69.221.198 rport 57647
a=sendrecv
a=end-of-candidates
a=lce-pwd:57836065c5898cc457cdb75276f835180
a=lce-ufrag:ddb1534b
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823

```

SDP History

Set Remote SDP at timestamp 1602687565150

Set Local SDP at timestamp 1602687565222

Local SDP	Remote SDP
<p>Timestamp 1602687565222 (+ 72 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 8521197290928428246 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 AF:BC:1B:0D:36:90:0F:69:4A:EA:AE:A2:9D:65:79:3F:9E:0B:E5: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:49381d9c04e8570cfb6c754471fd2df7 a=ice-ufrag:6f49c0c7 a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823</pre>	<p>Timestamp 1602687565150 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 6817070379291465750 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 4B:44:41:A7:C3:90:6D:DC:97:ED:E9:4C:3C:5F:65:1D:C6:FB:15: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:57836065c5898c457cdb75276f835180 a=ice-ufrag:ddb1534b a=mid:0 a=setup:actpass a=sctp-port:5000</pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:59:33 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687515854797 (id=2147483650 url=http://localhost:1234/)

RTCConfiguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): Not Provided
 sdpSemantics: Not Provided
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): Not Provided
 userName(Provided/Not Provided): Not Provided
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): Provided
 userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
inprogress	false	false	725df9a3-765f-447c-8442-fc706f4e9cfd.local:55379/udp(host) [non-proxied]	2.47.215.54:42671/udp(srflx)	1	7241541910156673000	0	0
inprogress	false	false	725df9a3-765f-447c-8442-fc706f4e9cfd.local:55379/udp(host) [non-proxied]	158.69.221.198:55682/udp(relay)	1	396069377041891840	0	0
inprogress	false	false	158.69.221.198:59578/udp(relay-udp) [non-proxied]	2.47.215.54:42671/udp(srflx)	1	396069376169492500	0	0
inprogress	false	false	158.69.221.198:59578/udp(relay-udp) [non-proxied]	158.69.221.198:55682/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0
 ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate
 host(IP4:192.168.1.13:55379/UDP)
 host(IP4:192.168.1.13:61262/TCP) active
 srflx(IP4:192.168.1.13:55379/UDP|stun.xten.com:3478)
 turn-relay(IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP)

Raw Remote Candidate
 candidate:1 1 UDP 1686052863 2.47.215.54 42671 typ srflx raddr 0.0.0.0 rport 0
 candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay raddr 158.69.221.198 rport 55682

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 5914849150173768097 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 7B:AA:C2:B2:09:F0:3B:97:4A:37:4F:E9:5A:57:03:55:1E:30:0F:DA:A1:8F:CD:4A:9A:2F:8F:30:C6:E2:92:EE
a=group:BUNDLE 0
a=ice-options:trickle
```

```

a=msid-semantic:WMS *
m=application 59578 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 725df9a3-765f-447c-8442-fc706f4e9cfd.local 55379 typ host
a=candidate:4 1 TCP 2105524479 725df9a3-765f-447c-8442-fc706f4e9cfd.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 55379 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 59578 typ relay raddr 158.69.221.198 rport 59578
a=sendrecv
a=end-of-candidates
a=ice-pwd:8f98c2609515fc1dc9f4bc116f49a222
a=ice-ufrag:f4d15c05
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
    
```

Remote SDP (Offer)

```

v=0
o=mozilla...THIS_IS_SDPARTA-80.0 1269767909801588692 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 D1:AD:AE:6A:36:FC:5A:1B:7F:65:B2:34:34:F8:85:DE:19:68:21:F6:D0:1F:3E:91:D4:39:21:39:E4:70:31:A2
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 2122252543 8ec26ca1-a457-4559-aeb9-3a6b42a6b8e9.local 42671 typ host
a=candidate:4 1 TCP 2105524479 8ec26ca1-a457-4559-aeb9-3a6b42a6b8e9.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 42671 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay raddr 158.69.221.198 rport 55682
a=sendrecv
a=end-of-candidates
a=ice-pwd:eaf4d18d2c7f470d2d21619f709bb56c
a=ice-ufrag:01ee3a5c
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
    
```

SDP History

Set Remote SDP at timestamp 1602687565147

Set Local SDP at timestamp 1602687565220

Local SDP	Remote SDP
<p>Timestamp 1602687565220 (+ 73 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 5914849150173768097 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 7B:AA:C2:B2:09:F0:3B:97:4A:37:4F:E9:5A:57:03:55:1E:30:0F: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:8f98c2609515fc1dc9f4bc116f49a222 a=ice-ufrag:f4d15c05 a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823 </pre>	<p>Timestamp 1602687565147 (+ 0 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 1269767909801588692 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 D1:AD:AE:6A:36:FC:5A:1B:7F:65:B2:34:34:F8:85:DE:19:68:21: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:eaf4d18d2c7f470d2d21619f709bb56c a=ice-ufrag:01ee3a5c a=mid:0 a=setup:actpass a=sctp-port:5000 </pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:58:36 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687493847811 (id=2147483650 url=http://localhost:1234/)

```

RTCConguration
bundlePolicy: balanced
iceTransportPolicy: all
peerIdentity(Provided/Not Provided): Not Provided
sdpSemantics: Not Provided
iceServers:
  urls: ["stun:stun.xten.com"]
  credential(Provided/Not Provided): Not Provided
  userName(Provided/Not Provided): Not Provided
  urls: ["turn:numb.viagenie.ca"]
  credential(Provided/Not Provided): Provided
  userName(Provided/Not Provided): Provided
    
```

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
failed	false	false	3f4b8df2-fd33-4fdc-b63e-c0114f6ed233.local:44521/udp(host) [non-proxied]	2.47.215.54:41829/udp(srflx)	1	7241540810645045000	0	0

failed	false	false	3f4b8df2-fd33-4fdc-b63e-c0114f6ed233.local:44521/udp(host) [non-proxied]	158.69.221.198:53910/udp(relay)	1	396069377041891840	0	0
failed	false	false	158.69.221.198:54904/udp(relay-udp) [non-proxied]	2.47.215.54:41829/udp(srflx)	1	396069376169492000	0	0
failed	false	false	158.69.221.198:54904/udp(relay-udp) [non-proxied]	158.69.221.198:53910/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0
ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

host(IP4:192.168.1.13:44521/UDP)
host(IP4:192.168.1.13:51749/TCP) active
srflx(IP4:192.168.1.13:44521/UDP|stun.xten.com:3478)
turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)

Raw Remote Candidate

candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0
candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 6362639834983655759 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 70:EF:EE:4A:BB:34:50:D3:ED:C9:0E:D7:A3:04:E7:19:B8:99:9C:99:EE:61:95:0A:F5:F5:72:FE:FA:5D:6B:19
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 54904 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 3f4b8df2-fd33-4fdc-b63e-c0114f6ed233.local 44521 typ host
a=candidate:4 1 TCP 2105524479 3f4b8df2-fd33-4fdc-b63e-c0114f6ed233.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 44521 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 54904 typ relay raddr 158.69.221.198 rport 54904
a=sendrecv
a=end-of-candidates
a=ice-pwd:1edaa2bbb90dc42e8f3f9a64f8ca5ea5
a=ice-ufrag:17703445
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 2031130378631588735 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 01:71:43:DE:A9:0D:AF:E4:09:6C:2C:60:C3:C6:61:77:FA:0A:5E:F2:CD:F1:A8:53:8A:07:8E:F1:14:F0:92:F6
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 2122252543 15a92796-0e77-4c50-bcfe-acf6171af48b.local 41829 typ host
a=candidate:4 1 TCP 2105524479 15a92796-0e77-4c50-bcfe-acf6171af48b.local 9 typ host tcptype active
a=candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910
a=sendrecv
a=ice-pwd:57c6f96fccf8b8ced4b28af95e6e91e8
a=ice-ufrag:3e726b12
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
```

SDP History

[Set Remote SDP at timestamp 1602687505419](#)

[Set Local SDP at timestamp 1602687505424](#)

<p>Local SDP</p> <p>Timestamp 1602687505424 (+ 5 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 6362639834983655759 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 70:EF:EE:4A:BB:34:50:D3:ED:C9:0E:D7:A3:04:E7:19:B8:99:9C:99:EE:61:95:0A:F5:F5:72:FE:FA:5D:6B:19 a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0</pre>	<p>Remote SDP</p> <p>Timestamp 1602687505419 (+ 0 ms)</p> <pre>v=0 o=mozilla...THIS_IS_SDPARTA-80.0 2031130378631588735 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 01:71:43:DE:A9:0D:AF:E4:09:6C:2C:60:C3:C6:61:77:FA:0A:5E:F2:CD:F1:A8:53:8A:07:8E:F1:14:F0:92:F6 a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel</pre>
---	--

<pre>a=sendrecv a=ice-pwd:1edaa2bbb90dc42e8f3f9a64f8ca5ea5 a=ice-ufrag:17703445 a=mid:0 a=setup:active a=sctp-port:5000</pre>	<pre>c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:57c6f96fccf8b8ced4b28af95e6e91e8 a=ice-ufrag:3e726b12 a=mid:0 a=setup:actpass</pre>
---	--

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:58:21 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687448823463 (id=2147483650 url=http://localhost:1234/)

RTCCongfiguration
 bundlePolicy: balanced
 iceTransportPolicy: all
 peerIdentity(Provided/Not Provided): Not Provided
 sdpSemantics: Not Provided
 iceServers:
 urls: ["stun:stun.xten.com"]
 credential(Provided/Not Provided): Not Provided
 userName(Provided/Not Provided): Not Provided
 urls: ["turn:numb.viagenie.ca"]
 credential(Provided/Not Provided): Provided
 userName(Provided/Not Provided): Provided

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
failed	false	false	f090b615-2455-44ae-84f9-85c867f164ec.local:58993/udp(host) [non-proxied]	2.47.215.54:56960/udp(srflx)	1	7241540810645045000	0	0
failed	false	false	f090b615-2455-44ae-84f9-85c867f164ec.local:58993/udp(host) [non-proxied]	158.69.221.198:50620/udp(relay)	1	396069377041891840	0	0
failed	false	false	158.69.221.198:53723/udp(relay-udp) [non-proxied]	2.47.215.54:56960/udp(srflx)	1	396069376169492000	0	0
failed	false	false	158.69.221.198:53723/udp(relay-udp) [non-proxied]	158.69.221.198:50620/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate
 host(IP4:192.168.1.13:51006/TCP) active
 host(IP4:192.168.1.13:58993/UDP)
 srflx(IP4:192.168.1.13:58993/UDP|stun.xten.com:3478)
 turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)

Raw Remote Candidate
 candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0
 candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620

SDP

Local SDP (Answer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 6096331793051614073 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 22:01:57:89:EF:A4:B9:3B:EF:1F:30:5A:9D:EB:99:91:5B:BA:FD:4B:03:DE:76:96:54:95:28:EA:C8:A5:48:D3
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 53723 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 2122252543 f090b615-2455-44ae-84f9-85c867f164ec.local 58993 typ host
a=candidate:4 1 TCP 2105524479 f090b615-2455-44ae-84f9-85c867f164ec.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 58993 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 53723 typ relay raddr 158.69.221.198 rport 53723
a=sendrecv
a=end-of-candidates
a=ice-pwd:50a0b3f25f39e09433088c8291bbb435
a=ice-ufrag:c1d59c35
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823
```

Remote SDP (Offer)

```
v=0
o=mozilla...THIS_IS_SDPARTA-80.0 1875661176851755570 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 19:84:09:F0:9F:61:65:FC:EE:4A:FE:65:89:AE:E9:BA:B6:1F:0F:1B:59:52:54:F4:74:72:7D:98:34:26:41:20
a=group:BUNDLE 0
```

```

a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 2122252543 389a6607-78ef-49ed-bbed-5305f9cb0787.local 56960 typ host
a=candidate:4 1 TCP 2105524479 389a6607-78ef-49ed-bbed-5305f9cb0787.local 9 typ host tcptype active
a=candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620
a=sendrecv
a=ice-pwd:3152584798ef827a848524e1d10e2369
a=ice-ufrag:b9d6e315
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823
    
```

SDP History

Set Remote SDP at timestamp 1602687483876

Set Local SDP at timestamp 1602687489875

Local SDP	Remote SDP
<p>Timestamp 1602687489875 (+ 5999 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 6096331793051614073 0 IN IP4 0.0.0.0 s=- t=0 0 a=fingerprint:sha-256 22:01:57:89:EF:A4:B9:3B:EF:1F:30:5A:9D:EB:99:91:5B:BA:FD: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:50a0b3f25f39e09433088c8291bbb435 a=ice-ufrag:c1d59c35 a=mid:0 a=setup:active a=sctp-port:5000 a=max-message-size:1073741823 </pre>	<p>Timestamp 1602687483876 (+ 0 ms)</p> <pre> v=0 o=mozilla...THIS_IS_SDPARTA-80.0 1875661176851755570 0 IN IP4 0.0.0.0 s=- t=0 0 a=sendrecv a=fingerprint:sha-256 19:84:09:F0:9F:61:65:FC:EE:4A:FE:65:89:AE:E9:BA:B6:1F:0F: a=group:BUNDLE 0 a=ice-options:trickle a=msid-semantic:WMS * m=application 9 UDP/DTLS/SCTP webrtc-datachannel c=IN IP4 0.0.0.0 a=sendrecv a=ice-pwd:3152584798ef827a848524e1d10e2369 a=ice-ufrag:b9d6e315 a=mid:0 a=setup:actpass a=sctp-port:5000 </pre>

RTP Stats

[2147483650] http://localhost:1234/ (closed) Wed Oct 14 2020 16:58:21 GMT+0200 (Central European Summer Time)

PeerConnection ID: 1602687474829873 (id=2147483650 url=http://localhost:1234/)

RTCConfiguration

bundlePolicy: balanced

iceTransportPolicy: all

peerIdentity(Provided/Not Provided): *Not Provided*

sdpSemantics: *Not Provided*

iceServers:

urls: ["stun:stun.xten.com"]

credential(Provided/Not Provided): *Not Provided*

userName(Provided/Not Provided): *Not Provided*

urls: ["turn:numb.viagenie.ca"]

credential(Provided/Not Provided): *Provided*

userName(Provided/Not Provided): *Provided*

ICE Stats

ICE State	Nominated	Selected	Local Candidate	Remote Candidate	Component ID	Priority	Bytes sent	Bytes received
failed	false	false	b68d2bfa-0ccd-4d5b-be76-b273702d1120.local:46129/udp(host) [non-proxied]	2.47.215.54:47408/udp(srflx)	1	7241541910156673000	0	0
failed	false	false	b68d2bfa-0ccd-4d5b-be76-b273702d1120.local:46129/udp(host) [non-proxied]	158.69.221.198:52598/udp(relay)	1	396069377041891840	0	0
failed	false	false	158.69.221.198:53722/udp(relay-udp) [non-proxied]	2.47.215.54:47408/udp(srflx)	1	396069376169492500	0	0
failed	false	false	158.69.221.198:53722/udp(relay-udp) [non-proxied]	158.69.221.198:52598/udp(relay)	1	396069372981820900	0	0

ICE restarts: 0

ICE rollbacks: 0

All Raw Candidates

Raw Local Candidate

host(IP4:192.168.1.13:46129/UDP)

host(IP4:192.168.1.13:55144/TCP) active

srflx(IP4:192.168.1.13:46129/UDP|stun.xten.com:3478)

turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)

Raw Remote Candidate

candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0

candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598

SDP

Local SDP (Answer)

v=0
o=mozilla...THIS_IS_SDPARTA-80.0 221188342999068993 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 51:24:CC:0A:81:93:B9:96:70:45:B8:88:5E:C3:6C:52:62:D6:80:D4:0A:22:BE:8C:7B:22:03:84:BE:41:A9:CC
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 53722 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 158.69.221.198
a=candidate:0 1 UDP 212252543 b68d2bfa-0ccd-4d5b-be76-b273702d1120.local 46129 typ host
a=candidate:4 1 TCP 2105524479 b68d2bfa-0ccd-4d5b-be76-b273702d1120.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 46129 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 53722 typ relay raddr 158.69.221.198 rport 53722
a=sendrecv
a=end-of-candidates
a=ice-pwd:d92469b26afb5ca55d3bb9f883157c9d
a=ice-ufrag:2ae3847e
a=mid:0
a=setup:active
a=sctp-port:5000
a=max-message-size:1073741823

Remote SDP (Offer)

v=0
o=mozilla...THIS_IS_SDPARTA-80.0 8372733726624721157 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 55:65:33:2B:7B:A7:47:1E:72:0A:D6:08:79:F5:87:D9:9A:84:81:5D:27:08:5B:66:F4:CA:52:29:D8:65:89:0E
a=group:BUNDLE 0
a=ice-options:trickle
a=msid-semantic:WMS *
m=application 9 UDP/DTLS/SCTP webrtc-datachannel
c=IN IP4 0.0.0.0
a=candidate:0 1 UDP 212252543 6caa2d6a-3529-41f8-a277-a5968e97f8e6.local 47408 typ host
a=candidate:4 1 TCP 2105524479 6caa2d6a-3529-41f8-a277-a5968e97f8e6.local 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0
a=candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598
a=sendrecv
a=end-of-candidates
a=ice-pwd:305cdf70088907506566365abbd99a5b
a=ice-ufrag:8f342eb7
a=mid:0
a=setup:actpass
a=sctp-port:5000
a=max-message-size:1073741823

SDP History

Set Remote SDP at timestamp 1602687489853

Set Local SDP at timestamp 1602687489889

Table with 2 columns: Local SDP and Remote SDP. Each column contains SDP text and a timestamp. Local SDP timestamp is 1602687489889 (+ 36 ms). Remote SDP timestamp is 1602687489853 (+ 0 ms).

RTP Stats

Connection Log

insert 'ice' (registry) succeeded: ice
insert 'ice.pref' (registry) succeeded: ice.pref
insert 'ice.pref.type' (registry) succeeded: ice.pref.type
insert 'ice.pref.type.srv_rflx' (UCHAR) succeeded: 0x64
insert 'ice.pref.type.peer_rflx' (UCHAR) succeeded: 0x6e
insert 'ice.pref.type.host' (UCHAR) succeeded: 0x7e
insert 'ice.pref.type.relayed' (UCHAR) succeeded: 0x05
insert 'ice.pref.type.srv_rflx_tcp' (UCHAR) succeeded: 0x63
insert 'ice.pref.type.peer_rflx_tcp' (UCHAR) succeeded: 0x6d
insert 'ice.pref.type.host_tcp' (UCHAR) succeeded: 0x7d

```
insert 'ice.pref.type.relayed_tcp' (UCHAR) succeeded: 0x00
insert 'stun' (registry) succeeded: stun
insert 'stun.client' (registry) succeeded: stun.client
insert 'stun.client.maximum_transmits' (UINT4) succeeded: 7
insert 'ice.trickle_grace_period' (UINT4) succeeded: 5000
insert 'ice.tcp' (registry) succeeded: ice.tcp
insert 'ice.tcp.so_sock_count' (INT4) succeeded: 0
insert 'ice.tcp.listen_backlog' (INT4) succeeded: 10
insert 'ice.tcp.disable' (char) succeeded: \000
insert 'ice.forced_interface_name' (string) succeeded:
Exit UDP socket connected
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687421251405 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Exit UDP socket connected
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687448823463 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bbb435
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) no streams with
non-empty check lists
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) no streams with
pre-answer requests
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) no checks to
start
Exit UDP socket connected
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/buils/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687421251405 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687421251405 (id=2147483650 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687421251405 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2a9b4c95:89222661d997fc37a2aa6b3688a39390
ICE(PC:1602687421251405 (id=2147483650 url=http://localhost:1234/)): CAND(srfLx(IP4:192.168.1.13:54838/UDP|stun.xten.com:3478)): failed to initialize, 2 remaining
ICE(PC:1602687421251405 (id=2147483650 url=http://localhost:1234/)): CAND(srfLx(IP4:192.168.1.13:54838/UDP|numb.viagenie.ca:3478)): failed to initialize, 1
remaining
ICE(PC:1602687421251405 (id=2147483650 url=http://localhost:1234/)): CAND(relay(IP4:192.168.1.13:54838/UDP|numb.viagenie.ca:3478)): failed to initialize, 0
remaining
ICE(PC:1602687421251405 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687474829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26af65ca55d3bb9f883157c9d
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) no streams with
non-empty check lists
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) no streams with
pre-answer requests
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) no checks to
start
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:58993/UDP)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(8Eoi): setting pair to state FROZEN:
8Eoi|IP4:192.168.1.13:58993/UDP|IP4:2.47.215.54:56960/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srfLx raddr
0.0.0.0 rport 0)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(8Eoi): Pairing candidate IP4:192.168.1.13:58993/UDP
(7e7f00ff):IP4:2.47.215.54:56960/UDP (647f1eff) priority=7241540810645045758 (647f1effcfe01fe)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bbb435): Starting check timer for stream.
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(8Eoi): setting pair to state WAITING:
8Eoi|IP4:192.168.1.13:58993/UDP|IP4:2.47.215.54:56960/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srfLx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(8Eoi): setting pair to state IN_PROGRESS:
8Eoi|IP4:192.168.1.13:58993/UDP|IP4:2.47.215.54:56960/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srfLx raddr
0.0.0.0 rport 0)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(5Mtf): setting pair to state FROZEN:
5Mtf|IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:50620/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr
158.69.221.198 rport 50620)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(5Mtf): Pairing candidate IP4:192.168.1.13:58993/UDP
(7e7f00ff):IP4:158.69.221.198:50620/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:51006/TCP) active
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:46129/UDP)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(CTyA): setting pair to state FROZEN:
CTyA|IP4:192.168.1.13:46129/UDP|IP4:2.47.215.54:47408/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srfLx raddr
0.0.0.0 rport 0)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(CTyA): Pairing candidate IP4:192.168.1.13:46129/UDP
(7e7f00ff):IP4:2.47.215.54:47408/UDP (647f1eff) priority=7241541910156673534 (647f1effcfe01fe)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - 2ae3847e:d92469b26af65ca55d3bb9f883157c9d): Starting check timer for stream.
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(CTyA): setting pair to state WAITING:
CTyA|IP4:192.168.1.13:46129/UDP|IP4:2.47.215.54:47408/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srfLx raddr
0.0.0.0 rport 0)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(CTyA): setting pair to state IN_PROGRESS:
CTyA|IP4:192.168.1.13:46129/UDP|IP4:2.47.215.54:47408/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srfLx raddr
0.0.0.0 rport 0)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Inp0): setting pair to state FROZEN:
Inp0|IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:52598/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr
158.69.221.198 rport 52598)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(Inp0): Pairing candidate IP4:192.168.1.13:46129/UDP
(7e7f00ff):IP4:158.69.221.198:52598/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:55144/TCP) active
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(5Mtf): setting pair to state WAITING:
5Mtf|IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:50620/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr
158.69.221.198 rport 50620)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(5Mtf): setting pair to state IN_PROGRESS:
5Mtf|IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:50620/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr
158.69.221.198 rport 50620)
```

```
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Inp0): setting pair to state WAITING:
Inp0|IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:52598/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr
158.69.221.198 rport 52598)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Inp0): setting pair to state IN_PROGRESS:
Inp0|IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:52598/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr
158.69.221.198 rport 52598)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687448823463 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - cid59c35:50a0b3f25f39e09433088c8291bbb435
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687474829873 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:58993/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx(IP4:192.168.1.13:58993/UDP|stun.xten.com:3478)
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:58993/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx(IP4:192.168.1.13:46129/UDP|stun.xten.com:3478)
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:53722/UDP lifetime=3600
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Fqr7): setting pair to state FROZEN:
Fqr7|IP4:158.69.221.198:53722/UDP|IP4:2.47.215.54:47408/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Fqr7): Pairing candidate IP4:158.69.221.198:53722/UDP
(57f1efff):IP4:2.47.215.54:47408/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d): Starting check timer for stream.
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Fqr7): setting pair to state WAITING:
Fqr7|IP4:158.69.221.198:53722/UDP|IP4:2.47.215.54:47408/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Fqr7): setting pair to state IN_PROGRESS:
Fqr7|IP4:158.69.221.198:53722/UDP|IP4:2.47.215.54:47408/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:47408/UDP
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(l0nd): setting pair to state FROZEN:
l0nd|IP4:158.69.221.198:53722/UDP|IP4:158.69.221.198:52598/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(l0nd): Pairing candidate IP4:158.69.221.198:53722/UDP
(57f1efff):IP4:158.69.221.198:52598/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(l0nd): setting pair to state WAITING:
l0nd|IP4:158.69.221.198:53722/UDP|IP4:158.69.221.198:52598/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598)
ICE-PEER(PC:1602687474829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(l0nd): setting pair to state IN_PROGRESS:
l0nd|IP4:158.69.221.198:53722/UDP|IP4:158.69.221.198:52598/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598)
TURN(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:52598/UDP
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:53723/UDP lifetime=3600
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(NOJQ): setting pair to state FROZEN:
NOJQ|IP4:158.69.221.198:53723/UDP|IP4:2.47.215.54:56960/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(NOJQ): Pairing candidate IP4:158.69.221.198:53723/UDP
(57f1efff):IP4:2.47.215.54:56960/UDP (647f1eff) priority=396069376169491967 (57f1effc8fe3dff)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - cid59c35:50a0b3f25f39e09433088c8291bbb435): Starting check timer for stream.
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(NOJQ): setting pair to state WAITING:
NOJQ|IP4:158.69.221.198:53723/UDP|IP4:2.47.215.54:56960/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(NOJQ): setting pair to state IN_PROGRESS:
```

```
NOJQ|IP4:158.69.221.198:53723/UDP|IP4:2.47.215.54:56960/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:56960/UDP
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oHNL): setting pair to state FROZEN:
oHNL|IP4:158.69.221.198:53723/UDP|IP4:158.69.221.198:50620/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oHNL): Pairing candidate IP4:158.69.221.198:53723/UDP
(57f1eff):IP4:158.69.221.198:50620/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oHNL): setting pair to state FROZEN/WAITING pairs for PC:1602687448823463 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oHNL): setting pair to state WAITING:
oHNL|IP4:158.69.221.198:53723/UDP|IP4:158.69.221.198:50620/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oHNL): setting pair to state IN_PROGRESS:
oHNL|IP4:158.69.221.198:53723/UDP|IP4:158.69.221.198:50620/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620)
TURN(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:50620/UDP
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687448823463 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - cid59c35:50a0b32f5f39e09433088c8291bbb435
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) Trickle grace
period is over; marking every component with only failed pairs as failed.
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default) Trickle grace
period is over; marking every component with only failed pairs as failed.
STUN-CLIENT(8EoI|IP4:192.168.1.13:58993/UDP|IP4:2.47.215.54:56960/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx
raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(8EoI): setting pair to state FAILED:
8EoI|IP4:192.168.1.13:58993/UDP|IP4:2.47.215.54:56960/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr
0.0.0.0 rport 0)
STUN-CLIENT(CtYa|IP4:192.168.1.13:46129/UDP|IP4:2.47.215.54:47408/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srflx
raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(CtYa): setting pair to state FAILED:
CtYa|IP4:192.168.1.13:46129/UDP|IP4:2.47.215.54:47408/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 47408 typ srflx raddr
0.0.0.0 rport 0)
STUN-CLIENT(5Mtf|IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:50620/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay
raddr 158.69.221.198 rport 50620)): Timed out
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(5Mtf): setting pair to state FAILED:
5Mtf|IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:50620/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr
158.69.221.198 rport 50620)
STUN-CLIENT(Inp0|IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:52598/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay
raddr 158.69.221.198 rport 52598)): Timed out
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Inp0): setting pair to state FAILED:
Inp0|IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:52598/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr
158.69.221.198 rport 52598)
STUN-CLIENT(Fqr7|IP4:158.69.221.198:53722/UDP|IP4:2.47.215.54:47408/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:1 1 UDP
1686052863 2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Fqr7): setting pair to state FAILED:
Fqr7|IP4:158.69.221.198:53722/UDP|IP4:2.47.215.54:47408/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0)
STUN-CLIENT(l0nD|IP4:158.69.221.198:53722/UDP|IP4:158.69.221.198:52598/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:3 1 UDP
92217087 158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598)): Timed out
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(l0nD): setting pair to state FAILED:
l0nD|IP4:158.69.221.198:53722/UDP|IP4:158.69.221.198:52598/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598)
ICE-PEER(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/):default)/STREAM(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/) transport-
id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/COMP(1): All pairs are failed, and grace period has elapsed. Marking component as failed.
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/))/STREAM(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0
- 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d): state dump
ICE(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687448823463 (id=2147483650 url=http://localhost:1234/) transport-
id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d): Local component 1 - dumping candidates
```



```
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/CAND(ySxL): host(IP4:192.168.1.13:46129/UDP)
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/CAND(wtne): srflx(IP4:192.168.1.13:46129/UDP|stun.xten.com:3478)
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/CAND(IU9M): turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/CAND(rmqe): host(IP4:192.168.1.13:55144/TCP) active
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default)/STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d): state dump
CAND-PAIR(CtYa): pair CtYa|IP4:192.168.1.13:46129/UDP|IP4:2.47.215.54:47408/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:1 1 UDP 1686052607 2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x647f1ffffc0e1fe
CAND-PAIR(Inp0): pair Inp0|IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:52598/UDP(host(IP4:192.168.1.13:46129/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598): state=FAILED, priority=0x57f1effcfe01ffe
CAND-PAIR(Fqr7): pair Fqr7|IP4:158.69.221.198:53722/UDP|IP4:2.47.215.54:47408/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:1 1 UDP 1686052607 2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x57f1effc8fe3fff
CAND-PAIR(l0nd): pair l0nd|IP4:158.69.221.198:53722/UDP|IP4:158.69.221.198:52598/UDP(turn-relay(IP4:192.168.1.13:46129/UDP|IP4:158.69.221.198:53722/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598): state=FAILED, priority=0x57f1effcfae3dff
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d): Remote component 1 in state 3 - dumping candidates
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/CAND(rKcv): candidate:1 1 UDP 1686052607 2.47.215.54 47408 typ srflx raddr 0.0.0.0 rport 0
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 2ae3847e:d92469b26afb5ca55d3bb9f883157c9d)/CAND(Q4/w): candidate:3 1 UDP 92217087 158.69.221.198 52598 typ relay raddr 158.69.221.198 rport 52598
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default): all checks completed success=0 fail=1
STUN-CLIENT(NOJQ)IP4:158.69.221.198:53723/UDP|IP4:2.47.215.54:56960/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0): Timed out
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(NOJQ): setting pair to state FAILED:
NOJQ|IP4:158.69.221.198:53723/UDP|IP4:2.47.215.54:56960/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:46129/UDP|numb.viagenie.ca:3478)): deallocating
STUN-CLIENT(oHNL|IP4:158.69.221.198:53723/UDP|IP4:158.69.221.198:50620/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620): Timed out
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oHNL): setting pair to state FAILED:
oHNL|IP4:158.69.221.198:53723/UDP|IP4:158.69.221.198:50620/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620)
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default)/STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/COMP(1): All pairs are failed, and grace period has elapsed. Marking component as failed.
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435): state dump
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435): Local component 1 - dumping candidates
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/CAND(shLh): host(IP4:192.168.1.13:58993/UDP)
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/CAND(g1r9): srflx(IP4:192.168.1.13:58993/UDP|stun.xten.com:3478)
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/CAND(dvbe): turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/CAND(nJuo): host(IP4:192.168.1.13:51006/TCP) active
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default)/STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435): state dump
CAND-PAIR(Eo1): pair Eo1|IP4:192.168.1.13:58993/UDP|IP4:2.47.215.54:56960/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x647f1ffffc0e1fe
CAND-PAIR(5Mtf): pair 5Mtf|IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:50620/UDP(host(IP4:192.168.1.13:58993/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620): state=FAILED, priority=0x57f1effcfe01ffe
CAND-PAIR(NOJQ): pair NOJQ|IP4:158.69.221.198:53723/UDP|IP4:2.47.215.54:56960/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x57f1effc8fe3dff
CAND-PAIR(oHNL): pair oHNL|IP4:158.69.221.198:53723/UDP|IP4:158.69.221.198:50620/UDP(turn-relay(IP4:192.168.1.13:58993/UDP|IP4:158.69.221.198:53723/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620): state=FAILED, priority=0x57f1effcfae3dff
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435): Remote component 1 in state 3 - dumping candidates
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/CAND(67ME): candidate:2 1 UDP 1686052607 2.47.215.54 56960 typ srflx raddr 0.0.0.0 rport 0
ICE(PC:160268744829873 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:160268744829873 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - c1d59c35:50a0b3f25f39e09433088c8291bb435)/CAND(20vd): candidate:3 1 UDP 92217087 158.69.221.198 50620 typ relay raddr 158.69.221.198 rport 50620
ICE-PEER(PC:160268744829873 (id=2147483650 url=http://localhost:1234/):default): all checks completed success=0 fail=1
TURN(relay(IP4:192.168.1.13:58993/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) has no stream matching stream PC:1602687493847811 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 17703445:1edaa2bbb90dc42e8f39a64f8ca5ea5
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) no streams with non-empty check lists
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) no streams with pre-answer requests
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) no checks to start
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) pairing local trickle ICE candidate host(IP4:192.168.1.13:44521/UDP)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(HdET): setting pair to state FROZEN:
HdET|IP4:192.168.1.13:44521/UDP|IP4:2.47.215.54:41829/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(HdET): Pairing candidate IP4:192.168.1.13:44521/UDP (7e7f00ff):IP4:2.47.215.54:41829/UDP (647f1eff) priority=7241540810645045758 (647f1effcfe01ffe)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 17703445:1edaa2bbb90dc42e8f39a64f8ca5ea5): Starting check timer for stream.
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(HdET): setting pair to state WAITING:
HdET|IP4:192.168.1.13:44521/UDP|IP4:2.47.215.54:41829/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(HdET): setting pair to state IN_PROGRESS:
HdET|IP4:192.168.1.13:44521/UDP|IP4:2.47.215.54:41829/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 17703445:1edaa2bbb90dc42e8f39a64f8ca5ea5): setting pair to state FROZEN:
sQ25|IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:53910/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(sQ25): Pairing candidate IP4:192.168.1.13:44521/UDP (7e7f00ff):IP4:158.69.221.198:53910/UDP (57f1eff) priority=39606937704189138 (57f1effcfe01ffe)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) pairing local trickle ICE candidate host(IP4:192.168.1.13:51749/TCP) active
```

```
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(sQ25): setting pair to state WAITING:
sQ25|IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:53910/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr
158.69.221.198 rport 53910)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(sQ25): setting pair to state IN_PROGRESS:
sQ25|IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:53910/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr
158.69.221.198 rport 53910)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687493847811 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:44521/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx(IP4:192.168.1.13:44521/UDP|stun.xten.com:3478)
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:54904/UDP lifetime=3600
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Xwji): setting pair to state FROZEN:
Xwji|IP4:158.69.221.198:54904/UDP|IP4:2.47.215.54:41829/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Xwji): Pairing candidate IP4:158.69.221.198:54904/UDP
(57f1eff):IP4:2.47.215.54:41829/UDP (647f1eff) priority=396069376169491967 (57f1effc8fe3dff)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)
transport-id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5): Starting check timer for stream.
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Xwji): setting pair to state WAITING:
Xwji|IP4:158.69.221.198:54904/UDP|IP4:2.47.215.54:41829/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Xwji): setting pair to state IN_PROGRESS:
Xwji|IP4:158.69.221.198:54904/UDP|IP4:2.47.215.54:41829/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:41829/UDP
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ASkL): setting pair to state FROZEN:
ASkL|IP4:158.69.221.198:54904/UDP|IP4:158.69.221.198:53910/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ASkL): Pairing candidate IP4:158.69.221.198:54904/UDP
(57f1eff):IP4:158.69.221.198:53910/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ASkL): setting pair to state WAITING:
ASkL|IP4:158.69.221.198:54904/UDP|IP4:158.69.221.198:53910/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ASkL): setting pair to state IN_PROGRESS:
ASkL|IP4:158.69.221.198:54904/UDP|IP4:158.69.221.198:53910/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910)
TURN(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:53910/UDP
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687493847811 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:53521/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:53521/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:53521/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
ICE(PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:53521/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:53521/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:55154/UDP lifetime=3600
```

```
Inconsistent message method: 103 expected 001
ICE(PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:53521/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default) Trickle graceful
period is over; marking every component with only failed pairs as failed.
STUN-CLIENT(HdET|IP4:192.168.1.13:44521/UDP|IP4:2.47.215.54:41829/UDP)(host(IP4:192.168.1.13:44521/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx
raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(HdET): setting pair to state FAILED:
HdET|IP4:192.168.1.13:44521/UDP|IP4:2.47.215.54:41829/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr
0.0.0.0 rport 0)
STUN-CLIENT(sq25|IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:53910/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay
raddr 158.69.221.198 rport 53910)): Timed out
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(sq25): setting pair to state FAILED:
sq25|IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:53910/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr
158.69.221.198 rport 53910)
STUN-CLIENT(Xwij|IP4:158.69.221.198:54904/UDP|IP4:2.47.215.54:41829/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:2 1 UDP
1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(Xwij): setting pair to state FAILED:
Xwij|IP4:158.69.221.198:54904/UDP|IP4:2.47.215.54:41829/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0)
STUN-CLIENT(ASkL|IP4:158.69.221.198:54904/UDP|IP4:158.69.221.198:53910/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:3 1 UDP
92217087 158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910)): Timed out
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(ASkL): setting pair to state FAILED:
ASkL|IP4:158.69.221.198:54904/UDP|IP4:158.69.221.198:53910/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910)
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default)/STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/COMP(1): All pairs are failed, and grace period has elapsed. Marking component as failed.
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-id=transport_0
- 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5): state dump
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5): Local component 1 - dumping candidates
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/CAND(j|x/2): host(IP4:192.168.1.13:44521/UDP)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/CAND(QrTL): srflx(IP4:192.168.1.13:44521/UDP|stun.xten.com:3478)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/CAND(ZiTK): turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/CAND(Hwua): host(IP4:192.168.1.13:51749/TCP) active
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default)/STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5): state dump
CAND-PAIR(HdET): pair HdET|IP4:192.168.1.13:44521/UDP|IP4:2.47.215.54:41829/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ
srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x6471efffc0e1fe
CAND-PAIR(sq25): pair sq25|IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:53910/UDP(host(IP4:192.168.1.13:44521/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910
typ relay raddr 158.69.221.198 rport 53910): state=FAILED, priority=0x571efffc8fe3dff
CAND-PAIR(Xwij): pair Xwij|IP4:158.69.221.198:54904/UDP|IP4:2.47.215.54:41829/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904/UDP)|candidate:2 1
UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x571efffc8fe3dff
CAND-PAIR(ASkL): pair ASkL|IP4:158.69.221.198:54904/UDP|IP4:158.69.221.198:53910/UDP(turn-relay(IP4:192.168.1.13:44521/UDP|IP4:158.69.221.198:54904
/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr 158.69.221.198 rport 53910): state=FAILED, priority=0x571efffc8fe3dff
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5): Remote component 1 in state 3 - dumping candidates
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/CAND(NiAT): candidate:2 1 UDP 1686052607 2.47.215.54 41829 typ srflx raddr 0.0.0.0 rport 0
ICE(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):ICE-STREAM(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)) transport-
id=transport_0 - 17703445:1edaa2bbb90dc42e8f3f9a64f8ca5ea5)/CAND(1ot0): candidate:3 1 UDP 92217087 158.69.221.198 53910 typ relay raddr 158.69.221.198 rport
53910
ICE-PEER(PC:1602687493847811 (id=2147483650 url=http://localhost:1234/)):default): all checks completed success=0 fail=1
TURNN(relay(IP4:192.168.1.13:44521/UDP|numb.viagenie.ca:3478)): deallocating
ICE(PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)):peer (PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687506071673 (id=2147483650 url=http://localhost:1234/)) transport-id=transport_0 - a90c0a89:467ca8f4f34347c6287411ad8cfc6445
TURNN(relay(IP4:192.168.1.13:53521/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)) transport-id=transport_0 - f4d15c05:8f98c2609515f1cd9f4bc116f49a22
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)):default) no streams with
non-empty check lists
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)):default) no streams with
pre-answer requests
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)):default) no checks to
start
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)) transport-id=transport_0 - 6f49c0c7:49381d9c04e857c6bc754471fd2d7f
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)):default) no streams with
non-empty check lists
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)):default) no streams with
pre-answer requests
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)):default) no checks to
start
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)) transport-id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e54f6475
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):default) no streams with
non-empty check lists
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):default) no streams with
```

```
pre-answer requests
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) no checks to
start
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:55379/UDP)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(K4e3): setting pair to state FROZEN:
K4e3|IP4:192.168.1.13:55379/UDP|IP4:2.47.215.54:42671/UDP(host(IP4:192.168.1.13:55379/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42671 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(K4e3): Pairing candidate IP4:192.168.1.13:55379/UDP
(7e7f00ff):IP4:2.47.215.54:42671/UDP (647f1fff) priority=7241541910156673534 (647f1ffffcfe01fe)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/
)transport-id=transport_0 - f4d15c05:8f98c2609515fcd9f4bc116f49a222): Starting check timer for stream.
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(K4e3): setting pair to state WAITING:
K4e3|IP4:192.168.1.13:55379/UDP|IP4:2.47.215.54:42671/UDP(host(IP4:192.168.1.13:55379/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42671 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(K4e3): setting pair to state IN_PROGRESS:
K4e3|IP4:192.168.1.13:55379/UDP|IP4:2.47.215.54:42671/UDP(host(IP4:192.168.1.13:55379/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42671 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Vt/Y): setting pair to state FROZEN: Vt/Y|IP4:192.168.1.13:55379
/UDP|IP4:158.69.221.198:55682/UDP(host(IP4:192.168.1.13:55379/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay raddr 158.69.221.198 rport 55682)
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(Vt/Y): Pairing candidate IP4:192.168.1.13:55379/UDP
(7e7f00ff):IP4:158.69.221.198:55682/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:61262/TCP) active
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:50529/UDP)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(kAWK): setting pair to state FROZEN:
kAWK|IP4:192.168.1.13:50529/UDP|IP4:2.47.215.54:43392/UDP(host(IP4:192.168.1.13:50529/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 43392 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(kAWK): Pairing candidate IP4:192.168.1.13:50529/UDP
(7e7f00ff):IP4:2.47.215.54:43392/UDP (647f1fff) priority=7241541910156673534 (647f1ffffcfe01fe)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/
)transport-id=transport_0 - 6f49c0c7:49381d9c04e8570cfb6c754471fd2df): Starting check timer for stream.
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(kAWK): setting pair to state WAITING:
kAWK|IP4:192.168.1.13:50529/UDP|IP4:2.47.215.54:43392/UDP(host(IP4:192.168.1.13:50529/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 43392 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(kAWK): setting pair to state IN_PROGRESS:
kAWK|IP4:192.168.1.13:50529/UDP|IP4:2.47.215.54:43392/UDP(host(IP4:192.168.1.13:50529/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 43392 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(U7sp): setting pair to state FROZEN:
U7sp|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:57647/UDP(host(IP4:192.168.1.13:50529/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay raddr
158.69.221.198 rport 57647)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(U7sp): Pairing candidate IP4:192.168.1.13:50529/UDP
(7e7f00ff):IP4:158.69.221.198:57647/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:62220/TCP) active
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:50926/UDP)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(T5nf): setting pair to state FROZEN:
T5nf|IP4:192.168.1.13:50926/UDP|IP4:2.47.215.54:42055/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(T5nf): Pairing candidate IP4:192.168.1.13:50926/UDP
(7e7f00ff):IP4:2.47.215.54:42055/UDP (647f1fff) priority=7241541910156673534 (647f1ffffcfe01fe)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/
)transport-id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475): Starting check timer for stream.
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(T5nf): setting pair to state WAITING:
T5nf|IP4:192.168.1.13:50926/UDP|IP4:2.47.215.54:42055/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(T5nf): setting pair to state IN_PROGRESS:
T5nf|IP4:192.168.1.13:50926/UDP|IP4:2.47.215.54:42055/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(B78K): setting pair to state FROZEN:
B78K|IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59161/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr
158.69.221.198 rport 59161)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(B78K): Pairing candidate IP4:192.168.1.13:50926/UDP
(7e7f00ff):IP4:158.69.221.198:59161/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:56011/TCP) active
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Vt/Y): setting pair to state WAITING: Vt/Y|IP4:192.168.1.13:55379
/UDP|IP4:158.69.221.198:55682/UDP(host(IP4:192.168.1.13:55379/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay raddr 158.69.221.198 rport 55682)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Vt/Y): setting pair to state IN_PROGRESS: Vt/Y|IP4:192.168.1.13:55379
/UDP|IP4:158.69.221.198:55682/UDP(host(IP4:192.168.1.13:55379/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay raddr 158.69.221.198 rport 55682)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(U7sp): setting pair to state WAITING:
U7sp|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:57647/UDP(host(IP4:192.168.1.13:50529/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay raddr
158.69.221.198 rport 57647)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(U7sp): setting pair to state IN_PROGRESS:
U7sp|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:57647/UDP(host(IP4:192.168.1.13:50529/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay raddr
158.69.221.198 rport 57647)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(B78K): setting pair to state WAITING:
B78K|IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59161/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr
158.69.221.198 rport 59161)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(B78K): setting pair to state IN_PROGRESS:
B78K|IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59161/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr
158.69.221.198 rport 59161)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687515854797 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - f4d15c05:8f98c2609515fcd9f4bc116f49a222
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687540866079 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 6f49c0c7:49381d9c04e8570cfb6c754471fd2df
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687560888409 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx|IP4:192.168.1.13:50529/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx|IP4:192.168.1.13:50529/UDP|stun.xten.com:3478)
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
```



```
STUN-CLIENT(srflx|IP4:192.168.1.13:55379/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx|IP4:192.168.1.13:55379/UDP|stun.xten.com:3478)
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx|IP4:192.168.1.13:50926/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx|IP4:192.168.1.13:50926/UDP|stun.xten.com:3478)
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay|IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay|IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay|IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay|IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay|IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay|IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay|IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:59577/UDP lifetime=3600
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/ICE-PAIR(705K): setting pair to state FROZEN:
705K|IP4:158.69.221.198:59577/UDP|IP4:2.47.215.54:43392/UDP|turn-relay|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP|candidate:1 1 UDP 1686052863
2.47.215.54 43392 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(705K): Pairing candidate IP4:158.69.221.198:59577/UDP
(57f1eff):IP4:2.47.215.54:43392/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - 6f49c0c7:49381d9c04e8570cfb6c754471fd2df7): Starting check timer for stream.
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(705K): setting pair to state WAITING:
705K|IP4:158.69.221.198:59577/UDP|IP4:2.47.215.54:43392/UDP|turn-relay|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP|candidate:1 1 UDP 1686052863
2.47.215.54 43392 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(705K): setting pair to state IN_PROGRESS:
705K|IP4:158.69.221.198:59577/UDP|IP4:2.47.215.54:43392/UDP|turn-relay|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP|candidate:1 1 UDP 1686052863
2.47.215.54 43392 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay|IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:43392/UDP
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Tcy): setting pair to state FROZEN: Tcy|IP4:158.69.221.198:59577
/UDP|IP4:158.69.221.198:57647/UDP|turn-relay|IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP|candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay
raddr 158.69.221.198 rport 57647)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(Tcy): Pairing candidate IP4:158.69.221.198:59577/UDP
(57f1eff):IP4:158.69.221.198:57647/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay|IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:59578/UDP lifetime=3600
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay|IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(vTn8): setting pair to state FROZEN:
vTn8|IP4:158.69.221.198:59578/UDP|IP4:2.47.215.54:42671/UDP|turn-relay|IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP|candidate:1 1 UDP 1686052863
2.47.215.54 42671 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(vTn8): Pairing candidate IP4:158.69.221.198:59578/UDP
(57f1eff):IP4:2.47.215.54:42671/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - f4d15c05:8f98c2609515f1cd9f4bc116f49a222): Starting check timer for stream.
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(vTn8): setting pair to state WAITING:
vTn8|IP4:158.69.221.198:59578/UDP|IP4:2.47.215.54:42671/UDP|turn-relay|IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP|candidate:1 1 UDP 1686052863
2.47.215.54 42671 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(vTn8): setting pair to state IN_PROGRESS:
vTn8|IP4:158.69.221.198:59578/UDP|IP4:2.47.215.54:42671/UDP|turn-relay|IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP|candidate:1 1 UDP 1686052863
2.47.215.54 42671 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay|IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:42671/UDP
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(iv/Q): setting pair to state FROZEN: iv/Q|IP4:158.69.221.198:59578
/UDP|IP4:158.69.221.198:55682/UDP|turn-relay|IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP|candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay
raddr 158.69.221.198 rport 55682)
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(iv/Q): Pairing candidate IP4:158.69.221.198:59578/UDP
(57f1eff):IP4:158.69.221.198:55682/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
```

```
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:59579/UDP lifetime=3600
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(dwu3): setting pair to state FROZEN:
dwu3|IP4:158.69.221.198:59579/UDP|IP4:2.47.215.54:42055/UDP|turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(dwu3): Pairing candidate IP4:158.69.221.198:59579/UDP
(57f1efff)|IP4:2.47.215.54:42055/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475): Starting check timer for stream.
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(dwu3): setting pair to state WAITING:
dwu3|IP4:158.69.221.198:59579/UDP|IP4:2.47.215.54:42055/UDP|turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(dwu3): setting pair to state IN_PROGRESS:
dwu3|IP4:158.69.221.198:59579/UDP|IP4:2.47.215.54:42055/UDP|turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:42055/UDP
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ust+): setting pair to state FROZEN:
ust+|IP4:158.69.221.198:59579/UDP|IP4:158.69.221.198:59579/UDP|turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(ust+): Pairing candidate IP4:158.69.221.198:59579/UDP
(57f1efff)|IP4:158.69.221.198:59161/UDP (57f1efff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Tcy/): setting pair to state WAITING: Tcy/|IP4:158.69.221.198:59577
/UDP|IP4:158.69.221.198:57647/UDP|turn-relay(IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay
raddr 158.69.221.198 rport 57647)
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Tcy/): setting pair to state IN_PROGRESS: Tcy/|IP4:158.69.221.198:59577
/UDP|IP4:158.69.221.198:57647/UDP|turn-relay(IP4:192.168.1.13:50529/UDP|IP4:158.69.221.198:59577/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 57647 typ relay
raddr 158.69.221.198 rport 57647)
TURN(relay(IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:57647/UDP
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(iv/Q): setting pair to state WAITING: iv/Q|IP4:158.69.221.198:59578
/UDP|IP4:158.69.221.198:55682/UDP|turn-relay(IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay
raddr 158.69.221.198 rport 55682)
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(iv/Q): setting pair to state IN_PROGRESS: iv/Q|IP4:158.69.221.198:59578
/UDP|IP4:158.69.221.198:55682/UDP|turn-relay(IP4:192.168.1.13:55379/UDP|IP4:158.69.221.198:59578/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55682 typ relay
raddr 158.69.221.198 rport 55682)
TURN(relay(IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:55682/UDP
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ust+): setting pair to state WAITING:
ust+|IP4:158.69.221.198:59579/UDP|IP4:158.69.221.198:59161/UDP|turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ust+): setting pair to state IN_PROGRESS:
ust+|IP4:158.69.221.198:59579/UDP|IP4:158.69.221.198:59161/UDP|turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161)
TURN(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:59161/UDP
ICE-PEER(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687540866079 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 6f49c0c7:49381d9c04e8570c6b6c754471fd2df7
ICE-PEER(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687515854797 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - f4d15c05:8f98c260951fcd9f4bc116f49a222
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687560888409 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687515854797 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687515854797 (id=2147483650 url=http://localhost:1234/):default) Trickle grace
```

```
period is over; marking every component with only failed pairs as failed.
ICE(PC:1602687540866079 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687540866079 (id=2147483650 url=http://localhost:1234/):default) Trickle grace
period is over; marking every component with only failed pairs as failed.
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default) Trickle grace
period is over; marking every component with only failed pairs as failed.
TURN(relay(IP4:192.168.1.13:55379/UDP|numb.viagenie.ca:3478)): deallocating
TURN(relay(IP4:192.168.1.13:50529/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687565183315 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:51610/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:51610/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:51610/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:51610/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687565183315 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:51610/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:51610/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:60315/UDP lifetime=3600
ICE(PC:1602687565183315 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687565183315 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(Tsnf|IP4:192.168.1.13:50926/UDP|IP4:2.47.215.54:42055/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx
raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Tsnf): setting pair to state FAILED:
Tsnf|IP4:192.168.1.13:50926/UDP|IP4:2.47.215.54:42055/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr
0.0.0.0 rport 0)
STUN-CLIENT(B78K|IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59161/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay
raddr 158.69.221.198 rport 59161)): Timed out
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(B78K): setting pair to state FAILED:
B78K|IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59161/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr
158.69.221.198 rport 59161)
STUN-CLIENT(dwu3|IP4:158.69.221.198:59579/UDP|IP4:2.47.215.54:42055/UDP(turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:1 1 UDP
1686052863 2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(dwu3): setting pair to state FAILED:
dwu3|IP4:158.69.221.198:59579/UDP|IP4:2.47.215.54:42055/UDP(turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0)
STUN-CLIENT(ust+|IP4:158.69.221.198:59579/UDP|IP4:158.69.221.198:59161/UDP(turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:3 1 UDP
92217087 158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161)): Timed out
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(ust+): setting pair to state FAILED:
ust+|IP4:158.69.221.198:59579/UDP|IP4:158.69.221.198:59161/UDP(turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161)
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/COMP(1): All pairs are failed, and grace period has elapsed. Marking component as failed.
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-id=transport_0
- 818d46aa:938f328c0ff88ee89167e52e5a4f6475): state dump
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475): Local component 1 - dumping candidates
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/CAND(00fs): host(IP4:192.168.1.13:50926/UDP)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/CAND(IVS+): srflx(IP4:192.168.1.13:50926/UDP|stun.xten.com:3478)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/CAND(zk30): turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/CAND(Z2Gs): host(IP4:192.168.1.13:56011/TCP) active
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default)/STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475): state dump
CAND-PAIR(Tsnf): pair Tsnf|IP4:192.168.1.13:50926/UDP|IP4:2.47.215.54:42055/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ
srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x647f1ffffcfe01fe
CAND-PAIR(B78K): pair B78K|IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59161/UDP(host(IP4:192.168.1.13:50926/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161
typ relay raddr 158.69.221.198 rport 59161): state=FAILED, priority=0x57f1effc8fe3fff
CAND-PAIR(dwu3): pair dwu3|IP4:158.69.221.198:59579/UDP|IP4:2.47.215.54:42055/UDP(turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579/UDP)|candidate:1 1
UDP 1686052863 2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x57f1effc8fe3fff
CAND-PAIR(ust+): pair ust+|IP4:158.69.221.198:59579/UDP|IP4:158.69.221.198:59161/UDP(turn-relay(IP4:192.168.1.13:50926/UDP|IP4:158.69.221.198:59579
/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr 158.69.221.198 rport 59161): state=FAILED, priority=0x57f1effc8fe3fff
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475): Remote component 1 in state 3 - dumping candidates
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/CAND(TUGJ): candidate:1 1 UDP 1686052863 2.47.215.54 42055 typ srflx raddr 0.0.0.0 rport 0
ICE(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/))/ICE-STREAM(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):transport-
id=transport_0 - 818d46aa:938f328c0ff88ee89167e52e5a4f6475)/CAND(qnvh): candidate:3 1 UDP 92217087 158.69.221.198 59161 typ relay raddr 158.69.221.198 rport
59161
ICE-PEER(PC:1602687560888409 (id=2147483650 url=http://localhost:1234/):default): all checks completed success=0 fail=1
TURN(relay(IP4:192.168.1.13:50926/UDP|numb.viagenie.ca:3478)): deallocating
ICE(PC:1602687565183315 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687565183315 (id=2147483650 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687565183315 (id=2147483650 url=http://localhost:1234/):transport-id=transport_0 - a41e2e68:42df32c9a692d41c8ba4de410931589d
TURN(relay(IP4:192.168.1.13:51610/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:160268756667260 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):transport-id=transport_0 - afa72e44:36e2aa5352f638a361004610805d726a
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default) no streams with
non-empty check lists
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default) no streams with
pre-answer requests
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default) no checks to
start
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:41964/UDP)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(2a20): setting pair to state FROZEN:
```

```
2a20|IP4:192.168.1.13:41964/UDP|IP4:2.47.215.54:48351/UDP(host(IP4:192.168.1.13:41964/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 48351 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(2a20): Pairing candidate IP4:192.168.1.13:41964/UDP
(7e7f00ff):IP4:2.47.215.54:48351/UDP (647f1fff) priority=7241541910156673534 (647f1fff01fe)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/ICE-STREAM(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/
)
transport-id=transport_0 - afa72e44:36e2aa5352f638a361004610805d726a): Starting check timer for stream.
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(2a20): setting pair to state WAITING:
2a20|IP4:192.168.1.13:41964/UDP|IP4:2.47.215.54:48351/UDP(host(IP4:192.168.1.13:41964/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 48351 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(2a20): setting pair to state IN_PROGRESS:
2a20|IP4:192.168.1.13:41964/UDP|IP4:2.47.215.54:48351/UDP(host(IP4:192.168.1.13:41964/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 48351 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) is now checking
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
G0gk|IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:60915/UDP(host(IP4:192.168.1.13:41964/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60915 typ relay raddr
158.69.221.198 rport 60915)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(G0gk): Pairing candidate IP4:192.168.1.13:41964/UDP
(7e7f00ff):IP4:158.69.221.198:60915/UDP (57f1efff) priority=396069377041891838 (57f1efff01fe)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:63237/TCP) active
Exit UDP socket connected
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687583181301 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 49ae955f:39b9eb5827e6644a340be87b65caf2e
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) no streams with
non-empty check lists
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) no streams with
pre-answer requests
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) no checks to
start
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:38664/UDP)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(NPIL): setting pair to state FROZEN:
NPIL|IP4:192.168.1.13:38664/UDP|IP4:2.47.215.54:45326/UDP(host(IP4:192.168.1.13:38664/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 45326 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(NPIL): Pairing candidate IP4:192.168.1.13:38664/UDP
(7e7f00ff):IP4:2.47.215.54:45326/UDP (647f1fff) priority=7241541910156673534 (647f1fff01fe)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/ICE-STREAM(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/
)
transport-id=transport_0 - 49ae955f:39b9eb5827e6644a340be87b65caf2e): Starting check timer for stream.
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(NPIL): setting pair to state WAITING:
NPIL|IP4:192.168.1.13:38664/UDP|IP4:2.47.215.54:45326/UDP(host(IP4:192.168.1.13:38664/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 45326 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(NPIL): setting pair to state IN_PROGRESS:
NPIL|IP4:192.168.1.13:38664/UDP|IP4:2.47.215.54:45326/UDP(host(IP4:192.168.1.13:38664/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 45326 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) is now checking
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(7TUD): setting pair to state FROZEN:
7TUD|IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:60917/UDP(host(IP4:192.168.1.13:38664/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60917 typ relay raddr
158.69.221.198 rport 60917)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):CAND-PAIR(7TUD): Pairing candidate IP4:192.168.1.13:38664/UDP
(7e7f00ff):IP4:158.69.221.198:60917/UDP (57f1efff) priority=396069377041891838 (57f1efff01fe)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:58309/TCP) active
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(G0gk): setting pair to state WAITING:
G0gk|IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:60915/UDP(host(IP4:192.168.1.13:41964/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60915 typ relay raddr
158.69.221.198 rport 60915)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(G0gk): setting pair to state IN_PROGRESS:
G0gk|IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:60915/UDP(host(IP4:192.168.1.13:41964/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60915 typ relay raddr
158.69.221.198 rport 60915)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(7TUD): setting pair to state WAITING:
7TUD|IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:60917/UDP(host(IP4:192.168.1.13:38664/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60917 typ relay raddr
158.69.221.198 rport 60917)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default)/CAND-PAIR(7TUD): setting pair to state IN_PROGRESS:
7TUD|IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:60917/UDP(host(IP4:192.168.1.13:38664/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60917 typ relay raddr
158.69.221.198 rport 60917)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default): no FROZEN/WAITING pairs for PC:1602687583181301 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - afa72e44:36e2aa5352f638a361004610805d726a
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default): no FROZEN/WAITING pairs for PC:1602687583181301 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 49ae955f:39b9eb5827e6644a340be87b65caf2e
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:34337/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:41964/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)):default) pairing local
trickle ICE candidate srflx(IP4:192.168.1.13:41964/UDP|stun.xten.com:3478)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 113 expected 001
```



```

Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:61013/UDP lifetime=3600
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:61014/UDP lifetime=3600
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(aQJa): setting pair to state FROZEN:
aQJa|IP4:158.69.221.198:61014/UDP|IP4:2.47.215.54:48351/UDP|turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 48351 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(aQJa): Pairing candidate IP4:158.69.221.198:61014/UDP
(57f1efff):IP4:2.47.215.54:48351/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)
transport-id=transport_0 - afa72e44:36e2aa5352f638a361004610805d726a): Starting check timer for stream.
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(aQJa): setting pair to state WAITING:
aQJa|IP4:158.69.221.198:61014/UDP|IP4:2.47.215.54:48351/UDP|turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 48351 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(aQJa): setting pair to state IN_PROGRESS:
aQJa|IP4:158.69.221.198:61014/UDP|IP4:2.47.215.54:48351/UDP|turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 48351 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:48351/UDP
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(uDAm): setting pair to state FROZEN:
uDAm|IP4:158.69.221.198:60915/UDP|IP4:158.69.221.198:60915/UDP|turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 60915 typ relay raddr 158.69.221.198 rport 60915)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(uDAm): Pairing candidate IP4:158.69.221.198:61014/UDP
(57f1efff):IP4:158.69.221.198:60915/UDP (57f1efff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:61016/UDP lifetime=3600
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(VGcX): setting pair to state FROZEN:
VGcX|IP4:158.69.221.198:61016/UDP|IP4:2.47.215.54:45326/UDP|turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 45326 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(VGcX): Pairing candidate IP4:158.69.221.198:61016/UDP
(57f1efff):IP4:2.47.215.54:45326/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)
transport-id=transport_0 - 49ae955f:39b9eb5827e6644a340be87b65cacf2e): Starting check timer for stream.
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(VGcX): setting pair to state WAITING:
VGcX|IP4:158.69.221.198:61016/UDP|IP4:2.47.215.54:45326/UDP|turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 45326 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(VGcX): setting pair to state IN_PROGRESS:
VGcX|IP4:158.69.221.198:61016/UDP|IP4:2.47.215.54:45326/UDP|turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 45326 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:45326/UDP
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Z41G): setting pair to state FROZEN:
Z41G|IP4:158.69.221.198:61016/UDP|IP4:158.69.221.198:60917/UDP|turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 60917 typ relay raddr 158.69.221.198 rport 60917)
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(Z41G): Pairing candidate IP4:158.69.221.198:61016/UDP
(57f1efff):IP4:158.69.221.198:60917/UDP (57f1efff) priority=396069372981820927 (57f1eff0afe3dff)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(uDAm): setting pair to state WAITING:
uDAm|IP4:158.69.221.198:61014/UDP|IP4:158.69.221.198:60915/UDP|turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 60915 typ relay raddr 158.69.221.198 rport 60915)
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(uDAm): setting pair to state IN_PROGRESS:
uDAm|IP4:158.69.221.198:61014/UDP|IP4:158.69.221.198:60915/UDP|turn-relay(IP4:192.168.1.13:41964/UDP|IP4:158.69.221.198:61014/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 60915 typ relay raddr 158.69.221.198 rport 60915)
TURN(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:60915/UDP
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Z41G): setting pair to state WAITING:
Z41G|IP4:158.69.221.198:61016/UDP|IP4:158.69.221.198:60917/UDP|turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 60917 typ relay raddr 158.69.221.198 rport 60917)
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(Z41G): setting pair to state IN_PROGRESS:
Z41G|IP4:158.69.221.198:61016/UDP|IP4:158.69.221.198:60917/UDP|turn-relay(IP4:192.168.1.13:38664/UDP|IP4:158.69.221.198:61016/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 60917 typ relay raddr 158.69.221.198 rport 60917)
TURN(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:60917/UDP
ICE-PEER(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687583181301 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - afa72e44:36e2aa5352f638a361004610805d726a)
ICE-PEER(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687583183689 (id=2147483650
url=http://localhost:1234/) transport-id=transport_0 - 49ae955f:39b9eb5827e6644a340be87b65cacf2e)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001

```

```
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687583181301 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Skpipping SOURCE-ADDRESS
Skpipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skpipping SOURCE-ADDRESS
Skpipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:38664/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687583183689 (id=2147483650 url=http://localhost:1234/)): All candidates initialized
TURN(relay(IP4:192.168.1.13:41964/UDP|numb.viagenie.ca:3478)): deallocating
TURN(relay(IP4:192.168.1.13:38664/UDP|numb.viagenie.ca:3478)): deallocating
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687576667260 (id=2147483650 url=http://localhost:1234/) transport-id=transport_0 - 0be88916:b2db66a4e1b48ed81616fff672174e5
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default) no streams with
non-empty check lists
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default) no streams with
pre-answer requests
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default) no checks to
start
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(05NK): setting pair to state FROZEN:
05NK|IP4:192.168.1.13:34337/UDP|IP4:2.47.215.54:34275/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 34275 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(05NK): Pairing candidate IP4:192.168.1.13:34337/UDP
(7e7f00ff):IP4:2.47.215.54:34275/UDP (647f1fff) priority=7241541910156673535 (647f1fff)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):
transport-id=transport_0 - 0be88916:b2db66a4e1b48ed81616fff672174e5): Starting check timer for stream.
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(05NK): setting pair to state WAITING:
05NK|IP4:192.168.1.13:34337/UDP|IP4:2.47.215.54:34275/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 34275 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(05NK): setting pair to state IN_PROGRESS:
05NK|IP4:192.168.1.13:34337/UDP|IP4:2.47.215.54:34275/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 34275 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): peer (PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(h8YX): setting pair to state FROZEN:
h8YX|IP4:158.69.221.198:61013/UDP|IP4:2.47.215.54:34275/UDP(turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 34275 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(h8YX): Pairing candidate IP4:158.69.221.198:61013/UDP
(57f1efff):IP4:2.47.215.54:34275/UDP (647f1fff) priority=396069377041891839 (57f1efff)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(GqSv): setting pair to state FROZEN:
GqSv|IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61152/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr
158.69.221.198 rport 61152)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(GqSv): Pairing candidate IP4:192.168.1.13:34337/UDP
(7e7f00ff):IP4:158.69.221.198:61152/UDP (57f1efff) priority=396069377041891839 (57f1efff)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oufV): setting pair to state FROZEN:
oufV|IP4:158.69.221.198:61013/UDP|IP4:158.69.221.198:61152/UDP(turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 61152 typ relay raddr 158.69.221.198 rport 61152)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/))/CAND-PAIR(oufV): Pairing candidate IP4:158.69.221.198:61013/UDP
(57f1efff):IP4:158.69.221.198:61152/UDP (57f1efff) priority=396069372981820927 (57f1efff)
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): Error parsing attribute:
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(GqSv): setting pair to state WAITING:
GqSv|IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61152/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr
158.69.221.198 rport 61152)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(GqSv): setting pair to state IN_PROGRESS:
GqSv|IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61152/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr
158.69.221.198 rport 61152)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(h8YX): setting pair to state WAITING:
h8YX|IP4:158.69.221.198:61013/UDP|IP4:2.47.215.54:34275/UDP(turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 34275 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(h8YX): setting pair to state IN_PROGRESS:
h8YX|IP4:158.69.221.198:61013/UDP|IP4:2.47.215.54:34275/UDP(turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 34275 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:34275/UDP
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oufV): setting pair to state WAITING:
oufV|IP4:158.69.221.198:61013/UDP|IP4:158.69.221.198:61152/UDP(turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 61152 typ relay raddr 158.69.221.198 rport 61152)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(oufV): setting pair to state IN_PROGRESS:
oufV|IP4:158.69.221.198:61013/UDP|IP4:158.69.221.198:61152/UDP(turn-relay(IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61013/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 61152 typ relay raddr 158.69.221.198 rport 61152)
TURN(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:61152/UDP
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(GqSv): triggered check on
url=http://localhost:1234/ transport-id=transport_0 - 0be88916:b2db66a4e1b48ed81616fff672174e5
STUN-CLIENT(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:34337/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(GqSv): triggered check on
GqSv|IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61152/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr
158.69.221.198 rport 61152)
ICE-PEER(PC:1602687576667260 (id=2147483650 url=http://localhost:1234/):default)/CAND-PAIR(GqSv): setting pair to state FROZEN:
GqSv|IP4:192.168.1.13:34337/UDP|IP4:158.69.221.198:61152/UDP(host(IP4:192.168.1.13:34337/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61152 typ relay raddr
```



```
insert 'ice.pref.type' (registry) succeeded: ice.pref.type
insert 'ice.pref.type.srv_rflx' (UCHAR) succeeded: 0x64
insert 'ice.pref.type.peer_rflx' (UCHAR) succeeded: 0x6e
insert 'ice.pref.type.host' (UCHAR) succeeded: 0x7e
insert 'ice.pref.type.relayed' (UCHAR) succeeded: 0x05
insert 'ice.pref.type.srv_rflx_tcp' (UCHAR) succeeded: 0x63
insert 'ice.pref.type.peer_rflx_tcp' (UCHAR) succeeded: 0x6d
insert 'ice.pref.type.host_tcp' (UCHAR) succeeded: 0x7d
insert 'ice.pref.type.relayed_tcp' (UCHAR) succeeded: 0x00
insert 'stun' (registry) succeeded: stun
insert 'stun.client' (registry) succeeded: stun.client
insert 'stun.client.maximum_transmits' (UINT4) succeeded: 7
insert 'ice.trickle_grace_period' (UINT4) succeeded: 5000
insert 'ice.tcp' (registry) succeeded: ice.tcp
insert 'ice.tcp.so_sock_count' (INT4) succeeded: 0
insert 'ice.tcp.listen_backlog' (INT4) succeeded: 10
insert 'ice.tcp.disable' (char) succeeded: \000
insert 'ice.forced_interface_name' (string) succeeded:
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d1e8b000
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687428676084 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:51287/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:51287/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:51287/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:51287/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687428676084 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:51287/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:51287/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:49206/UDP lifetime=3600
ICE(PC:1602687428676084 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687428676084 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687428676084 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687428676084 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687428676084 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - 97e9ab1f:39d7b23d71188da7e207a17c29824a
TURN(relay(IP4:192.168.1.13:51287/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d1f25c00
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687446813961 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:56960/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:56960/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:56960/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Inconsistent message method: 113 expected 001
ICE(PC:1602687446813961 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:56960/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:56960/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:50620/UDP lifetime=3600
Inconsistent message method: 103 expected 001
ICE(PC:1602687446813961 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:56960/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687446813961 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687446813961 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687446813961 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687446813961 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - b9d6e315:3152584798ef827a848524e1d10e2369
TURN(relay(IP4:192.168.1.13:56960/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d2c07c00
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687472824598 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:47408/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:47408/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:47408/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:47408/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687472824598 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:47408/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:47408/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:52598/UDP lifetime=3600
ICE(PC:1602687472824598 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687472824598 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687472824598 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687472824598 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687472824598 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - 8f342eb7:305cdf70808907506566365abdb99a5b
TURN(relay(IP4:192.168.1.13:47408/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d1e8bc00
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687491831765 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:41829/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:41829/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:41829/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
```



```
Inconsistent message method: 113 expected 001
ICE(PC:1602687491831765 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:41829/UDP|numb.viagenie.ca:3478)): Received response; processing
TURN(relay(IP4:192.168.1.13:41829/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:53910/UDP lifetime=3600
Inconsistent message method: 103 expected 001
ICE(PC:1602687491831765 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:41829/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687491831765 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687491831765 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687491831765 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687491831765 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - 3e726b12:57c6f96fcc8b8ced4b28af956e91e8
TURN(relay(IP4:192.168.1.13:41829/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d1f26800
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687513842604 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:42671/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:42671/UDP|numb.viagenie.ca:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:42671/UDP|numb.viagenie.ca:3478)):TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:42671/UDP|numb.viagenie.ca:3478)):TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687513842604 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:42671/UDP|numb.viagenie.ca:3478)):TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:42671/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:55682/UDP lifetime=3600
ICE(PC:1602687513842604 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687513842604 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687513842604 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687513842604 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687513842604 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - 01ee3a5c:eaf4d18d2c7f407d2619f709b6556c
TURN(relay(IP4:192.168.1.13:42671/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d114d000
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687538858226 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:43392/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:43392/UDP|numb.viagenie.ca:3478)):TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:43392/UDP|numb.viagenie.ca:3478)):TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:43392/UDP|numb.viagenie.ca:3478)):TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687538858226 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:43392/UDP|numb.viagenie.ca:3478)):TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:43392/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:57647/UDP lifetime=3600
ICE(PC:1602687538858226 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687538858226 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687538858226 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687538858226 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687538858226 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - ddb1534b:57836065c5898c457c75276f831810
TURN(relay(IP4:192.168.1.13:43392/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d114e800
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687558878561 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:42055/UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:42055/UDP|numb.viagenie.ca:3478)):TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:42055/UDP|numb.viagenie.ca:3478)):TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:42055/UDP|numb.viagenie.ca:3478)):TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687558878561 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:42055/UDP|numb.viagenie.ca:3478)):TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:42055/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:59161/UDP lifetime=3600
ICE(PC:1602687558878561 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687558878561 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d19abc00
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687565153444 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - 7c544625:2d09bcaf005fe573a4935a6c7c243b85
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) no streams with
non-empty check lists
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) no streams with
pre-answer requests
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) no checks to
start
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:35549/UDP)
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Dpaf): setting pair to state FROZEN:
Dpaf|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(Dpaf): Pairing candidate IP4:192.168.1.13:35549/UDP
(7e7f00ff):IP4:2.47.215.54:53521/UDP (647f1eff) priority=7241540810645045758 (647f1effcfe01fe)
```

```
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)  
transport-id=transport_0 - 7c544625:2d09bcaf005fe573a4935a6c7c243b85): Starting check timer for stream.  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Dpaf): setting pair to state WAITING:  
Dpaf|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr  
0.0.0.0 rport 0)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Dpaf): setting pair to state IN_PROGRESS:  
Dpaf|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr  
0.0.0.0 rport 0)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) is now checking  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(5aE2): setting pair to state FROZEN:  
5aE2|IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:55154/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr  
158.69.221.198 rport 55154)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(5aE2): Pairing candidate IP4:192.168.1.13:35549/UDP  
(7e7f00ff):IP4:158.69.221.198:55154/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(ff3x): setting pair to state FROZEN:  
ff3x|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr  
0.0.0.0 rport 0)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(ff3x): Pairing candidate IP4:192.168.1.13:35549/UDP  
(7e7f00ff):IP4:2.47.215.54:53521/UDP (647f1fff) priority=7241541910156673534 (647f1fffcc01fe)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) pairing local  
trickle ICE candidate host(IP4:192.168.1.13:62154/TCP) active  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(ff3x): setting pair to state WAITING:  
ff3x|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr  
0.0.0.0 rport 0)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(ff3x): setting pair to state IN_PROGRESS:  
ff3x|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr  
0.0.0.0 rport 0)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(5aE2): setting pair to state WAITING:  
5aE2|IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:55154/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr  
158.69.221.198 rport 55154)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(5aE2): setting pair to state IN_PROGRESS:  
5aE2|IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:55154/UDP(host(IP4:192.168.1.13:35549/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr  
158.69.221.198 rport 55154)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687565153444 (id=8589934593  
url=http://localhost:1234/) transport-id=transport_0 - 7c544625:2d09bcaf005fe573a4935a6c7c243b85  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
STUN-CLIENT(srflx(IP4:192.168.1.13:35549/UDP|stun.xten.com:3478)): Received response; processing  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) pairing local  
trickle ICE candidate srflx(IP4:192.168.1.13:35549/UDP|stun.xten.com:3478)  
Inconsistent message method: 113 expected 001  
Inconsistent message method: 113 expected 001  
STUN-CLIENT(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing  
STUN-CLIENT(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed  
STUN-CLIENT(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Inconsistent message method: 113 expected 001  
Inconsistent message method: 113 expected 001  
Inconsistent message method: 113 expected 001  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx  
Inconsistent message method: 103 expected 001  
Inconsistent message method: 103 expected 001  
STUN-CLIENT(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing  
TURN(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:59642/UDP lifetime=3600  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) pairing local  
trickle ICE candidate turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(ITdj): setting pair to state FROZEN:  
ITdj|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:2 1 UDP 1686052607  
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(ITdj): Pairing candidate IP4:158.69.221.198:59642/UDP  
(57f1eff):IP4:2.47.215.54:53521/UDP (647f1fff) priority=396069377169491967 (57f1effc8fe3dff)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)  
transport-id=transport_0 - 7c544625:2d09bcaf005fe573a4935a6c7c243b85): Starting check timer for stream.  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(ITdj): setting pair to state WAITING:  
ITdj|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:2 1 UDP 1686052607  
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(ITdj): setting pair to state IN_PROGRESS:  
ITdj|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:2 1 UDP 1686052607  
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)  
TURN(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:2.47.215.54:53521/UDP  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Jvm): setting pair to state FROZEN:  
Jvm|IP4:158.69.221.198:59642/UDP|IP4:158.69.221.198:55154/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:3 1 UDP 92217087  
158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(Jvm): Pairing candidate IP4:158.69.221.198:59642/UDP  
(57f1eff):IP4:158.69.221.198:55154/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(UlwM): setting pair to state FROZEN:  
UlwM|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:1 1 UDP 1686052863  
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(UlwM): Pairing candidate IP4:158.69.221.198:59642/UDP  
(57f1eff):IP4:2.47.215.54:53521/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)  
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): All candidates initialized  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(UlwM): setting pair to state WAITING:  
UlwM|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:1 1 UDP 1686052863  
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(UlwM): setting pair to state IN_PROGRESS:  
UlwM|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:1 1 UDP 1686052863  
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Jvm): setting pair to state WAITING:  
Jvm|IP4:158.69.221.198:59642/UDP|IP4:158.69.221.198:55154/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:3 1 UDP 92217087  
158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154)  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Jvm): setting pair to state IN_PROGRESS:  
Jvm|IP4:158.69.221.198:59642/UDP|IP4:158.69.221.198:55154/UDP(turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:3 1 UDP 92217087  
158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154)  
TURN(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)): Creating permission for IP4:158.69.221.198:55154/UDP  
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687565153444 (id=8589934593
```

```
url=http://localhost:1234/) transport-id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 000
Inconsistent message method: 103 expected 000
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:35549/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687565153444 (id=8589934593 url=http://localhost:1234/):default) Trickle grace
period is over; marking every component with only failed pairs as failed.
ICE(PC:1602687558878561 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687558878561 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687558878561 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - 8fac7810:791709ffaf19c6013e5a4d5b39532ed
TURN(relay(IP4:192.168.1.13:42055/UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d2c06c00
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) has no stream
matching stream PC:1602687575553500 (id=8589934593 url=http://localhost:1234/) transport-id=transport_0 - deb1cbbc:5579a1d0136422137a7e5d9c0adf0685
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) no streams with
non-empty check lists
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) no streams with
pre-answer requests
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) no checks to
start
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:57272/UDP)
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Xrea): setting pair to state FROZEN:
Xrea|IP4:192.168.1.13:57272/UDP|IP4:2.47.215.54:51610/UDP|host(IP4:192.168.1.13:57272/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 51610 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(Xrea): Pairing candidate IP4:192.168.1.13:57272/UDP
(7e7f00ff):IP4:2.47.215.54:51610/UDP (647f1fff) priority=7241541910156673534 (647f1ffffcfe01fe)
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)
transport-id=transport_0 - deb1cbbc:5579a1d0136422137a7e5d9c0adf0685): Starting check timer for stream.
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Xrea): setting pair to state WAITING:
Xrea|IP4:192.168.1.13:57272/UDP|IP4:2.47.215.54:51610/UDP|host(IP4:192.168.1.13:57272/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 51610 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Xrea): setting pair to state IN_PROGRESS:
Xrea|IP4:192.168.1.13:57272/UDP|IP4:2.47.215.54:51610/UDP|host(IP4:192.168.1.13:57272/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 51610 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) is now checking
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Wtyy): setting pair to state FROZEN:
Wtyy|IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60315/UDP|host(IP4:192.168.1.13:57272/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay raddr
158.69.221.198 rport 60315)
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(Wtyy): Pairing candidate IP4:192.168.1.13:57272/UDP
(7e7f00ff):IP4:158.69.221.198:60315/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:64843/TCP) active
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Wtyy): setting pair to state WAITING:
Wtyy|IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60315/UDP|host(IP4:192.168.1.13:57272/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay raddr
158.69.221.198 rport 60315)
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(Wtyy): setting pair to state IN_PROGRESS:
Wtyy|IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60315/UDP|host(IP4:192.168.1.13:57272/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay raddr
158.69.221.198 rport 60315)
ICE-PEER(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687575553500 (id=8589934593
url=http://localhost:1234/) transport-id=transport_0 - deb1cbbc:5579a1d0136422137a7e5d9c0adf0685
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:57272/UDP|stun.xten.com:3478)): Received response; processing
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687575553500 (id=8589934593 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx(IP4:192.168.1.13:57272/UDP|stun.xten.com:3478)
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay(IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687575553500 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
```

```
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
TURN(relay|IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478): Successfully allocated addr IP4:158.69.221.198:60498/UDP lifetime=3600
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)): peer (PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default) pairing local
  trickle ICE candidate turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(a1R0): setting pair to state FROZEN:
a1R0|IP4:158.69.221.198:60498/UDP|IP4:2.47.215.54:51610/UDP|turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 51610 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):CAND-PAIR(a1R0): Pairing candidate IP4:158.69.221.198:60498/UDP
(57f1eff):IP4:2.47.215.54:51610/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/))
transport-id=transport_0 - deb1cbcc:5579a1d0136422137a7e5d9c0ad0685): Starting check timer for stream.
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(a1R0): setting pair to state WAITING:
a1R0|IP4:158.69.221.198:60498/UDP|IP4:2.47.215.54:51610/UDP|turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 51610 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(a1R0): setting pair to state IN_PROGRESS:
a1R0|IP4:158.69.221.198:60498/UDP|IP4:2.47.215.54:51610/UDP|turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 51610 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay|IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::Creating permission for IP4:2.47.215.54:51610/UDP
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(oP/B): setting pair to state FROZEN: oP/B|IP4:158.69.221.198:60498
/UDP|IP4:158.69.221.198:60315/UDP|turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay
raddr 158.69.221.198 rport 60315)
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):CAND-PAIR(oP/B): Pairing candidate IP4:158.69.221.198:60498/UDP
(57f1eff):IP4:158.69.221.198:60315/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(oP/B): setting pair to state WAITING: oP/B|IP4:158.69.221.198:60498
/UDP|IP4:158.69.221.198:60315/UDP|turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay
raddr 158.69.221.198 rport 60315)
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(oP/B): setting pair to state IN_PROGRESS: oP/B|IP4:158.69.221.198:60498
/UDP|IP4:158.69.221.198:60315/UDP|turn-relay(IP4:192.168.1.13:57272/UDP|IP4:158.69.221.198:60498/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 60315 typ relay
raddr 158.69.221.198 rport 60315)
TURN(relay|IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::Creating permission for IP4:158.69.221.198:60315/UDP
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default): no FROZEN/WAITING pairs for PC:160268757553500 (id=8589934593
url=http://localhost:1234/) transport-id=transport_0 - deb1cbcc:5579a1d0136422137a7e5d9c0ad0685
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:57272/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(Dpaf|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx
raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(Dpaf): setting pair to state FAILED:
Dpaf|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr
0.0.0.0 rport 0)
STUN-CLIENT(ff3x|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx
raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(ff3x): setting pair to state FAILED:
ff3x|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr
0.0.0.0 rport 0)
STUN-CLIENT(5aE2|IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:55154/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay
raddr 158.69.221.198 rport 55154)): Timed out
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(5aE2): setting pair to state FAILED:
5aE2|IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:55154/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr
158.69.221.198 rport 55154)
STUN-CLIENT(ITdj|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP|turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:2 1 UDP
1686052607 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(ITdj): setting pair to state FAILED:
ITdj|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP|turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:2 1 UDP 1686052607
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)
STUN-CLIENT(UlWn|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP|turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:1 1 UDP
1686052863 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)): Timed out
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(UlWn): setting pair to state FAILED:
UlWn|IP4:158.69.221.198:59642/UDP|IP4:2.47.215.54:53521/UDP|turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0)
STUN-CLIENT(Jvm|IP4:158.69.221.198:59642/UDP|IP4:158.69.221.198:55154/UDP|turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:3 1 UDP
92217087 158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154)): Timed out
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(Jvm): setting pair to state FAILED:
Jvm|IP4:158.69.221.198:59642/UDP|IP4:158.69.221.198:55154/UDP|turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 55154)
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85)/COMP(1): All pairs are failed, and grace period has elapsed. Marking component as failed.
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-id=transport_0
- 7c544625:2d09bcacf005fe573a4935a6c7c243b85): state dump
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85): Local component 1 - dumping candidates
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85)/CAND(B7ge): host(IP4:192.168.1.13:35549/UDP)
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85)/CAND(3bje): srflx(IP4:192.168.1.13:35549/UDP|stun.xten.com:3478)
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85)/CAND(h1xt): turn-relay(IP4:192.168.1.13:35549/UDP|IP4:158.69.221.198:59642/UDP)
ICE(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85)/CAND(oVZA): host(IP4:192.168.1.13:62154/TCP) active
ICE-PEER(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)):default)/STREAM(PC:160268757553500 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcacf005fe573a4935a6c7c243b85): state dump
CAND-PAIR(ff3x): pair ff3x|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ
srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x6471ffffcf01fe
CAND-PAIR(Dpaf): pair Dpaf|IP4:192.168.1.13:35549/UDP|IP4:2.47.215.54:53521/UDP|host(IP4:192.168.1.13:35549/UDP)|candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ
```



```
srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x6471efffcfe01fe
CAND-PAIR(5aE2): pair 5aE2|IP4:192.168.1.13:35549|UDP|IP4:158.69.221.198:55154|UDP(host(IP4:192.168.1.13:35549|UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154
typ relay raddr 158.69.221.198 rport 55154): state=FAILED, priority=0x571efffcfe01fe
CAND-PAIR(UlWn): pair UlWn|IP4:158.69.221.198:59642|UDP|IP4:2.47.215.54:53521|UDP|turn-relay(IP4:192.168.1.13:35549|UDP|IP4:158.69.221.198:59642|UDP)|candidate:1 1
UDP 1686052863 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x571efffc8fe3fff
CAND-PAIR(ITdj): pair ITdj|IP4:158.69.221.198:59642|UDP|IP4:2.47.215.54:53521|UDP|turn-relay(IP4:192.168.1.13:35549|UDP|IP4:158.69.221.198:59642|UDP)|candidate:2 1
UDP 1686052607 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0): state=FAILED, priority=0x571efffc8fe3dff
CAND-PAIR(Jvmj): pair Jvmj|IP4:158.69.221.198:59642|UDP|IP4:158.69.221.198:55154|UDP|turn-relay(IP4:192.168.1.13:35549|UDP|IP4:158.69.221.198:59642
/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr 158.69.221.198 rport 55154): state=FAILED, priority=0x571efffc8fe3dff
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)):ICE-STREAM(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcfaf005fe573a4935a6c7c243b85): Remote component 1 in state 3 - dumping candidates
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)):ICE-STREAM(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcfaf005fe573a4935a6c7c243b85)/CAND(xG1): candidate:2 1 UDP 1686052607 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)):ICE-STREAM(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcfaf005fe573a4935a6c7c243b85)/CAND(3oLQ): candidate:3 1 UDP 92217087 158.69.221.198 55154 typ relay raddr 158.69.221.198 rport
55154
ICE(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)):ICE-STREAM(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)) transport-
id=transport_0 - 7c544625:2d09bcfaf005fe573a4935a6c7c243b85)/CAND(twB): candidate:1 1 UDP 1686052863 2.47.215.54 53521 typ srflx raddr 0.0.0.0 rport 0
ICE-PEER(PC:1602687565153444 (id=8589934593 url=http://localhost:1234/)):default: all checks completed success=0 fail=1
TURN(relay(IP4:192.168.1.13:35549|UDP|numb.viagenie.ca:3478)): deallocating
TURN(relay(IP4:192.168.1.13:57272|UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d2c0e000
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d2c0f000
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:48351|UDP|stun.xten.com:3478)): Received response; processing
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx(IP4:192.168.1.13:45326|UDP|stun.xten.com:3478)): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:48351|UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:48351|UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:48351|UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
STUN-CLIENT(relay(IP4:192.168.1.13:45326|UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
STUN-CLIENT(relay(IP4:192.168.1.13:45326|UDP|numb.viagenie.ca:3478)::TURN): nr_stun_process_error_response failed
STUN-CLIENT(relay(IP4:192.168.1.13:45326|UDP|numb.viagenie.ca:3478)::TURN): Error processing response: Retry may be possible, stun error code 401.
ICE(PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
STUN-CLIENT(relay(IP4:192.168.1.13:48351|UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:48351|UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:60915/UDP lifetime=3600
ICE(PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
STUN-CLIENT(relay(IP4:192.168.1.13:45326|UDP|numb.viagenie.ca:3478)::TURN): Received response; processing
TURN(relay(IP4:192.168.1.13:45326|UDP|numb.viagenie.ca:3478)): Successfully allocated addr IP4:158.69.221.198:60917/UDP lifetime=3600
ICE(PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE(PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE(PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687580163658 (id=8589934593 url=http://localhost:1234/)) transport-id=transport_0 - 1735cf21:2ad0415f8b2b79c78831b3f27de5b2a1
TURN(relay(IP4:192.168.1.13:48351|UDP|numb.viagenie.ca:3478)): deallocating
ICE(PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687581169531 (id=8589934593 url=http://localhost:1234/)) transport-id=transport_0 - ea73bdf8:3b8621ad7b805425b171d54d3ca3c5a
TURN(relay(IP4:192.168.1.13:45326|UDP|numb.viagenie.ca:3478)): deallocating
Exit UDP socket connected
UDP socket error:Internal error at /builds/worker/checkouts/gecko/dom/network/UDPSocketParent.cpp:248 this=0x7fb6d2c11c00
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping
UDP STUN server(addr:)
/builds/worker/checkouts/gecko/media/mtransport/third_party/nICEr/src/net/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): failed to create passive TCP host candidate: 3
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) has no stream
matching stream PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)) transport-id=transport_0 - 5a81d43a:b0a7e74d1d5ad00f6be19907b0e9ac06
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) no streams with
non-empty check lists
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) no streams with
pre-answer requests
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) no checks to
start
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:34275/UDP)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(CH7+): setting pair to state FROZEN:
CH7+|IP4:192.168.1.13:34275|UDP|IP4:2.47.215.54:34337|UDP(host(IP4:192.168.1.13:34275|UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 34337 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): Pairing candidate IP4:192.168.1.13:34275/UDP
(7e7f00ff):IP4:2.47.215.54:34337/UDP (647f1fff) priority=7241541910156673534 (647f1fffce01fe)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default)/ICE-STREAM(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/))
transport-id=transport_0 - 5a81d43a:b0a7e74d1d5ad00f6be19907b0e9ac06): Starting check timer for stream.
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(CH7+): setting pair to state WAITING:
CH7+|IP4:192.168.1.13:34275|UDP|IP4:2.47.215.54:34337|UDP(host(IP4:192.168.1.13:34275|UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 34337 typ srflx raddr
0.0.0.0 rport 0)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(CH7+): setting pair to state IN_PROGRESS:
CH7+|IP4:192.168.1.13:34275|UDP|IP4:2.47.215.54:34337|UDP(host(IP4:192.168.1.13:34275|UDP)|candidate:1 1 UDP 1686052863 2.47.215.54 34337 typ srflx raddr
0.0.0.0 rport 0)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) is now checking
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default)/CAND-PAIR(H+zb): setting pair to state FROZEN:
H+zb|IP4:192.168.1.13:34275|UDP|IP4:158.69.221.198:61013|UDP(host(IP4:192.168.1.13:34275|UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61013 typ relay raddr
158.69.221.198 rport 61013)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):CAND-PAIR(H+zb): Pairing candidate IP4:192.168.1.13:34275/UDP
(7e7f00ff):IP4:158.69.221.198:61013/UDP (57f1eff) priority=396069377041891838 (57f1effcfe01fe)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)):default) pairing local
trickle ICE candidate host(IP4:192.168.1.13:64807/TCP) active
```

```
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(H+zb): setting pair to state WAITING:
H+zb|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61013/UDP(host|IP4:192.168.1.13:34275/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61013 typ relay raddr
158.69.221.198 rport 61013)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(H+zb): setting pair to state IN_PROGRESS:
H+zb|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61013/UDP(host|IP4:192.168.1.13:34275/UDP)|candidate:3 1 UDP 92217087 158.69.221.198 61013 typ relay raddr
158.69.221.198 rport 61013)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687584677712 (id=8589934593
url=http://localhost:1234/) transport-id=transport_0 - 5a81d43a:b0a7e74d1d5ad00fb6e19907b0e9ac06
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
STUN-CLIENT(srflx|IP4:192.168.1.13:34275/UDP|stun.xten.com:3478): Received response; processing
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default) pairing local
trickle ICE candidate srflx|IP4:192.168.1.13:34275/UDP|stun.xten.com:3478)
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
STUN-CLIENT(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478)::TURN: nr_stun_process_error_response failed
STUN-CLIENT(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478)::TURN: Error processing response: Retry may be possible, stun error code 401.
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Skipping SOURCE-ADDRESS
Skipping CHANGED-ADDRESS
Translating obsolete XOR-MAPPED-ADDRESS type
Inconsistent message method: 113 expected 001
Inconsistent message method: 113 expected 001
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
TURN(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478): Successfully allocated addr IP4:158.69.221.198:61152/UDP lifetime=3600
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): peer (PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default) pairing local
trickle ICE candidate turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(0R6a): setting pair to state FROZEN:
0R6a|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:34337/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 34337 typ srflx raddr 0.0.0.0 rport 0)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(0R6a): Pairing candidate IP4:158.69.221.198:61152/UDP
(57f1eff):IP4:2.47.215.54:34337/UDP (647f1fff) priority=396069376169492479 (57f1effc8fe3fff)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)
transport-id=transport_0 - 5a81d43a:b0a7e74d1d5ad00fb6e19907b0e9ac06): Starting check timer for stream.
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(0R6a): setting pair to state WAITING:
0R6a|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:34337/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 34337 typ srflx raddr 0.0.0.0 rport 0)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(0R6a): setting pair to state IN_PROGRESS:
0R6a|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:34337/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|candidate:1 1 UDP 1686052863
2.47.215.54 34337 typ srflx raddr 0.0.0.0 rport 0)
TURN(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478): Creating permission for IP4:2.47.215.54:34337/UDP
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(l0Pq): setting pair to state FROZEN:
l0Pq|IP4:158.69.221.198:61152/UDP|IP4:158.69.221.198:61013/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 61013 typ relay raddr 158.69.221.198 rport 61013)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(l0Pq): Pairing candidate IP4:158.69.221.198:61152/UDP
(57f1eff):IP4:158.69.221.198:61013/UDP (57f1eff) priority=396069372981820927 (57f1eff0afe3dff)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): All candidates initialized
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(l0Pq): setting pair to state WAITING:
l0Pq|IP4:158.69.221.198:61152/UDP|IP4:158.69.221.198:61013/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 61013 typ relay raddr 158.69.221.198 rport 61013)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(l0Pq): setting pair to state IN_PROGRESS:
l0Pq|IP4:158.69.221.198:61152/UDP|IP4:158.69.221.198:61013/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|candidate:3 1 UDP 92217087
158.69.221.198 61013 typ relay raddr 158.69.221.198 rport 61013)
TURN(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478): Creating permission for IP4:158.69.221.198:61013/UDP
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default): no FROZEN/WAITING pairs for PC:1602687584677712 (id=8589934593
url=http://localhost:1234/) transport-id=transport_0 - 5a81d43a:b0a7e74d1d5ad00fb6e19907b0e9ac06
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 008
Inconsistent message method: 103 expected 001
Inconsistent message method: 103 expected 001
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
STUN-CLIENT(relay|IP4:192.168.1.13:34275/UDP|numb.viagenie.ca:3478)::TURN: Received response; processing
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
Inconsistent message method: 108 expected 001
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)): Message does not correspond to any registered stun ctx
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(RtLs): setting pair to state FROZEN:
RtLs|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:1028/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|prflx)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(RtLs): Pairing candidate IP4:158.69.221.198:61152/UDP
(57f1eff):IP4:2.47.215.54:1028/UDP (6e7f00ff) priority=396069376505020927 (57f1effdcfe01ff)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(RtLs): setting pair to state FROZEN:
RtLs|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:1028/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|prflx)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/ICE-STREAM(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/)
transport-id=transport_0 - 5a81d43a:b0a7e74d1d5ad00fb6e19907b0e9ac06): Starting check timer for stream.
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(RtLs): setting pair to state WAITING:
RtLs|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:1028/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|prflx)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(RtLs): setting pair to state IN_PROGRESS:
RtLs|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:1028/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|prflx)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(RtLs): triggered check on
RtLs|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:1028/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|prflx)
ICE-PEER(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/):default)/CAND-PAIR(RtLs): setting pair to state FROZEN:
RtLs|IP4:158.69.221.198:61152/UDP|IP4:2.47.215.54:1028/UDP(turn-relay|IP4:192.168.1.13:34275/UDP|IP4:158.69.221.198:61152/UDP)|prflx)
ICE(PC:1602687584677712 (id=8589934593 url=http://localhost:1234/))/CAND-PAIR(RtLs): Pairing candidate IP4:158.69.221.198:61152/UDP
```


