

CM | G

CURRENT MILE GROUP

A portfolio built for the long road. The logo is the CMG monogram divided by the oxide mile marker — companies on one side, the group on the other. Nothing else to decode, nothing to date.

CURRENTMILE.COM


01 The Monogram & Wordmark

The primary logo is the CMG monogram: Archivo ExtraBold, tracked to minus 3 percent, divided by the oxide mile marker between CM and G. The divider is a plain upright stroke, 82 percent of cap height, weighted to match the letter stems. The full wordmark — CURRENT MILE with the oxide I — is the secondary lockup for formal and long-form contexts. On mono applications, oxide elements fall back to the logo color.

PRIMARY — MONOGRAM



SECONDARY — WORDMARK



MONO — INK



MONO — REVERSED



ON OXIDE — DOCUMENTS ONLY



CLEARSPACE

Keep clear space equal to the monogram's cap height on all sides. Nothing enters this zone: no rules, no photography edges, no partner marks.

MINIMUM SIZES

Wordmark: 140px wide on screen, 40mm in print. The monogram scales down to 24px / 8mm:

CM|G

02 Small-Scale Mark

The monogram carries small sizes natively. At favicon scale, CMG holds with the oxide divider; at 16px the divider alone takes over — the mile marker as a single upright stroke on ink.



APP ICON 64 • FAVICON 32 • DIVIDER
ONLY AT 16

SOCIAL PROFILE IMAGE




Circle-cropped platforms use the monogram centered on ink. Never crop the wordmark into a circle.

03 Color



Ink
#1A1C19
R26 G28 B25



Off-White
#F0ECE3
R240 G236 B227




Oxide
#B0552D
R176 G85 B45



Slate
#5B6058
R91 G96 B88



Bone
#D8D2C4
R216 G210 B196



Proportions matter more than the palette. Ink and off-white do nearly all the work. Oxide is punctuation: one accent per composition. Slate is for secondary text and the GROUP descriptor on light. Bone separates surfaces.

04 Typography

Archivo

DISPLAY, HEADINGS, UI — 400 / 500 / 700 / 800

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 0123456789

Headlines set tight (minus 2 to 3 percent), sentence case or caps. Body at 400, 1.65 line height.

IBM Plex Mono

CAPTIONS, FIGURES, LABELS — 400 / 500

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 0123456789

Always small (10 to 13px), always letterspaced when uppercase (14 to 24 percent). Never for running text.

A PORTFOLIO BUILT FOR THE LONG ROAD

The next mile is never just distance.

It is energy, software, infrastructure, hospitality, and the choices that make movement work.

05 Graphic System — The Measured Baseline

One device: a ruled line with tick marks, used to index content. It organizes portfolio lists, section openers, and document headers. Ticks are ink; a single oxide tick may mark the active item. The device lives in layouts, never inside the wordmark.



06 Applications

EMAIL SIGNATURE

Zak Winnick
Founder

CM | G CURRENT MILE GROUP
currentmile.com

DOCUMENT HEADER

CM | G CURRENT MILE GROUP MEMO — 2026

07 Usage

DO

Set the monogram in ink or off-white only
Keep the divider oxide; mono drops it to logo color
Keep the descriptor letterspaced and light, never bold
Use the divider alone at 16px and below
Hold clearspace equal to cap height

DON'T

Never set the full monogram in oxide
Never color the letters — only the divider is oxide
Never place the monogram beside the full wordmark
No gradients, outlines, shadows, or skews
Never restyle portfolio-company logos to match