

ACCEPTANCE TESTING

Defect Analysis & Bug Tracking

Date	01 October 2026
Team ID	BDU463SWTID-2026-8770
Project Name	Implement Client Script & UI Policy

1. Defect Analysis

Defect analysis records issues found during UAT, their severity, resolution status and the evidence needed to reproduce them. The categories below are specific to Client Script and UI Policy behavior.

Resolution / Status	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	0	0	0	0	0
Duplicate	0	0	0	0	0
External	0	0	0	0	0
Fixed	0	0	0	0	0
Not Reproduced	0	0	0	0	0
Skipped	0	0	0	0	0
Won't Fix	0	0	0	0	0
Totals	0	0	0	0	0

2. Bug Tracking Rules

- Severity 1: behavior blocks a critical project workflow.
- Severity 2: major functional behavior is incorrect but a workaround may exist.
- Severity 3: limited functional or usability issue.
- Severity 4: minor presentation or low-impact issue.
- Every defect should contain reproducible steps, expected result, actual result and status.

3. Bug Tracking Register

Bug ID	Bug Description	Steps to Reproduce	Severity	Status	Additional Feedback
BG-001	No defect recorded at document preparation.	N/A	—	Not Opened	Use this row only if a defect is identified during UAT.
BG-002	Reserved for Client Script condition issue.	Reproduce the affected event and record exact steps.	—	Not Opened	Record browser/form details if needed.
BG-003	Reserved for UI Policy field-state issue.	Reproduce the affected condition and record exact steps.	—	Not Opened	Record affected field and policy name.

4. Common Defect Scenarios to Monitor

Scenario	Expected Behavior	Potential Issue	Verification
Incorrect onLoad state	Initial form state matches requirements.	Field starts with wrong value/state.	Open fresh form and compare.
Incorrect onChange response	Dependent field responds immediately and correctly.	Change does not trigger intended action.	Change controlling field repeatedly.
Mandatory conflict	Field mandatory only under intended condition.	Field remains mandatory when condition is false.	Toggle condition true/false.
Visibility conflict	Field visibility follows active policy.	Field remains hidden or visible incorrectly.	Test both condition states.
Read-only conflict	Field editability follows policy.	Field can be edited when it should be locked.	Attempt edit in locked state.
Rule conflict	Combined behavior is predictable.	Script and policy produce conflicting states.	Execute both rules in same scenario.

5. Defect Closure Criteria

- Defect can be reproduced and its expected behavior is confirmed.
- Root cause or corrective change is recorded.
- Corrected behavior passes the relevant test case.
- Regression testing confirms related behavior remains correct.
- Status is updated to Closed only after verification.

6. UAT Defect Summary

Metric	Value	Interpretation
Total Planned UAT Cases	10	Covers core project behavior
Planned Critical Defects	0	No seeded critical defect
Planned Major Defects	0	No seeded major defect
Open Defects at Preparation	0	Actual UAT findings must be added if discovered
Retest Required	As applicable	Only for corrected defects

7. Tester Notes

- Use both positive and negative scenarios.
- Record exact conditions used to trigger each rule.
- Capture field names and policy/script identifiers when a defect is found.
- Do not close a defect without retesting the affected scenario.
- Maintain traceability from defect to test case.