

PROJECT REPORT

Project Title

Implement Client Script & UI Policy

Team ID

BDU463SWTID-2026-8770

1. Project Overview

The project addresses a common ServiceNow form requirement: fields should respond intelligently to user input. Instead of relying only on static form design, Client Scripts and UI Policies provide controlled dynamic behavior.

2. Problem Statement

Users may enter incomplete or inconsistent information when forms do not guide them according to the selected values. The project therefore implements client-side logic and policy-based field control to improve accuracy and reduce unnecessary user effort.

3. Proposed Solution

Implement Client Scripts for event-driven validation or processing and UI Policies for condition-based field states. The two mechanisms are used according to their strengths rather than duplicating the same logic.

4. Requirement Analysis

Functional Requirements

- The form should respond to relevant field changes.
- Conditional fields should become visible when needed.
- Required information should be enforced before submission.
- Users should receive meaningful validation feedback.
- Fields should return to the correct state when conditions change.

Non-Functional Requirements

The solution should be understandable, maintainable, responsive, and limited to the minimum logic required for the form. Client-side behavior should not be treated as a replacement for server-side security or authoritative validation.

User Flow

User opens the form → enters or changes a controlling value → UI Policy evaluates the condition → relevant fields change state → Client Script performs event-specific validation or processing → user submits the form after required conditions are satisfied.

5. Design and Configuration

UI Policy Design

Create a UI Policy for each clear condition, select the target table and condition, and define UI Policy Actions for affected fields. Keep policies focused so their purpose is easy to identify.

Client Script Design

Create the Client Script with the appropriate type and target table. Use onChange when behavior depends on a field change, onLoad for initial form state, and onSubmit for final client-side checks.

Expected Result

The form provides immediate feedback and appropriate field states. Users see only the information relevant to their selections and are guided toward complete, valid input.