

Day 23 – Angular 1 – Quiz

1. What is Angular primarily used for?

- A. Developing database servers
- B. Building web applications
- C. Creating operating systems
- D. Developing SQL databases

Answer: B.

2. Which command is commonly used to create a new Angular application?

- A. ng create
- B. angular new
- C. ng new
- D. npm angular-create

Answer: C.

3. Which command is used to start an Angular application locally?

- A. ng start
- B. ng serve
- C. ng run-app
- D. angular start

Answer: B.

4. What is the default development URL commonly used by an Angular application?

- A. http://localhost:3000
- B. http://localhost:5000
- C. http://localhost:4200
- D. http://localhost:8080

Answer: C.

5. Which folder normally contains the application's source code?

- A. bin
- B. dist
- C. src
- D. node_modules

Answer: C

6. Which file is the main HTML page loaded by the browser in a typical Angular application?

- A. app.html
- B. index.html
- C. main.html
- D. angular.html

Answer: B.

7. What is the primary purpose of main.ts?

- A. Store CSS styles
- B. Store database queries
- C. Bootstrap/start the Angular application
- D. Define HTML pages

Answer: C.

8. What is a component in Angular?

- A. A SQL Server table
- B. A building block of an Angular application
- C. A browser plugin
- D. A CSS framework

Answer: B.

9. Which three technologies are commonly associated with an Angular component?

- A. SQL, C#, HTML
- B. TypeScript, HTML, CSS
- C. Java, XML, SQL
- D. Python, HTML, JSON

Answer: B.

10. Which file generally contains the TypeScript class for a component?

- A. .component.ts
- B. .component.sql
- C. .component.json
- D. .component.config

Answer: A

11. Which file is commonly used for an external component HTML template?

- A. .component.cs
- B. .component.html
- C. .component.xml
- D. .component.view

Answer: B.

12. Which file is commonly used for an external component stylesheet?

- A. .component.css
- B. .component.style
- C. .component.scssfile
- D. .component.design

Answer: A.

13. Which Angular CLI command creates a new component?

- A. ng make component
- B. ng create component
- C. ng generate component
- D. ng component create

Answer: C.

14. Which shortcut is commonly used for ng generate component?

- A. ng gc
- B. ng g c
- C. ng component
- D. ng new c

Answer: B.

15. Suppose you execute:

`ng generate component company-info`

What is the purpose of this command?

- A. Creates a database
- B. Creates an Angular component
- C. Creates an Angular service
- D. Creates an Angular module only

Answer: B.

16. What is the purpose of an Angular component selector?

- A. To identify a database table
- B. To place/use a component in HTML
- C. To compile CSS
- D. To connect to SQL Server

Answer: B.

17. If a component has the selector:

`<app-company-info>`

How would it normally be used in another HTML template?

- A. `<company-info />`
- B. `<component app-company-info>`
- C. `<app-company-info></app-company-info>`
- D. `<use-company-info></use-company-info>`

Answer: C.

18. What is an external template?

- A. HTML stored in a separate file
- B. HTML stored inside SQL Server
- C. HTML stored in package.json
- D. HTML generated by CSS

Answer: A.

19. Which Angular component metadata property is associated with an external HTML template?

- A. `htmlFile`
- B. `templateUrl`
- C. `externalHtml`
- D. `viewUrl`

Answer: B.

20. Which Angular component metadata property is associated with an inline HTML template?

- A. `template`
- B. `html`
- C. `inlineHtml`
- D. `templateFile`

Answer: A.

21. Which is an example of an inline template?

- A. template: `

- B. templateUrl: 'app.html' - C. htmlFile: 'app.html' - D. view: 'app.html'

Answer: A.

22. Which property is generally used to reference an external CSS file from a component?

- A. styleUrls
- B. cssFile
- C. stylesheet
- D. stylesheetUrl

Answer: A.

23. What is the purpose of a component stylesheet?

- A. Store SQL queries
- B. Define the visual appearance of the component
- C. Start the Angular application
- D. Define TypeScript classes

Answer: B.

24. Which is an example of an inline style definition?

- A. styles: [`h1 { font-size: 30px; }`]
- B. cssFile: 'app.css'
- C. styleUrls: 'app.ts'
- D. stylesheet: 'index.html'

Answer: A.

25. Which file generally contains the application's global styles?

- A. main.ts
- B. index.html
- C. styles.css
- D. package.json

Answer: C.

26. Which sequence best represents the basic Angular application flow?

- A. SQL → CSS → HTML → Browser
- B. Browser → index.html → Angular bootstrap → Components → UI
- C. CSS → SQL → Component → Browser
- D. Browser → SQL Server → TypeScript → HTML

Answer: B.

27. Which statement best describes the relationship between a component and its template?

- A. The template defines the UI presented by the component
- B. The template stores the database
- C. The template starts the Angular server
- D. The template replaces TypeScript

Answer: A.

28. Which approach stores HTML directly inside the component TypeScript metadata?

- A. External template
- B. Inline template
- C. External stylesheet
- D. Global template

Answer: B.

29. Consider:

```
<app-company-info></app-company-info>
```

```
<app-insurance-products></app-insurance-products>
```

What does this demonstrate?

- A. Database integration
- B. Component composition
- C. HTTP communication
- D. Form validation

Answer: B.

30. Which directory normally contains installed npm packages?

- A. src
- B. assets
- C. node_modules
- D. components

Answer: C.

