



Angular a Web Framework

Web Framework: Crafted for Users, Powered by Google



Build a FSD application maintaining flow as:

Anonymous UI → Login → JWT → Angular AuthService → HTTP Interceptor → Route Guards → Role-based Dashboard → Protected API

We will have following roles

Role	Dashboard
Admin	Admin Dashboard
Manager	Manager Dashboard
Permanent Employee	Permanent Employee Dashboard
Contract Employee	Contract Employee Dashboard

And:

Employee List → available to **every authenticated user**, regardless of role.

Overall application flow:

User → Angular Home (Anonymous) → Login (UserName and Password) →
ASP.NET Core API (Validate User) → If invalid (Error) →
If valid (JWT) → Angular AuthService → Store JWT + User → Navigate by Role →
Admin Dashboard or Manager Dashboard or EmployeeDashboard

Points to Ponder:

After login, suppose the API returns:

```
{  
  "token": "eyJhbGciOiJIUzI1NiIs...",  
  "userName": "john",  
  "role": "Manager"  
}
```

Angular stores the token. Later the user navigates to:
/employees

Angular calls:

GET /api/employees

The interceptor automatically changes it to:

GET /api/employees

Authorization: Bearer eyJhbGciOiJIUzI1NiIs...

This is exactly the type of authentication-header behavior Angular's interceptor mechanism is designed for.

The API validates the JWT. If valid:

200 OK

If token is missing/invalid/expired:

401 Unauthorized

If token is valid but the user doesn't have the required role:

403 Forbidden

ASP.NET Core distinguishes these cases: 401 generally means the access token isn't acceptable, while 403 means the authenticated identity lacks the required permission.





Angular a Web Framework

Web Framework: Crafted for Users, Powered by Google



Recommended project structure

```
employee-security-portal/  
├── src/  
│   ├── app/  
│   │   ├── core/  
│   │   │   ├── services/  
│   │   │   │   ├── auth.service.ts  
│   │   │   │   └── employee.service.ts  
│   │   │   ├── guards/  
│   │   │   │   ├── auth.guard.ts  
│   │   │   │   └── role.guard.ts  
│   │   │   └── interceptors/  
│   │   │       └── auth.interceptor.ts  
│   │   ├── features/  
│   │   │   ├── home/  
│   │   │   │   └── home.component.ts  
│   │   │   ├── login/  
│   │   │   │   └── login.component.ts  
│   │   │   ├── employees/  
│   │   │   │   ├── employee-list.component.ts  
│   │   │   │   └── employee-details.component.ts  
│   │   │   └── dashboards/  
│   │   │       ├── admin-dashboard.component.ts  
│   │   │       ├── manager-dashboard.component.ts  
│   │   │       ├── permanent-dashboard.component.ts  
│   │   │       └── contract-dashboard.component.ts  
│   │   ├── models/  
│   │   │   ├── login-request.ts  
│   │   │   ├── login-response.ts  
│   │   │   └── employee.ts  
│   │   ├── app.routes.ts  
│   │   ├── app.config.ts  
│   │   └── app.component.ts  
└── styles.css
```



