# Rajalakshmi Engineering College

Name: ranjani prakash

Email: 240801267@rajalakshmi.edu.in

Roll no: 2116240801267 Phone: 6382555840

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



# NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 7\_MCQ\_Updated

Attempt: 1 Total Mark: 20

Marks Obtained: 17

Section 1: MCO

1. In the division method of hashing, the hash function is typically written as:

Answer

h(k) = k % m

Status: Correct Marks: 1/1

2. In linear probing, if a collision occurs at index i, what is the next index checked?

**Answer** 

(i + 1) % table\_size

Status : Correct Marks : 1/1 3. In the folding method, what is the primary reason for reversing alternate parts before addition?

### Answer

To reduce the chance of collisions caused by similar digit patterns

Status: Correct Marks: 1/1

4. What happens if we do not use modular arithmetic in linear probing?

## Answer

Index goes out of bounds

Status: Correct Marks: 1/1

5. Which folding method divides the key into equal parts, reverses some of them, and then adds all parts?

#### Answer

Folding reversal method

Status: Correct Marks: 1/1

6. Which situation causes clustering in linear probing?

### Answer

Poor hash function

Status: Wrong Marks: 0/1

7. Which of the following best describes linear probing in hashing?

#### Answer

Resolving collisions by linearly searching for the next free slot

Status: Correct Marks: 1/1

8. What would be the result of folding 123456 into three parts and summing: (12 + 34 + 56)? Answer 102 Marks: 1/1 Status: Correct 9. Which C statement is correct for finding the next index in linear probing? Answer index = (index + 1) % size; Status: Correct Marks: 1/ 10. What does a deleted slot in linear probing typically contain? Answer A special "deleted" marker Status: Correct Marks: 1/1 11. What is the primary disadvantage of linear probing? Answer Clustering Status: Correct Marks: 1/1 12. What is the initial position for a key k in a linear probing hash table? Answer Marks: 1/180126 k % table\_size

Status: Correct

13. What is the output of the mid-square method for a key k = 123 if the hash table size is 10 and you extract the middle two digits of k \* k?

Answer

1

Status: Correct Marks: 1/1

14. In C, how do you calculate the mid-square hash index for a key k, assuming we extract two middle digits and the table size is 100?

Answer

(k \* k) % 100

Status: Wrong Marks: 0/1

15. Which of these hashing methods may result in more uniform distribution with small keys?

Answer

Division

Status: Wrong Marks: 0/1

16. In division method, if key = 125 and m = 13, what is the hash index?

Answer

8

Status: Correct Marks: 1/1

17. Which of the following values of 'm' is recommended for the division method in hashing?

Answer

A prime number

Marks: 1/1 Status: Correct

18. Which data structure is primarily used in linear probing?

Answer

Array

Status: Correct Marks: 1/1

19. What is the worst-case time complexity for inserting an element in a hash table with linear probing?

**Answer** 

O(n)

Status: Correct Marks: 1/1

20. Which of the following statements is TRUE regarding the folding method?

Answer

It divides the key into parts and adds them.

Status: Correct