## Assignment no 5

**Assignment folder structure**




**Code:**

**HTML**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Travel Booking - Home</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <header>
        <h1>Welcome to Travel Booking</h1>
    </header>
    <nav>
        <a href="index.html" class="active">Home</a>
            :
    </nav>
    <div class="container" style="max-width: 1100px;">
        <h2>Explore Our Best Packages</h2>
        <div class="packages">
            <div class="card">
```

```
            <img src="https://images.unsplash.com/photo-1512343879784-
a960bf40e7f2?ixlib=rb-4.0.3&auto=format&fit=crop&w=600&q=80" alt="Goa"
class="card-img">
            <div class="card-content">
              <h3>Goa Trip</h3>
              <p>3 Days, 2 Nights</p>
              <p style="font-size: 0.9rem; margin-top: 8px;">Experience the ultimate
beach getaway with beautiful sunsets.</p>
              <p class="price">₹5000</p>
            </div>
          </div>
<script src="script.js"></script>
  <script>
    document.addEventListener('DOMContentLoaded', () => {
      if (localStorage.getItem('username')) {
        const prompt = document.getElementById('login-prompt');
        if (prompt) prompt.style.display = 'none';
      }
    });
  </script>
</body>
</html>
```

Login

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Login - Travel Booking</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header>
    <h1>Travel Booking</h1>
  </header>
  <nav>
    <a href="index.html">Home</a>
    <a href="login.html" class="active">Login</a>
    <a href="register.html">Register</a>
  </nav>
  <div class="container">
    <h2>User Login</h2>
    <div id="msg" class="message"></div>
    <form id="loginForm"
onsubmit="handleLogin(event)">
      <label for="email">Email:</label>
```

**Register**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-
width, initial-scale=1.0">
  <title>Register - Travel Booking</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header>
    <h1>Travel Booking</h1>
  </header>
  <nav>
    <a href="index.html">Home</a>
    <a href="login.html">Login</a>
    <a href="register.html"
class="active">Register</a>
  </nav>
  <div class="container">
    <h2>User Registration</h2>
    <div id="msg" class="message"></div>
    <form id="registerForm"
onsubmit="handleRegister(event)">
```

```
        <input type="email" id="email" required>

        <label for="password">Password:</label>
        <input type="password" id="password" required>

        <button type="submit">Login</button>
        <p class="text-center">Don't have an account? <a
href="register.html">Register here</a></p>
      </form>
   </div>
   <script src="script.js"></script>
</body>
</html>
```

```
        :
        <input type="password" id="password"
required>
        <button type="submit">Create
Account</button>
        <p class="text-center">Already have an
account? <a href="login.html">Login here</a></p>
      </form>
   </div>
   <script src="script.js"></script>
</body>
</html>
```

**SCRIPT.Js**

```
function showMessage(elementId, text, type) {
   const msgElement = document.getElementById(elementId);
   msgElement.textContent = text;
   msgElement.className = `message ${type}`;
   msgElement.style.display = 'block';
   setTimeout(() => {
      msgElement.style.display = 'none';
   }, 3000);
}
async function handleRegister(e) {
   e.preventDefault();
   const name = document.getElementById('name').value;
   const email = document.getElementById('email').value;
   const password = document.getElementById('password').value;
   try {
      const response = await fetch('/register', {
         method: 'POST',
         headers: { 'Content-Type': 'application/json' },
         body: JSON.stringify({ name, email, password })
      });
      const data = await response.json();
      if (data.success) {
         showMessage('msg', data.message, 'success');
         document.getElementById('registerForm').reset();
         setTimeout(() => {
            window.location.href = 'login.html';
         }, 1000);
      } else {
         showMessage('msg', data.message, 'error');
```

```
        }
    } catch (err) {
        showMessage('msg', 'Error connecting to server', 'error');
    }
}
async function handleLogin(e) {
    e.preventDefault();
    const email = document.getElementById('email').value;
    const password = document.getElementById('password').value;
    try {
        const response = await fetch('/login', {
            method: 'POST',
            headers: { 'Content-Type': 'application/json' },
            body: JSON.stringify({ email, password })
        });
        const data = await response.json();
        if (data.success) {
            localStorage.setItem('username', data.username);
            showMessage('msg', data.message, 'success');
            setTimeout(() => {
                window.location.href = 'booking.html';
            }, 1000);
        } else {
            showMessage('msg', data.message, 'error');
        }
    } catch (err) {
        showMessage('msg', 'Error connecting to server', 'error');
    }
}
async function handleBooking(e) {
    e.preventDefault();
    const name = document.getElementById('b_name').value;
    const packageName = document.getElementById('b_package').value;
    const date = document.getElementById('b_date').value;
    try {
        const response = await fetch('/book', {
            method: 'POST',
            headers: { 'Content-Type': 'application/json' },
            body: JSON.stringify({ name, packageName, date })
        });
        const data = await response.json();
        if (data.success) {
            showMessage('msg', data.message, 'success');
            document.getElementById('bookingForm').reset();
            document.getElementById('b_name').value = localStorage.getItem('username');
```

```
            fetchBookings();
        } else {
            showMessage('msg', data.message, 'error');
        }
    } catch (err) {
        showMessage('msg', 'Error connecting to server', 'error');
    }
}
async function fetchBookings() {
    try {
        const response = await fetch('/bookings');
        const data = await response.json();
        if (data.success) {
            const list = document.getElementById('bookingsList');
            if(!list) return; // not on booking page
            list.innerHTML = '';

            if (data.bookings.length === 0) {
                list.innerHTML = '<tr><td colspan="3" class="text-center">No bookings
yet!</td></tr>';
                return;           }
            data.bookings.forEach(b => {
                const tr = document.createElement('tr');
                tr.innerHTML = `
                    <td>${b.name}</td>
                    <td>${b.packageName}</td>
                    <td>${b.date}</td>                `;
                list.appendChild(tr);
            });
        }
    } catch (err) {
        console.error('Error fetching bookings:', err);
    }
}
function checkAuthForNav() {
    const username = localStorage.getItem('username');
    if (username) {
            :
}
function logout() {
    localStorage.removeItem('username');
    window.location.href = 'index.html';
}
document.addEventListener('DOMContentLoaded', checkAuthForNav);
```

**Booking.js**

```
const mongoose = require('mongoose');
const bookingSchema = new mongoose.Schema({
   name: { type: String, required: true },
   packageName: { type: String, required: true },
   date: { type: String, required: true }
});
module.exports = mongoose.model('Booking',
bookingSchema);
```

**User.js**

```
const mongoose = require('mongoose');
const userSchema = new mongoose.Schema({
   name: { type: String, required: true },
   email: { type: String, required: true },
   password: { type: String, required: true } // Plain
text for simplicity in basic assignment
});
module.exports = mongoose.model('User',
userSchema);
```

**SERVER.js**

```
const express = require('express');
const mongoose = require('mongoose');
const bodyParser = require('body-parser');
const path = require('path');
const app = express();
const PORT = 3005;
app.use(bodyParser.json());
app.use(bodyParser.urlencoded({ extended: true }));
app.use(express.static(path.join(__dirname, 'public')));
mongoose.connect('mongodb://127.0.0.1:27017/travelBookingDB')
  .then(() => console.log('Connected to MongoDB'))
  .catch(err => console.log('MongoDB connection error:', err));
const User = require('./models/User');
const Booking = require('./models/Booking');
app.post('/register', async (req, res) => {
   try {
      const { name, email, password } = req.body;
      const exists = await User.findOne({ email });
      if (exists) {
         return res.status(400).json({ success: false, message: 'Email already registered'
});
      }
      const newUser = new User({ name, email, password });
      await newUser.save();
      res.json({ success: true, message: 'Registration successful. Please login.' });
   } catch (err) {
      res.status(500).json({ success: false, message: 'Server Error' });
   }});
app.post('/login', async (req, res) => {
   try {
      const { email, password } = req.body;
      const user = await User.findOne({ email, password });
```

:

```
app.post('/book', async (req, res) => {
   try {
      const { name, packageName, date } = req.body;
      const newBooking = new Booking({ name, packageName, date });
      await newBooking.save();
      res.json({ success: true, message: 'Booking successful!' });
   } catch (err) {
      res.status(500).json({ success: false, message: 'Server Error' });
   }
});
app.get('/bookings', async (req, res) => {
   try {
      const bookings = await Booking.find().sort({ _id: -1 });
      res.json({ success: true, bookings });
   } catch (err) {
      res.status(500).json({ success: false, message: 'Server Error' });
   }});
app.listen(PORT, () => {
   console.log(`Server is running on http://localhost:${PORT}`);
});
```

**OUTPUT**

**Home page**



## Register page




## Login Page



## Booking Page




## Booking data




## Backend Booking storage



# Backend user storage