

```
QEMU (Linux1)
Welcome to Tamilazga Vetri Kalagam
This file is located in /home/thttpd
```

```
QEMU (Linux1)
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:01:00
          inet addr:10.0.0.10  Bcast:10.255.255.255  Mask:255.0.0.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:189 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:0 (0.0 B)  TX bytes:60858 (59.4 KiB)


lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```

```
QEMU (Linux2)
shutting down Ethernet interface eth0 ..... [ OK ]
shutting down loopback interface lo ..... [ OK ]
bringing up loopback interface lo ..... [ OK ]
bringing up Ethernet interface eth0 ..... [ OK ]
set up default gateway ..... [ OK ]

ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:02:00
          inet addr:10.0.0.20  Bcast:10.255.255.255  Mask:255.0.0.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:391 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:0 (0.0 B)  TX bytes:125902 (122.9 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```


```
QEMU (Linux2)
Welcome to CM C Vijay World
This file is located in /home/thttpd
~
~
~
~
~
~
```



A terminal window titled "QEMU (Linux3)" with a standard Linux prompt. The user has entered the command `ifconfig` to display network interface details. The output shows two interfaces: `eth0` (Ethernet) and `lo` (Local Loopback). The `eth0` interface has an IP address of `10.0.0.30`, a broadcast address of `10.255.255.255`, and a netmask of `255.0.0.0`. It is currently up and running. The `lo` interface has an IP address of `127.0.0.1` and a netmask of `255.0.0.0`, also up and running. The terminal text is as follows:

```
[41]+ Stopped(SIGTSTP)      vi /etc/sysconfig/network-scripts/ifc
148# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:06:00
          inet addr:10.0.0.30  Bcast:10.255.255.255  Mask:255.0.0.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:384 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:0 (0.0 B)  TX bytes:123648 (120.7 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```



A terminal window titled "QEMU (Linux3)" with a standard Linux prompt. The user has entered the command `cat /home/thhttpd`, and the output displays the text "halapathi Vetri Kondan". The terminal text is as follows:

```
halapathi Vetri Kondan
his file is located in /home/thhttpd
```




```
QEMU (Linux5)

[11]+  Stopped(SIGTSTP)      vi /etc/sysconfig/network-scripts/ifcfg-eth0
148# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:04:00
          inet addr:200.10.156.20  Bcast:20.10.156.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:476 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:0 (0.0 B)  TX bytes:153272 (149.6 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```

```
QEMU (Linux5)


Even If Dhoni is not there we always love CSK
This file is located in /home/thttpd
```



```
QEMU (Linux6)


[1]+  Stopped(SIGTSTP)      vi /etc/sysconfig/network-scripts/ifcfg-eth0
148# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:05:00
          inet addr:200.10.156.30  Bcast:200.10.156.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:492 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:0 (0.0 B)  TX bytes:158424 (154.7 KiB)


lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```




```
QEMU (Linux6)



CSK ku Whistle Podu
This file is located in /home/thttpd
```





Welcome to Tamilaga Vетtri Kazhagam This file is located in /home/thttpd





Thalapathi Vetri Kondan This file is located in /home/thttpd

