EnumeRannden Report

Information Panel

Host's Operating System: Linux --> TTL=54 Open Ports: 53 80 443 8080 Main Directory: test

NMAP Results

File: test/enum/nmap_open_ports.txt

```
# Nmap 7.945VN scan initiated Thu Jun 27 06:12:36 2024 as: nmap -p- --open --min-rate 5000 -Pn -oN test/enum/nmap_open_ports.txt 1.1.1.1
# Nmap 7.945VM scan initiated Ihu Jun 27 06:12:36 2024 as: nmap -p- --open --min-rate 500 Nmap scan report for one.one.one.one (1.1.1.1)
Host is up (0.040s latency).
Not shown: 65385 filtered tcp ports (no-response), 146 filtered tcp ports (host-unreach)
Some closed ports may be reported as filtered due to --defeat-rst-ratelimit
PORT STATE SERVICE
53/tcp open domain
80/tcp open http
443/tcp open https
8080/tcn open https
 8080/tcp open http-proxy
 # Nmap done at Thu Jun 27 06:13:03 2024 -- 1 IP address (1 host up) scanned in 26.48 seconds
```

WhatWeb Results

File: test/enum/whatweb_80.txt

Nikto Results

File: test/enum/nikto 80.txt

```
- Nikto v2.5.0
+ Target IP:
+ Target Hostname:
+ Target Port:
+ Start Time:
                                      2024-06-27 06:59:14 (GMT-4)
+ Server: cloudflare
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vuln
+ Root page / redirects to: https://l.1.1.1/
```

File: test/enum/gobuster.txt

Gobuster Results

Hash Cracking Results

File: test/loot/cracked hash1.txt

5ebe2294ecd0e0f08eab7690d2a6ee69:secret

Payloads Generated

File: test/exploits/pwned.elf

File: test/exploits/searchsploit_results_mouse.txt

File: test/exploits/shell.sh

OSINT Results

File: test/osint/theharvester_anubis_06-27-06:58.json

{"hosts":[], "shodan":[]}

File: test/osint/theharvester_anubis_06-27-06:58.xml