



Estabillo, Ranulf Jay G.



The screenshot shows a code editor with three tabs: `index.html`, `# style.css`, and `JS script.js`. The `JS script.js` tab is active, displaying the following JavaScript code:

```
Color Picker ▸ JS script.js ▸ btn.addEventListener("click") callback
1  const colors = ["green", "red", "yellow", "blue", "f15025"]
2  const btn = document.getElementById("btn")
3  const color = document.querySelector(".color")
4
5  btn.addEventListener("click", () =>{
6      console.log(document.body)
7      const randomNumber = getRandomNumber()
8      document.body.style.backgroundColor = colors
9      [randomNumber]
10     color.textContent = colors[randomNumber]
11 })
12
13 getRandomNumber = () => {
14     return Math.floor(Math.random() * colors.length)
15 }
```

Estabillo, Ranulf Jay G.



The image shows a code editor with three tabs: 'index.html', '# style.css', and 'JS script.js'. The active tab is '# style.css', and the cursor is positioned at line 151, column 15. The code is CSS for a navigation bar. It includes a comment block from line 154 to 158, a 'nav' selector from line 159 to 165, a '.nav-center' selector from line 166 to 173, a '.nav-center h4' selector from line 174 to 177, a '.nav-links' selector from line 178 to 180, and a 'nav a' selector from line 181 to 182. The code uses CSS Grid and Flexbox for layout and alignment, and CSS variables for colors and widths.

```
<> index.html  # style.css  x  JS script.js
Color Picker ▸ # style.css ▸ .btn-hero:hover
151 | place-items: center;
152 | }
153 |
154 | /*
155 | =====
156 | Nav
157 | =====
158 | */
159 | nav {
160 |   background: var(--clr-white);
161 |   height: 3rem;
162 |   display: grid;
163 |   align-items: center;
164 |   box-shadow: var(--dark-shadow);
165 | }
166 | .nav-center {
167 |   width: 90vw;
168 |   max-width: var(--fixed-width);
169 |   margin: 0 auto;
170 |   display: flex;
171 |   align-items: center;
172 |   justify-content: space-between;
173 | }
174 | .nav-center h4 {
175 |   margin-bottom: 0;
176 |   color: var(--clr-primary-5);
177 | }
178 | .nav-links {
179 |   display: flex;
180 | }
181 | nav a {
182 |   text-transform: capitalize;
```

Estabillo, Ranulf Jay G.

```
<> index.html x # style.css JS script.js
Color Picker > <> index.html > html > head > body > script
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>
7        Color Picker || JSProject 1
8      </title>
9      <link rel="stylesheet" href="style.css">
10   </head>
11   <body>
12     <nav>
13       <div class="nav-center">
14         <h4>Color Picker</h4>
15         <ul class="nav-links">
16           <li>
17             <a href="index.html">Simple</a>
18           </li>
19           <li>
20             <a href="">Hex</a>
21           </li>
22         </ul>
23       </div>
24     </nav>
25     <main>
26       <div class="container">
27         <h2>Background Color: <span class="color">
28           #f1f5f8
29         </span></h2>
30         <button class="btn btn-hero" id="btn">Click Me!
31       </button>
32     </div>
33   </body>
34 </html>
```

Estabillo, Ranulf Jay G.

```
17         <a href="index.html">Simple</a>
18     </li>
19     <li>
20         <a href="">Hex</a>
21     </li>
22 </ul>
23 </div>
24 </nav>
25 <main>
26     <div class="container">
27         <h2>Background Color: <span class="color">
28             #f1f5f8
29         </span></h2>
30         <button class="btn btn-hero" id="btn">Click Me!
31
32     </button>
33 </div>
34 </main>
35 <script src="script.js"></script>
36 </body>
37 </html>
```