RAON Control-Document Series Revision: v0.1, Release: Nov, 19, 2014

Requirements, Specification, and Interfaces for the RAON Control System

Jeong Han Lee*
Control Team
Rare Isotope Science Project
Institute for Basic Science
Daejeon, South Korea

November 19, 2014

Abstract

This document is the Rare Isotope Science Project at Institute for Basics Science Requirements, Specification, and Interfaces for the RAON Accelerator Control System. It shows all general requirements and specifications for the RAON contron system.

^{*}jhlee@ibs.re.kr

ACRONYMS 2

Acronyms

EPICS Experimental Physics and Industrial Control System. 3, 4

IOC Input Output Controller. 4

RACT RAON Accelerator Control Team. 3

VisualDCT Visual Database Configuration Tool. 4

 ${f VMEbus}\,$ Versa Module Europa bus. 3

1 Overview

The Control team has selected the Experimental Physics and Industrial Control System (EPICS) [1] as a main framework of the control system, because it is reliable, scalable, maintainable, low-cost system, and standard. The EPICS is an open-source, i.e. the source code is accessible, software that has various tools, libraries, and predefined applications developed by a world-wide user community and is used in large and small experimental physics projects such as particles accelerators, telescopes, and light sources since 1994. In addition, EPICS supports several hundred different modules with almost all bus types that produced by more than hundred manufacturers. One can find further information at http:///www.aps.anl.gov/epics/.

- The EPICS clients shall be Debian Linux Stable PCs. The current version is Debian 7 Wheezy [2].
- EPICS servers on PC hardware shall run Debian Linux Stable (or other version as approved by RAON Accelerator Control Team (RACT))
- EPICS servers on Versa Module Europa bus (VMEbus) hardware shall run Vx-Works version 6.9 (or other version as approved by RACT)

2 EPICS Versions

- All EPICS software submitted by the Contractors, Collaborators, or any other third party shall be based on EPICS base version 3.14.12 (or later version as specified by RACT.
- Where additional EPICS modules are used, the versions shall be according to Table 1. Later versions may be specified by RACT.
- If a module is not explicitly specified in Table 1, the default version of this module used shall be the version provided in the synApps packages version 5.7. One can see the further information at http://www.aps.anl.gov/bcda/synApps/.

 Table 1
 EPICS Module Versions

asyn R4-24 http://www.aps.anl.gov/epics/modules/soft/asyn/ stream 2-6 http://epics.web.psi.ch/software/streamdevice/ ether_ip 2-26 http://sourceforge.net/projects/epics/files/ether_ip/	Name	Version	comments
asyn R4-24 http://www.aps.anl.gov/epics/modules/soft/asyn/ stream 2-6 http://epics.web.psi.ch/software/streamdevice/ ether_ip 2-26 http://sourceforge.net/projects/epics/files/ether_ip/			
stream 2-6 http://epics.web.psi.ch/software/streamdevice/ ether_ip 2-26 http://sourceforge.net/projects/epics/files/ether_ip/	asyn	R4-24	http://www.aps.anl.gov/epics/modules/soft/asyn/
ether_ip 2-26 http://sourceforge.net/projects/epics/files/ether_ip/	stream	2-6	http://epics.web.psi.ch/software/streamdevice/
	ether_ip	2-26	http://sourceforge.net/projects/epics/files/ether_ip/

Table 1 – Continued on next page

Name	Version	comments
seq areaDetector motor		http://www-csr.bessy.de/control/SoftDist/sequencer http://cars9.uchicago.edu/software/epics/areaDetector.html http://www.aps.anl.gov/bcda/synApps/motor/

3 EPICS Support

Where the contract involves the development of an EPICS interface to the equipment and any devices, the following itemized list shall apply.

3.1 Input Output Controller (IOC) platform

- The standard IOC hardware platform is an 1U rack mountable server.
- All IOC hardware shall be installed into the standard 19-in. rack by the Contractor.
- The IOC shall be included in the system performance tests at the Supplier's factory.

3.2 Database development

• The Contractor shall provide EPICS databases with layout information compatible with the Visual Database Configuration Tool (VisualDCT) EPICS database development tool [3].

3.3 Device support

•

4 Acknowledgment

The document is re-compiled by the author based on the original NSLS-II XFD RSI for the Controls and DAQ Systems [4] in order to use it for the RAON accelerator control system. I owe much to Bob Dalesio and Wayne Lewis for fruitful discussions about the requirements, specifications, and interface for controls systems.

Bibliography

- [1] A Johnson et al. Experimental Physics and Industrial Control System EPICS, 2010. URL http://www.aps.anl.gov/epics/.
- [2] Debian Linux Stable Distribution, 2013. URL http://www.debian.org/.
- [3] Visual Database Development Tool. URL https://wiki-ext.aps.anl.gov/epics/index.php/VDCT_S
- [4] Experimental Facilities Requirements, Specifications and Interface for the Controls and Data Acquisition System, Version 3, 2013.