

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
```

```
$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
hello-deployment-7f595d9c86-67pmr	1/1	Running	0	12m
hello-deployment-7f595d9c86-9sr4c	1/1	Running	0	25m
hello-deployment-7f595d9c86-pr5zs	1/1	Running	0	25m

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
```

```
$ kubectl exec -it hello-deployment-7f595d9d86-pr5zs -- curl -s localhost
```

```
Error from server (NotFound): pods "hello-deployment-7f595d9d86-pr5zs" not found
```

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
```

```
$ kubectl exec -it hello-deployment-7f595d9c86-pr5zs -- curl -s localhost
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Welcome to nginx!</title>
```

```
<style>
```

```
html { color-scheme: light dark; }
```

```
body { width: 35em; margin: 0 auto;
```

```
font-family: Tahoma, Verdana, Arial, sans-serif; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Welcome to nginx!</h1>
```

```
<p>If you see this page, the nginx web server is successfully installed and  
working. Further configuration is required.</p>
```

```
<p>For online documentation and support please refer to
```

```
<a href="http://nginx.org/">nginx.org</a>.<br/>
```

```
Commercial support is available at
```

```
<a href="http://nginx.com/">nginx.com</a>.</p>
```

```
<p><em>Thank you for using nginx.</em></p>
```

```
</body>
```

```
</html>
```

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
```

```
$ kubectl exec -it hello-deployment-7f595d9c86-67pmr -- curl -s localhost
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Welcome to nginx!</title>
```

```
<style>
```

```
html { color-scheme: light dark; }
```

```
body { width: 35em; margin: 0 auto;
```

```
font-family: Tahoma, Verdana, Arial, sans-serif; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Welcome to nginx!</h1>
```

```
<p>If you see this page, the nginx web server is successfully installed and  
working. Further configuration is required.</p>
```

```
<p>For online documentation and support please refer to
```

```
<a href="http://nginx.org/">nginx.org</a>.<br/>
```

```
Commercial support is available at
```



```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
$ kubectl get svc
NAME                TYPE          CLUSTER-IP    EXTERNAL-IP    PORT(S)          AGE
hello-deployment    NodePort      10.111.78.137 <none>         80:32338/TCP     14s
hello-service        NodePort      10.109.92.246 <none>         80:30007/TCP     30m
kubernetes           ClusterIP     10.96.0.1     <none>         443/TCP          36m
```

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
$ minikube ip
192.168.49.2
```

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
$ ^C
```

```
bhuva@DESKTOP-CLN6GCM MINGW64 ~ (main)
$ minikube service hello-service
```

NAMESPACE	NAME	TARGET PORT	URL
default	hello-service	80	http://192.168.49.2:30007

* Starting tunnel for service hello-service.			
NAMESPACE	NAME	TARGET PORT	URL
default	hello-service		http://127.0.0.1:57043

```
* Starting tunnel for service hello-service.
* Opening service default/hello-service in default browser...
! Because you are using a Docker driver on windows, the terminal needs to be open to run it.
```





