Logo by zlataamaranth.com

Table of contents

1. File structure

RaptorWings locale Folder:
PC:\C\Users\User\AppData\Local\RaptorWings\

Raptorwings folder structure:
<Raptorwings>\Languages\ = Folder with Languages Files
<Raptorwings>\Thirdparty\ = Folder with Thirdparty Software
<Raptorwings>\mining\ = Folder with mining Software

2. Helps

You can get help in Discord: https://discord.gg/raptoreum

3. Menu – Overview

Main Menu

Change Languages

Switch between light and dark mode

The summary of all your wallet addresses stored in the Walltes menu.

Balance of all your addresses:
105.493.041,00 RTM
9,1304227 BTC / 213.465,1685 $ / 197.169,6584 €

Hint:
1. Balance and values in BTC, USD, and EUR will change automatically within 60 seconds as long as this menu is open.

2. Every time you change between light and dark mode, various settings will be changed. After changing the mode, it takes a few seconds for Windows to clear the internal memory itself. If the mode is changed too quickly in succession, this can overload the memory.

4. Menu – Wallets

In this menu you can enter your wallet addresses.
You can use this overview to have an overview of all your wallets.
The wallet addresses are also necessary if you want to run Proof of Work with Raotorwings.

Nr.	Adresses	Description	Balance	BTC	USD	EUR
1			104,98953579	0,00000911	0,21292	0,19667
2			51,86619755	0,00000450	0,10519	0,09716
3			0,00000000			
4	REBMZMmCYgcCmKL7ponJKAEu9SESGPA4vp	Top1 Wallet	105.495.025,59023400	9,15338139	213.947,07675	197.614,33689

All wallet information is read out via the RTM Explorer API. All prices are transmitted through the Coingecko API.

105.495.183,00 RTM / 9,1533950 BTC / 213.947,3960 $ / 197.614,6317 € RaptorWINGS Donation-Adress: REGCJ1eEiopwUFwaHVmUiXZTSPW9gfZdyH

 Create a new Wallet Entery

 Save Wallet List

 Delete selectet Entry

 Open selected entry in RTM Wallet Explorer

You can add your own entries to the Addresses and Description lines:
- In Addresses you can enter your RTM Wallet addresses. These addresses must be wallet addresses that are also accessible via the RTM Exlorer.

- In Description you can enter a free text to describe your address.

- The columns Balance, BTC, USDT, and EUR are automatically updated every 60 seconds.

You must save the list yourself if you have made changes. The list is not saved independently.

5. Menu – Mining

5.1 Menu Mining - Conditions

As a first step, the must confirm the conditions

5. Menu – Mining

5.1 Menu Mining – Main

In this menu you can start the Proof of Work procedure on the device running Rapwortwings.
You don't really need to set anything after loading this page.
You can click directly on "Start Mining" and mining will be started under the default settings.

In Raptorwings, everything is stored so that the settings match the settings of the selected pool.
You can't set anything wrong, because Raptorwings does all the settings for you.

Special settings

Start Miner in background	The miner is started in the background without being displayed. Only the mining process is displayed in the Windows task manager.
Close Raptorwings after start Mining	Raptorwings is terminated when the mining software is started.
1 Thread Donation	You donate a thread for the donation address. The SRB miner is started so that it mines on your address and on the donation address.

5. Menu – Mining

5.1 Menu Mining – MultWING Mining

- You can save the mining process on an external Linux device.
I recommend Ubuntu.
- The device must be accessible via SSH.
- The rig data is retrieved from the API's of the mining pools.
- You have to create the Wingsheets in the menu "This Device".
- Before starting, you must create your devices in the "Device" menu.

5.2 Menu Mining – Multiwing Mining – Devices

Here you can create, change and delete your external devices.

The following criteria must be met:
1. The device must be accessible via SSH
2. You must enter a username and password
3. Under path you must specify a path that exists on the device. In this path the folder Raptorwings will be created on the device.

Pseudonym for the device

Rigname displayed in the pool

IP address of the external device

Username of a SSH user

Password of the SSH User

Path on the external device where Raptorwings can be stored