---

h1 Heading 8-)

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Horizontal Rules

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

!!!!!! ???? ,, -- ---

"Smartypants, double quotes" and 'single quotes'

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Lists

Unordered

- Create a list by starting a line with +, -, or *
- Sub-lists are made by indenting 2 spaces:
- Marker character change forces new list start:
- Ac tristique libero volutpat at

- Facilisis in pretium nisl aliquet

- Nulla volutpat aliquam velit

- Very easy!

Ordered

- Lorem ipsum dolor sit amet
-

Consectetur adipiscing elit

- Integer molestie lorem at massa

- You can use sequential numbers...
- ...or keep all the numbers as 1.

Start numbering with offset:

- foo

- bar

Code

Inline code

Indented code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

Block code "fences"

```
Sample text here...
```

Syntax highlighting

```
var foo = function (bar) {
  return bar++;
};

console.log(foo(5));
```

Tables

Right aligned columns

Links

[this is tex for links](link text)

[this is tex for links]

[link with title](#)

Autoconverted link
[this is tex for links](#)
https://github.com/nodeca/pica
 (enable linkify to see)

Images

Like links, Images also have a footnote style syntax

With a reference later in the document defining the URL location:

Plugins

The killer feature of markdown-it is very effective support of
[this is tex for links](#)
syntax plugins
.

[this is tex for links](#)
Emojies

Classic markup: 🔲 :crush: 🔲 :tear: 🔲 🔲

Shortcuts (emoticons): :-) :-(8-) ;)

see
[this is tex for links](#)
how to change output
 with twemoji.

[this is tex for links](#)
Subscript
 /
[this is tex for links](#)
Superscript

- 19^th^

- H~2~O

[this is tex for links](#)
\<ins>

++Inserted text++

[this is tex for links](#)

<mark>

==Marked text==

[this is tex for links](#)

Footnotes

Footnote 1 link[^first].

Footnote 2 link[^second].

Inline footnote^[Text of inline footnote] definition.

Duplicated footnote reference[^second].

[^first]: Footnote **can have markup**

and multiple paragraphs.

[^second]: Footnote text.

[this is tex for links](#)

Definition lists

Term 1

:   Definition 1
with lazy continuation.

Term 2 with *inline markup*

:   Definition 2

    { some code, part of Definition 2 }

Third paragraph of definition 2.

Compact style:

Term 1
~ Definition 1

Term 2
~ Definition 2a
~ Definition 2b

[this is tex for links](#)

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

[this is tex for links](#)

Custom containers

::: warning
here be dragons
:::