
Advertisement :)

-
-

You will like those projects!

h1 Heading 8-)

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Horizontal Rules

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!.....

!!!!!! ????? ,. -- ---

"Smartyants, double quotes" and 'single quotes'

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Lists

Unordered

-
-
-

Ordered

-
-
-
-
-

Start numbering with offset:

-
-

Code

Inline code

Indented code

```
// Some comments
```

```
line 1 of code
```

```
line 2 of code
```

```
line 3 of code
```

Block code "fences"

Sample text here...

Syntax highlighting

```
var foo = function (bar) {  
  return bar++;  
};  
  
console.log(foo(5));
```

Tables

Option

Description

data

path to data files to supply the data that will be passed into templates.

engine

engine to be used for processing templates. Handlebars is the default.

ext

extension to be used for dest files.

Right aligned columns

Option

Description

data

path to data files to supply the data that will be passed into templates.

engine

engine to be used for processing templates. Handlebars is the default.

ext

extension to be used for dest files.

Links

[link text](#)

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

Images

Like links, Images also have a footnote style syntax

With a reference later in the document defining the URL location:

Plugins

The killer feature of markdown-it is very effective support of [syntax plugins](#).

Emojies

Classic markup: :wink: :crush: :cry: :tear: :laughing: :yum:

Shortcuts (emoticons): :-) :-(8-) ;)

see [how to change output](#) with twemoji.

Subscript / Superscript

-
-

<ins>

++Inserted text++

<mark>

==Marked text==

Footnotes

Footnote 1 link[^first].

Footnote 2 link[^second].

Inline footnote^[Text of inline footnote] definition.

Duplicated footnote reference[^second].

[^first]: Footnote **can have markup**

and multiple paragraphs.

[^second]: Footnote text.

Definition lists

Term 1

: Definition 1
with lazy continuation.

Term 2 with
inline markup

: Definition 2
{ some code, part of Definition 2 }

Third paragraph of definition 2.

Compact style:

Term 1
~ Definition 1

Term 2
~ Definition 2a
~ Definition 2b

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

Custom containers

::: warning
here be dragons

:::