---

---

# h1 Heading 8-)

## h2 Heading

### h3 Heading

#### h4 Heading

##### h5 Heading

###### h6 Heading

## Horizontal Rules

---

---

---

## Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

!!!!!! ???? ,,  -- ---

"Smartypants, double quotes" and 'single quotes'

## Emphasis

**This is bold text**

**This is bold text**

*This is italic text*

*This is italic text*

~~Strikethrough~~

# Blockquotes

# Lists

Unordered

- Create a list by starting a line with

---

,

---

, or

---

- Sub-lists are made by indenting 2 spaces:
- Marker character change forces new list start:
- Ac tristique libero volutpat at

- Facilisis in pretium nisl aliquet

- Nulla volutpat aliquam velit

- Very easy!

Ordered

-

Lorem ipsum dolor sit amet

- Consectetur adipiscing elit

- Integer molestie lorem at massa


- You can use sequential numbers...

- ...or keep all the numbers as

---

Start numbering with offset:

- foo

- bar

# Code

Inline

---

Indented code

---

Block code "fences"

---

Syntax highlighting

---

# Tables

Option
Description
data
path to data files to supply the data that will be passed into templates.
engine
engine to be used for processing templates. Handlebars is the default.
ext
extension to be used for dest files.

Right aligned columns

Option
Description
data
path to data files to supply the data that will be passed into templates.
engine
engine to be used for processing templates. Handlebars is the default.
ext
extension to be used for dest files.

# Links

link text

link with title

Autoconverted link
https://github.com/nodeca/pica
 (enable linkify to see)

# Images

Like links, Images also have a footnote style syntax

With a reference later in the document defining the URL location:

# Plugins

The killer feature of

---

 is very effective support of
syntax plugins
.

Emojies

see
how to change output
 with twemoji.

Subscript
/
Superscript

- 19^th^

- H~2~O

&lt;ins&gt;

++Inserted text++

&lt;mark&gt;

==Marked text==

Footnotes

Footnote 1 link[^first].

Footnote 2 link[^second].

Inline footnote^[Text of inline footnote] definition.

Duplicated footnote reference[^second].

[^first]: Footnote **can have markup**

---

[^second]: Footnote text.

Definition lists

Term 1

:   Definition 1
with lazy continuation.

Term 2 with *inline markup*

:   Definition 2

---

*Compact style:*

Term 1
~ Definition 1

Term 2
~ Definition 2a
~ Definition 2b

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

Custom containers

::: warning
*here be dragons*
:::