h1 Heading 8-)

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Horizontal Rules

Typographic replacements

Enable typographer option to see result.
(c) (C) (r) (R) (tm) (TM) (p) (P) +-
test.. test... test..... test?..... test!....
!!!!!! ???? ,, -- ---
"Smartypants, double quotes" and 'single quotes'

Emphasis

This is bold text
This is bold text
This is italic text
This is italic text
~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.
...or with spaces between arrows.

Lists

Unordered

Create a list by starting a line with +, -, or *
Sub-lists are made by indenting 2 spaces:

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Very easy!
Create a list by starting a line with +, -, or *
Sub-lists are made by indenting 2 spaces:

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Ac tristique libero volutpat at
Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet
Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit
Nulla volutpat aliquam velit
Very easy!
Ordered

Lorem ipsum dolor sit amet
Consectetur adipiscing elit
Integer molestie lorem at massa
Lorem ipsum dolor sit amet
Consectetur adipiscing elit
Integer molestie lorem at massa

You can use sequential numbers...
...or keep all the numbers as 1.
You can use sequential numbers...
...or keep all the numbers as 1.
Start numbering with offset:

foo
bar
foo
bar

Code

Inline code
Indented code
// Some comments
line 1 of code
line 2 of code
line 3 of code
Block code "fences"
Sample text here...
Syntax highlighting

```
var foo = function (bar) {
  return bar++;
};
```

console.log(foo(5));

Tables

Right aligned columns

Links

link text
link text
link with title
link with title
Autoconverted link https://github.com/nodeca/pica (enable linkify to see)

Images

Like links, Images also have a footnote style syntax
With a reference later in the document defining the URL location:

Plugins

The killer feature of markdown-it is very effective support of
syntax plugins.
syntax plugins

Emojies

Emojies

Classic markup: :wink: :crush: :cry: :tear: :laughing: :yum:
Shortcuts (emoticons): :-) :-(8-) ;)
Classic markup: :wink: :crush: :cry: :tear: :laughing: :yum:
Shortcuts (emoticons): :-) :-(8-) ;)
see how to change output with twemoji.
how to change output

Subscript / Superscript

Subscript
Superscript

19^{th}
H_2O
19^{th}
H_2O

<ins>

<ins>
++Inserted text++

<mark>

<mark>
==Marked text==

Footnotes

Footnotes
Footnote 1 link[^first].
Footnote 2 link[^second].
Inline footnote^[Text of inline footnote] definition.
Duplicated footnote reference[^second].
[^first]: Footnote can have markup
and multiple paragraphs.
[^second]: Footnote text.

Definition lists

Definition lists
Term 1
:   Definition 1
with lazy continuation.
Term 2 with inline markup
:   Definition 2
    { some code, part of Definition 2 }

Third paragraph of definition 2.
Compact style:
Term 1
~ Definition 1
Term 2
~ Definition 2a
~ Definition 2b

Abbreviations

Abbreviations
This is HTML abbreviation example.
It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.
*[HTML]: Hyper Text Markup Language

Custom containers

Custom containers

::: warning
here be dragons
:::