

Advertisement :)

Advertisement :)

pica - high quality and fast image
resize in browser.

babelfish - developer friendly

i18n with plurals support and easy syntax.

pica - high quality and fast image
resize in browser.

pica

babelfish - developer friendly

i18n with plurals support and easy syntax.

babelfish

You will like those projects!

h1 Heading 8-)

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Horizontal Rules

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-
test.. test... test..... test?..... test!....

!!!!!! ????? ,. -- ---

"Smartypants, double quotes" and 'single quotes'

"Smartypants, double quotes" and 'single quotes'

Emphasis

This is bold text

This is bold text

This is bold text

This is bold text

This is italic text

This is italic text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

...or with spaces between arrows.

Lists

Unordered

Create a list by starting a line with +, -, or *

Sub-lists are made by indenting 2 spaces:

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Very easy!

Create a list by starting a line with +, -, or *

+ - *

Sub-lists are made by indenting 2 spaces:

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Ac tristique libero volutpat at

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Nulla volutpat aliquam velit

Very easy!

Ordered

Lorem ipsum dolor sit amet

Consectetur adipiscing elit

Integer molestie lorem at massa

Lorem ipsum dolor sit amet

Consectetur adipiscing elit

Integer molestie lorem at massa

You can use sequential numbers...

...or keep all the numbers as 1.

You can use sequential numbers...

...or keep all the numbers as 1.

1.

Start numbering with offset:

foo

bar

foo

bar

Code

Inline code

code

Indented code

// Some comments

line 1 of code

line 2 of code

line 3 of code

// Some comments

line 1 of code

line 2 of code

line 3 of code

Block code "fences"

Sample text here...

Sample text here...

Syntax highlighting

```
var foo = function (bar) {  
  return bar++;  
};
```

```
console.log(foo(5));  
var foo = function (bar) {  
  return bar++;  
};
```

```
console.log(foo(5));
```

Tables

Right aligned columns

Links

link text

[link text](#)

link with title

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

Images

Like links, Images also have a footnote style syntax

With a reference later in the document defining the URL location:

Plugins

The killer feature of markdown-it is very effective support of syntax plugins.

[syntax plugins](#)

[markdown-it](#)

Emojies

[Emojies](#)

Classic markup: :wink: :crush: :cry: :tear: :laughing: :yum:

Shortcuts (emoticons): :-) :-(8-) ;)

Classic markup: :wink: :crush: :cry: :tear: :laughing: :yum:

Shortcuts (emoticons): :-) :-(8-) ;)

see how to change output with twemoji.

[how to change output](#)

Subscript / Superscript

[Subscript](#)

[Superscript](#)

19th

H₂O

19th

H₂O

<ins>

[<ins>](#)

++Inserted text++

<mark>

[<mark>](#)

==Marked text==

Footnotes

Footnotes

Footnote 1 link^[^first].

Footnote 2 link^[^second].

Inline footnote^{^[Text of inline footnote]} definition.

Duplicated footnote reference^[^second].

^[^first]: Footnote can have markup

can have markup

and multiple paragraphs.

and multiple paragraphs.

^[^second]: Footnote text.

Definition lists

Definition lists

Term 1

: Definition 1

with lazy continuation.

Term 2 with inline markup

inline markup

: Definition 2

{ some code, part of Definition 2 }

Third paragraph of definition 2.

{ some code, part of Definition 2 }

Third paragraph of definition 2.

Compact style:

Compact style:

Term 1

~ Definition 1

Term 2

~ Definition 2a

~ Definition 2b

Abbreviations

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

Custom containers

Custom containers

::: warning

here be dragons

:::