

---

## Advertisement :)

- - high quality and fast image  
resize in browser.
- - developer friendly  
i18n with plurals support and easy syntax.

You will like those projects!

---

# h1 Heading 8-)

## h2 Heading

### h3 Heading

#### h4 Heading

##### h5 Heading

###### h6 Heading

## Horizontal Rules

---

---

---

## Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

!!!!!! ????? ,. -- ---

"Smartyants, double quotes" and 'single quotes'

## Emphasis

**This is bold text**

**This is bold text**

*This is italic text*

*This is italic text*

~~Strikethrough~~

## Blockquotes

## Lists

Unordered

- 

Create a list by starting a line with +, −, or \*

- 

Sub-lists are made by indenting 2 spaces:

- 

Marker character change forces new list start:

- 

Ac tristique libero volutpat at

- 

Facilisis in pretium nisl aliquet

- 

Nulla volutpat aliquam velit

- 

Very easy!

Ordered

- 

Lorem ipsum dolor sit amet

- 

Consectetur adipiscing elit

-

Integer molestie lorem at massa

- 

You can use sequential numbers...

- 

...or keep all the numbers as 1 .

Start numbering with offset:

- 

foo

- 

bar

## Code

Inline code

Indented code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

Block code "fences"

```
Sample text here...
```

Syntax highlighting

```
var foo = function (bar) {
  return bar++;
};

console.log(foo(5));
```

## Tables

Option

Description

data

path to data files to supply the data that will be passed into templates.

engine

engine to be used for processing templates. Handlebars is the default.

ext

extension to be used for dest files.

Right aligned columns

Option  
Description  
data  
path to data files to supply the data that will be passed into templates.  
engine  
engine to be used for processing templates. Handlebars is the default.  
ext  
extension to be used for dest files.

## Links

[link text](#)

[link with title](#)

Autoconverted link

<https://github.com/nodeca/pica>  
(enable linkify to see)

## Images

Like links, Images also have a footnote style syntax

With a reference later in the document defining the URL location:

## Plugins

The killer feature of `markdown-it` is very effective support of [syntax plugins](#)

.

[Emojies](#)

see

[how to change output](#)  
with twemoji.

[Subscript](#)

/

[Superscript](#)

•

19<sup>th</sup>

•

H<sub>2</sub>O

[&lt;ins&gt;](#)

++Inserted text++

[&lt;mark&gt;](#)

==Marked text==

### [Footnotes](#)

Footnote 1 link[^first].

Footnote 2 link[^second].

Inline footnote^[Text of inline footnote] definition.

Duplicated footnote reference[^second].

[^first]: Footnote **can have markup**

```
and multiple paragraphs.
```

[^second]: Footnote text.

### [Definition lists](#)

Term 1

: Definition 1  
with lazy continuation.

Term 2 with *inline markup*

: Definition 2

```
{ some code, part of Definition 2 }
```

```
Third paragraph of definition 2.
```

*Compact style:*

Term 1

~ Definition 1

Term 2

~ Definition 2a

~ Definition 2b

### [Abbreviations](#)

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

\*[HTML]: Hyper Text Markup Language

### [Custom containers](#)

::: warning

*here be dragons*

:::