



Netzwerke und Schaltungen II, D-ITET Bodeplots — Aufgaben

Version: October 25, 2025

Zeichnen Sie jeweils den Bodeplots für Phasen- und Magnitudenverläufe der folgenden Ubertragungsfunktionen H(s).

(a)
$$H(s) = \frac{1}{s+1}$$

(b)
$$H(s) = \frac{10}{s+10}$$

(c)
$$H(s) = \frac{s+1}{s+10}$$

(d*)
$$H(s) = \frac{10(1-s)}{s+10}$$

(e*)
$$H(s) = \frac{(-1+1j)}{\sqrt{2}(s+1)^2}$$

(f)
$$H(s) = \frac{-1000}{(s+1)(s+100)}$$

(g)
$$H(s) = \frac{100s}{s+1}$$

(h)
$$H(s) = \frac{10\sqrt{2}\,s^2}{s-1}$$

(i)
$$H(s) = \frac{s+1}{(s+10)^2}$$

(j)
$$H(s) = \frac{s+1}{s^2+2s+1}$$

(k)
$$H(s) = \frac{100(s+1)}{s^2 + 20s + 100}$$
 (l) $H(s) = \frac{s^2 - 100}{s+1}$

(1)
$$H(s) = \frac{s^2 - 100}{s + 1}$$

(m)
$$H(s) = \frac{10\sqrt{202} \, s}{(s+1)(s+10)}$$

(m)
$$H(s) = \frac{10\sqrt{202}\,s}{(s+1)(s+10)}$$
 (n*) $H(s) = \frac{s(0.1-s)(s+10)}{(s+1)^2}$

(o)
$$H(s) = \frac{1}{s}$$

(p*)
$$H(s) = \frac{100}{s^2 + s + 100}$$

(q**)
$$H(s) = \frac{s^2+4}{s(s^2+10s+100)}$$
 (r) $H(s) = \frac{s^2+2s+10}{s^2+2s+10}$

$$H(s) = \frac{s^2 + 2s + 10}{s^2 + 2s + 10}$$

(s)
$$H(s) = \frac{4}{s^2 - 4}$$

(t*)
$$H(s) = \frac{-1000(s+2)^2}{4(s+1)^3(s+10)}$$

(u)
$$H(s) = \frac{2s}{s^2 + 2s + 1}$$