


SKILL(WEEK-1)

1. Database Setup



2. Create Table

```
3 CREATE TABLE bank_transactions (  
4   txn_id INT PRIMARY KEY,  
5   customer_name VARCHAR(50),  
6   branch_name VARCHAR(50),  
7   transaction_type VARCHAR(20),  
8   amount DECIMAL(10,2),  
9   transaction_date DATE  
10 );
```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
1	10:35:37	CREATE DATABASE IF NOT EXISTS bank_db	1 row(s) affected	0.000 sec
2	10:35:41	USE bank_db	0 row(s) affected	0.000 sec
3	10:42:10	CREATE DATABASE IF NOT EXISTS bank_db	1 row(s) affected. 1 warning(s): 1007 Can't create database 'bank_db'; database exists	0.000 sec
4	10:42:10	USE bank_db	0 row(s) affected	0.000 sec
5	10:42:10	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name V...	0 row(s) affected	0.031 sec

3. Add Column

```

11 • ALTER TABLE bank_transactions
12   ADD account_no VARCHAR(20);

```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
4	10:42:10	USE bank_db	0 row(s) affected	0.000 sec
5	10:42:10	CREATE TABLE bank_transactions (bn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name...	0 row(s) affected	0.031 sec
6	10:43:14	CREATE DATABASE IF NOT EXISTS bank_db	1 row(s) affected, 1 warning(s): 1007 Can't create database 'bank_db'; database exists	0.016 sec
7	10:43:14	USE bank_db	0 row(s) affected	0.000 sec
8	10:43:14	CREATE TABLE bank_transactions (bn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
9	10:43:20	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec

4. Modify Column

```

13 • ALTER TABLE bank_transactions
14   MODIFY customer_name VARCHAR(100);

```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
5	10:42:10	CREATE TABLE bank_transactions (bn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name...	0 row(s) affected	0.031 sec
6	10:43:14	CREATE DATABASE IF NOT EXISTS bank_db	1 row(s) affected, 1 warning(s): 1007 Can't create database 'bank_db'; database exists	0.016 sec
7	10:43:14	USE bank_db	0 row(s) affected	0.000 sec
8	10:43:14	CREATE TABLE bank_transactions (bn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
9	10:43:20	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
10	10:44:26	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec

5. Rename Table

```

15 • RENAME TABLE bank_transactions TO customer_transactions;
16 • RENAME TABLE customer_transactions TO bank_transactions;

```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
7	10:43:14	USE bank_db	0 row(s) affected	0.000 sec
8	10:43:14	CREATE TABLE bank_transactions (bn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
9	10:43:20	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
10	10:44:26	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
11	10:45:12	RENAME TABLE bank_transactions TO customer_transactions	0 row(s) affected	0.016 sec
12	10:45:12	RENAME TABLE customer_transactions TO bank_transactions	0 row(s) affected	0.015 sec

6. Truncate Table

```

17 • TRUNCATE TABLE bank_transactions;

```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
8	10:43:14	CREATE TABLE bank_transactions (bn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name...	Error Code: 1050. Table 'bank_transactions' already exists	0.000 sec
9	10:43:20	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
10	10:44:26	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
11	10:45:12	RENAME TABLE bank_transactions TO customer_transactions	0 row(s) affected	0.016 sec
12	10:45:12	RENAME TABLE customer_transactions TO bank_transactions	0 row(s) affected	0.015 sec
13	10:47:15	TRUNCATE TABLE bank_transactions	0 row(s) affected	0.016 sec

7. Drop Table

```

18 • CREATE TABLE IF NOT EXISTS bank_backup (id INT);
19 • DROP TABLE bank_backup;

```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
10	10:44:26	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
11	10:45:12	RENAME TABLE bank_transactions TO customer_transactions	0 row(s) affected	0.016 sec
12	10:45:12	RENAME TABLE customer_transactions TO bank_transactions	0 row(s) affected	0.015 sec
13	10:47:15	TRUNCATE TABLE bank_transactions	0 row(s) affected	0.016 sec
14	10:52:05	CREATE TABLE IF NOT EXISTS bank_backup (id INT)	0 row(s) affected	0.016 sec
15	10:52:05	DROP TABLE bank_backup	0 row(s) affected	0.016 sec

8. Insert Bulk Data

```
19 • DROP TABLE bank_backup; INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date) VALUES
20 (101, 'Ravi', 'Hyderabad', 'Deposit', 5000.00, '2024-01-05'),
21 (102, 'Sita', 'Hyderabad', 'Withdrawal', 2000.00, '2024-01-06'),
22 (103, 'Kiran', 'Vijayawada', 'Deposit', 12000.00, '2024-01-08'),
23 (104, 'Anil', 'Vizag', 'Deposit', 8000.00, '2024-01-10'),
24 (105, 'Priya', 'Hyderabad', 'Withdrawal', 3500.00, '2024-01-11'),
25 (106, 'Ramesh', 'Vizag', 'Deposit', 15000.00, '2024-01-12'),
26 (107, 'Keerthi', 'Vijayawada', 'Withdrawal', 1000.00, '2024-01-13'),
27 (108, 'Rahul', 'Hyderabad', 'Deposit', 9000.00, '2024-01-14'),
28 (109, 'Sneha', 'Vizag', 'Withdrawal', 4000.00, '2024-01-15'),
29 (110, 'Madhu', 'Vijayawada', 'Deposit', 11000.00, '2024-01-16');
```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
✓	12 10:45:12	RENAME TABLE customer_transactions TO bank_transactions	0 row(s) affected	0.015 sec
✓	13 10:47:15	TRUNCATE TABLE bank_transactions	0 row(s) affected	0.016 sec
✓	14 10:52:05	CREATE TABLE IF NOT EXISTS bank_backup (id INT)	0 row(s) affected	0.016 sec
✓	15 10:52:05	DROP TABLE bank_backup	0 row(s) affected	0.016 sec
✗	16 11:16:56	DROP TABLE bank_backup	Error Code: 1051. Unknown table 'bank_db.bank_backup'	0.000 sec
✓	17 11:17:01	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

9. Insert Single Record

```
30 • INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date)
31 VALUES (111, 'Venu', 'Vizag', 'Deposit', 7000.00, '2024-01-18');
```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
✓	13 10:47:15	TRUNCATE TABLE bank_transactions	0 row(s) affected	0.016 sec
✓	14 10:52:05	CREATE TABLE IF NOT EXISTS bank_backup (id INT)	0 row(s) affected	0.016 sec
✓	15 10:52:05	DROP TABLE bank_backup	0 row(s) affected	0.016 sec
✗	16 11:16:56	DROP TABLE bank_backup	Error Code: 1051. Unknown table 'bank_db.bank_backup'	0.000 sec
✓	17 11:17:01	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
✓	18 11:18:19	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	1 row(s) affected	0.000 sec

10. Update Data

```
32 • UPDATE bank_transactions
33 SET amount = 5000.00
34 WHERE txn_id = 105;
```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
✓	14 10:52:05	CREATE TABLE IF NOT EXISTS bank_backup (id INT)	0 row(s) affected	0.016 sec
✓	15 10:52:05	DROP TABLE bank_backup	0 row(s) affected	0.016 sec
✗	16 11:16:56	DROP TABLE bank_backup	Error Code: 1051. Unknown table 'bank_db.bank_backup'	0.000 sec
✓	17 11:17:01	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
✓	18 11:18:19	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	1 row(s) affected	0.000 sec
✓	19 11:19:06	UPDATE bank_transactions SET amount = 5000.00 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec

11. Delete Data

```
35 • DELETE FROM bank_transactions
36 WHERE txn_id = 111;
```

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
✓	15 10:52:05	DROP TABLE bank_backup	0 row(s) affected	0.016 sec
✗	16 11:16:56	DROP TABLE bank_backup	Error Code: 1051. Unknown table 'bank_db.bank_backup'	0.000 sec
✓	17 11:17:01	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
✓	18 11:18:19	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	1 row(s) affected	0.000 sec
✓	19 11:19:06	UPDATE bank_transactions SET amount = 5000.00 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓	20 11:19:53	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.000 sec

12. Select All Records

```
37 • SELECT * FROM bank_transactions;
```

Result Grid						
txn_id	customer_name	branch_name	transaction_type	amount	transaction_date	account_no
104	Anil	Vizag	Deposit	8000.00	2024-01-10	10000
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11	10000
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12	10000
107	Keerthi	Vijayawada	Withdrawal	1000.00	2024-01-13	10000
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14	10000
109	Sneha	Vizag	Withdrawal	4000.00	2024-01-15	10000
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16	10000

transactions 1 x

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
✗	16 11:16:56	DROP TABLE bank_backup	Error Code: 1051. Unknown table 'bank_db.bank_backup'	0.000 sec
✓	17 11:17:01	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
✓	18 11:18:19	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction...	1 row(s) affected	0.000 sec
✓	19 11:19:06	UPDATE bank_transactions SET amount = 5000.00 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓	20 11:19:53	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.000 sec
✓	21 11:20:34	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

13. Select With Where Filter

```
38 • SELECT * FROM bank_transactions
39 WHERE transaction_type = 'Deposit';
```

The screenshot shows the SQL Studio interface. The top part displays a query result grid for the query `SELECT * FROM bank_transactions WHERE transaction_type = 'Deposit';`. The grid has columns: `txn_id`, `customer_name`, `branch_name`, `transaction_type`, `amount`, `transaction_date`, and `account_no`. It lists 7 rows of deposit transactions. Below the grid, the 'Output' tab shows the 'Action Output' table, which details the execution of the query and other database actions, including their timestamps, messages, and durations.

#	Time	Action	Message	Duration / Fetch
17	11:17:01	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date, account_no)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
18	11:18:19	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date, account_no)	1 row(s) affected	0.000 sec
19	11:19:06	UPDATE bank_transactions SET amount = 5000.00 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
20	11:19:53	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.000 sec
21	11:20:34	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
22	11:21:51	SELECT * FROM bank_transactions WHERE transaction_type = 'Deposit' LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

14. Select With Order By

```
40 • SELECT * FROM bank_transactions
41 ORDER BY amount DESC;
```

The screenshot shows the SQL Studio interface. The top part displays a query result grid for the query `SELECT * FROM bank_transactions ORDER BY amount DESC;`. The grid lists 10 rows of transactions, ordered by amount in descending order. Below the grid, the 'Output' tab shows the 'Action Output' table, which details the execution of the query and other database actions, including their timestamps, messages, and durations.

#	Time	Action	Message	Duration / Fetch
18	11:18:19	INSERT INTO bank_transactions (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date, account_no)	1 row(s) affected	0.000 sec
19	11:19:06	UPDATE bank_transactions SET amount = 5000.00 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
20	11:19:53	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.000 sec
21	11:20:34	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
22	11:21:51	SELECT * FROM bank_transactions WHERE transaction_type = 'Deposit' LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
23	11:22:33	SELECT * FROM bank_transactions ORDER BY amount DESC LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

15. Create Users

```
42 • CREATE USER IF NOT EXISTS 'Auditor1'@'localhost' IDENTIFIED BY 'Password1231';
43 • CREATE USER IF NOT EXISTS 'BranchManager'@'localhost' IDENTIFIED BY 'Password1231';
```

The screenshot shows the SQL Studio interface. The 'Output' tab displays the 'Action Output' table, which details the execution of the `CREATE USER` statements and other database actions, including their timestamps, messages, and durations.

#	Time	Action	Message	Duration / Fetch
19	11:19:06	UPDATE bank_transactions SET amount = 5000.00 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
20	11:19:53	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.000 sec
21	11:20:34	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
22	11:21:51	SELECT * FROM bank_transactions WHERE transaction_type = 'Deposit' LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
23	11:22:33	SELECT * FROM bank_transactions ORDER BY amount DESC LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
24	11:23:25	CREATE USER IF NOT EXISTS 'BranchManager'@'localhost' IDENTIFIED BY 'Password1231'	0 row(s) affected	0.031 sec

16. GRANT SELECT

```
44 • GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost';
```

The screenshot shows the SQL Studio interface. The 'Output' tab displays the 'Action Output' table, which details the execution of the `GRANT SELECT` statement and other database actions, including their timestamps, messages, and durations.

#	Time	Action	Message	Duration / Fetch
25	11:27:34	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	Error Code: 1410. You are not allowed to create a user with GRANT	0.000 sec
26	11:27:45	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	Error Code: 1410. You are not allowed to create a user with GRANT	0.000 sec
27	11:29:36	CREATE USER IF NOT EXISTS 'BranchManager'@'localhost' IDENTIFIED BY 'Password1231'	0 row(s) affected. 1 warning(s): 3163 Authorization ID 'BranchManager'@'localhost' already exists.	0.000 sec
28	11:29:53	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	Error Code: 1410. You are not allowed to create a user with GRANT	0.000 sec
29	11:32:43	CREATE USER IF NOT EXISTS 'Auditor1'@'localhost' IDENTIFIED BY 'Password1231'	0 row(s) affected	0.047 sec
30	11:32:51	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec

17. Grant All Permissions

```
45 • GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost';
```

#	Time	Action	Message	Duration / Fetch
26	11:27:45	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	Error Code: 1410. You are not allowed to create a user with GRANT	0.000 sec
27	11:29:36	CREATE USER IF NOT EXISTS 'BranchManager'@'localhost' IDENTIFIED BY 'Password123!'	0 row(s) affected. 1 warning(s): 3163 Authorization ID 'BranchManager'@'localhost' already exists.	0.000 sec
28	11:29:53	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	Error Code: 1410. You are not allowed to create a user with GRANT	0.000 sec
29	11:32:43	CREATE USER IF NOT EXISTS 'Auditor1'@'localhost' IDENTIFIED BY 'Password123!'	0 row(s) affected	0.047 sec
30	11:32:51	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec
31	11:33:47	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.032 sec

18. Revoke Select Permission

```
46 • REVOKE SELECT ON bank_transactions FROM 'Auditor1'@'localhost';
```

#	Time	Action	Message	Duration / Fetch
28	11:29:53	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	Error Code: 1410. You are not allowed to create a user with GRANT	0.000 sec
29	11:32:43	CREATE USER IF NOT EXISTS 'Auditor1'@'localhost' IDENTIFIED BY 'Password123!'	0 row(s) affected	0.047 sec
30	11:32:51	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec
31	11:33:47	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.032 sec
32	11:34:25	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
33	11:34:33	REVOKE SELECT ON bank_transactions FROM 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec

19. Revoke All Permissions

```
47 • REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'BranchManager'@'localhost';
```

#	Time	Action	Message	Duration / Fetch
29	11:32:43	CREATE USER IF NOT EXISTS 'Auditor1'@'localhost' IDENTIFIED BY 'Password123!'	0 row(s) affected	0.047 sec
30	11:32:51	GRANT SELECT ON bank_transactions TO 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec
31	11:33:47	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.032 sec
32	11:34:25	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
33	11:34:33	REVOKE SELECT ON bank_transactions FROM 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec
34	11:35:17	REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec

20. Disable Autocommit

```
48 • SET autocommit = 0;
```

#	Time	Action	Message	Duration / Fetch
31	11:33:47	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.032 sec
32	11:34:25	GRANT ALL PRIVILEGES ON bank_transactions TO 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
33	11:34:33	REVOKE SELECT ON bank_transactions FROM 'Auditor1'@'localhost'	0 row(s) affected	0.000 sec
34	11:35:17	REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
35	11:35:49	REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
36	11:35:51	SET autocommit = 0	0 row(s) affected	0.000 sec

21. Commit Transaction

```
49 • UPDATE bank_transactions
50 SET amount = 6000.00
51 WHERE txn_id = 101;
52 • COMMIT;
```

#	Time	Action	Message	Duration / Fetch
34	11:35:17	REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
35	11:35:49	REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'BranchManager'@'localhost'	0 row(s) affected	0.000 sec
36	11:35:51	SET autocommit = 0	0 row(s) affected	0.000 sec
37	11:36:30	COMMIT	0 row(s) affected	0.000 sec
38	11:36:38	COMMIT	0 row(s) affected	0.000 sec
39	11:36:41	UPDATE bank_transactions SET amount = 6000.00 WHERE txn_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec

22. Savepoint and Rollback

```
52 • COMMIT;
53 • SAVEPOINT Before_Update;
54 • UPDATE bank_transactions
55 SET amount = 99999.00
56 WHERE txn_id = 102;
57 • ROLLBACK TO Before_Update;
```

#	Time	Action	Message	Duration / Fetch
37	11:36:30	COMMIT	0 row(s) affected	0.000 sec
38	11:36:38	COMMIT	0 row(s) affected	0.000 sec
39	11:36:41	UPDATE bank_transactions SET amount = 6000.00 WHERE txn_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
40	11:37:30	SAVEPOINT Before_Update	0 row(s) affected	0.000 sec
41	11:37:30	UPDATE bank_transactions SET amount = 99999.00 WHERE txn_id = 102	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
42	11:37:30	ROLLBACK TO Before_Update	0 row(s) affected	0.015 sec

23. Full Transaction Workflow

```

58 • UPDATE bank_transactions
59 SET amount = 7000.00
60 WHERE txn_id = 101;
61 • SAVEPOINT SP1;
62 • UPDATE bank_transactions
63 SET amount = 9000.00
64 WHERE txn_id = 102;
65 • ROLLBACK TO SP1;
66 • COMMIT;

```

Output

#	Time	Action	Message	Duration / Fetch
✓ 42	11:37:30	ROLLBACK TO Before_Update	0 row(s) affected	0.015 sec
✓ 43	11:38:27	UPDATE bank_transactions SET amount = 7000.00 WHERE txn_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 44	11:38:27	SAVEPOINT SP1	0 row(s) affected	0.000 sec
✓ 45	11:38:27	UPDATE bank_transactions SET amount = 9000.00 WHERE txn_id = 102	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 46	11:38:27	ROLLBACK TO SP1	0 row(s) affected	0.000 sec
✓ 47	11:38:27	COMMIT	0 row(s) affected	0.032 sec

24. Enable Autocommit

```

67 • SET autocommit = 1;

```

Output

#	Time	Action	Message	Duration / Fetch
✓ 43	11:38:27	UPDATE bank_transactions SET amount = 7000.00 WHERE txn_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 44	11:38:27	SAVEPOINT SP1	0 row(s) affected	0.000 sec
✓ 45	11:38:27	UPDATE bank_transactions SET amount = 9000.00 WHERE txn_id = 102	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 46	11:38:27	ROLLBACK TO SP1	0 row(s) affected	0.000 sec
✓ 47	11:38:27	COMMIT	0 row(s) affected	0.032 sec
✓ 48	11:39:04	SET autocommit = 1	0 row(s) affected	0.000 sec