

EditableField Widget Documentation

Overview

`EditableField` হলো একটি reusable **StatefulWidget**, যেটা মূলত form বা profile screen-এ ব্যবহার করা হয় যেখানে initially data শুধু দেখা যাবে (read-only), কিন্তু user চাইলে **Edit / Done** বাটনের মাধ্যমে সেই field edit করতে পারবে।

এই widget-এ একটি label, একটি underline-style text field এবং একটি edit toggle action থাকে।

Key Features

-  Initially read-only বা editable করা যায়
-  "Edit / Done" toggle button
-  External বা internal `TextEditingController` support
-  Reusable এবং clean UI
-  Proper controller lifecycle management

Constructor

```
const EditableField({
  Key? key,
  required this.label,
  required this.hintText,
  this.initiallyEditable = false,
  this.edittext,
  this.controller,
});
```

Parameters Explained

Parameter	Type	Required	Description
<code>label</code>	<code>String</code>		Field এর title / label text
<code>hintText</code>	<code>String</code>		TextField এর hint text
<code>initiallyEditable</code>	<code>bool</code>		Field শুরুতে editable হবে কিনা (default: <code>false</code>)

Parameter	Type	Required	Description
<code>edittext</code>	<code>String?</code>		Edit button-এর custom text (default: "Edit")
<code>controller</code>	<code>TextEditingController?</code>		External controller pass করার option

Internal State Logic

State Variables

```
late bool _isEditing;
late TextEditingController _controller;
```

- `_isEditing` → Field editable কিনা তা track করে
- `_controller` → TextField-এর text manage করে

initState()

```
@override
void initState() {
  super.initState();
  _isEditing = widget.initiallyEditable;
  _controller = widget.controller ?? TextEditingController();
}
```

 যদি external controller না দেওয়া হয়, widget নিজে controller create করে।

dispose()

```
@override
void dispose() {
  if (widget.controller == null) {
    _controller.dispose();
  }
  super.dispose();
}
```

 Memory leak avoid করার জন্য controller ঠিকভাবে dispose করা হয়েছে।

Edit Toggle Logic

```
void _toggleEdit() {  
  setState(() {  
    _isEditing = !_isEditing;  
  });  
}
```

- Edit → Done
- Done → Edit
- TextField enable/disable হয়

UI Structure

Widget Tree (Simplified)

```
Column  
├─ Row  
│   ├── Text (Label)  
│   └─ InkWell (Edit / Done)  
└─ UnderlineTextField
```

build() Method (Important Parts)

Label + Edit Button

```
Row(  
  mainAxisAlignment: MainAxisAlignment.spaceBetween,  
  children: [  
    Text(widget.label),  
    InkWell(  
      onTap: _toggleEdit,  
      child: Text(_isEditing ? "Done" : (widget.editttext ?? "Edit")),  
    ),  
  ],  
)
```

Editable TextField

```
UnderlineTextField(  
  hintText: widget.hintText,  
  controller: _controller,  
  enabled: _isEditing,  
)
```

- `_isEditing == false` → read-only
 - `_isEditing == true` → editable
-

Usage Example

Basic Usage

```
EditableField(  
  label: "Username",  
  hintText: "Enter your username",  
)
```

With External Controller

```
final nameController = TextEditingController();  
  
EditableField(  
  label: "Full Name",  
  hintText: "Enter your full name",  
  controller: nameController,  
)
```

Initially Editable

```
EditableField(  
  label: "Email",  
  hintText: "Enter your email",  
  initiallyEditable: true,  
)
```

When to Use This Widget

 Profile Edit Screen  Settings Page  Read-only Form with Edit option  Clean UX for inline editing

Possible Improvements (Optional)

- Save callback (`onDone`)
 - Validation support
 - Icon-based edit button
 - Animation while toggling edit mode
-

Full Source Code

Below is the **complete and ready-to-use source code** of the `EditableField` widget. You can directly copy and paste this into your project.

```
import 'package:nanduba/constants/textfontstyle.dart';
import 'package:nanduba/export.dart';
import 'package:nanduba/widgets/core/underline_textfield.dart';

class EditableField extends StatefulWidget {
  final String label;
  final String hintText;
  final bool initiallyEditable;
  final TextEditingController? controller;
  final String? edittext;

  const EditableField({
    super.key,
    required this.label,
    required this.hintText,
    this.initiallyEditable = false,
    this.edittext,
    this.controller,
  });

  @override
  State<EditableField> createState() => _EditableFieldState();
}

class _EditableFieldState extends State<EditableField> {
  late bool _isEditing;
  late TextEditingController _controller;
```

```

@override
void initState() {
  super.initState();
  _isEditing = widget.initiallyEditable;
  _controller = widget.controller ?? TextEditingController();
}

@override
void dispose() {
  if (widget.controller == null) {
    _controller.dispose();
  }
  super.dispose();
}

void _toggleEdit() {
  setState(() {
    _isEditing = !_isEditing;
  });
}

@override
Widget build(BuildContext context) {
  return Column(
    crossAxisAlignment: CrossAxisAlignment.start,
    children: [
      // Label + Edit button
      Row(
        mainAxisAlignment: MainAxisAlignment.spaceBetween,
        children: [
          Text(
            widget.label,
            style: Textfontstyle.TextStyle14w500c212121poppins.copyWith(
              fontSize: 12.sp,
              color: AppColors.textColor,
            ),
          ),
          InkWell(
            onTap: _toggleEdit,
            child: Text(
              _isEditing ? "Done" : (widget.edittext ?? "Edit"),
              style: Textfontstyle.TextStyle14w500c212121poppins.copyWith(
                decoration: TextDecoration.underline,
                decorationColor: AppColors.textColor,
                fontSize: 12.sp,
                color: AppColors.textColor,
              ),
            ),
          ),
        ],
      ),
    ],
  );
}

```

```

        ),
      ),
    ],
  ),

  UnderlineTextField(
    hintText: widget.hintText,
    controller: _controller,
    enabled: _isEditing,
  ),
],
);
}
}

```

Summary

`EditableField` widget একটি reusable, clean এবং production-ready solution যেটা read-only এবং editable state এর মধ্যে toggle করতে পারে। এটি profile screen, settings page এবং editable form field এর জন্য খুবই উপযোগী।

Tip: External `TextEditingController` ব্যবহার করলে parent widget থেকে value easily access করা যাবে।