

Project Design Phase-II


Data Flow Diagram & User Stories

Date	29 September 2026
Team ID	SWTID-2026-4934
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	4 Marks

Project DFD: Level 0 (Context Diagram)

DFD Level 0 - Context Diagram


Implement Client Script & UI Policy (Incident) - ServiceNow



Project DFD: Level 1

DFD Level 1 - Incident Client-Side Validation


Processes, data stores and data flows



External entity Process Data store Data flow

Data Flow - Step-by-step

Flow



1. Agent opens a new or existing Incident form in ServiceNow and sets Impact to High.
2. UI Policy "High Impact Control" evaluates the condition and makes Assignment group mandatory and Urgency read-only (Reverse if false restores fields when Impact changes).
3. onChange Client Script on Impact sets Urgency to High and shows an info message.
4. On Submit, the onSubmit script checks Assigned To when Impact is High. If it is empty, the save is blocked with an error message on the Assigned To field; otherwise the valid record is saved to the Incident table.
5. Administrators define the UI Policy and Client Scripts in System UI; the rules are stored as platform records.
6. In list view, the onCellEdit script blocks State edits with an alert; State changes are allowed only through the Incident form.

User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance Criteria	Priority	Release
Administrator	UI Policy Configuration	USN-1	As an administrator, I can create a UI Policy "High Impact Control" on the Incident table with the condition Impact is 1 - High and Reverse if false enabled.	The UI Policy is active and triggers only when Impact = High; fields return to normal when Impact changes from High to Medium	High	Sprint-1
Administrator	UI Policy Configuration	USN-2	As an administrator, I can add a UI Policy Action that makes Assignment group mandatory.	Assignment group is mandatory when Impact = High	High	Sprint-1
Administrator	UI Policy Configuration	USN-3	As an administrator, I can add a UI Policy Action that makes Urgency read-only.	Urgency cannot be edited when Impact = High	Medium	Sprint-1
Service Desk Agent	onChange Client Script	USN-4	As a service desk agent, when I set Impact to High, Urgency is set to High automatically.	Urgency becomes 1 - High and an info message is shown	High	Sprint-1
Incident Manager	onSubmit Client Script	USN-5	As an incident manager, I cannot save a High impact Incident without Assigned To.	Save is blocked and an error appears on the Assigned To field	High	Sprint-1
Incident Manager	onCellEdit Client Script	USN-6	As an incident manager, I cannot change State directly from the list view.	An alert is shown and the State value stays unchanged	Medium	Sprint-1
Tester	Testing	USN-7	As a tester, I can create a High impact incident with Assigned To empty and check that the save is blocked and an error message is shown.	Save is blocked and an error appears on the Assigned To field	High	Sprint-2
Tester	Testing	USN-8	As a tester, I can select a user in Assigned To and check that the incident is saved successfully.	The incident is saved without errors	High	Sprint-2
Tester	Testing	USN-9	As a tester, I can change Impact from High to Medium and check that Urgency becomes editable and Assigned To is no longer enforced.	Urgency is editable and Assigned To is no longer enforced	Medium	Sprint-2
Tester	Testing	USN-10	As a tester, I can double-click State in the Incident list and check that the edit is blocked, and then check that State can still be changed from the form.	An alert is shown and the State value stays unchanged; State can still be changed from the form	High	Sprint-2