Continuing the project on your own computer

A step-by-step guide to running Claude Code locally, with no cloud session. Project: paramount-exports (furniture website + CRM + ERP).

1. What you need installed

- **Node.js 22 or newer** - nodejs.org (the LTS download is fine).
- **Git** - git-scm.com.
- **pnpm** - after installing Node, open a terminal and run the command below.
- **Claude Code** - run the second command below. On Windows or Mac, the Claude desktop app also has a Code tab if you prefer a window to a terminal.
- **Docker Desktop** (optional) - only if you want the admin dashboard with sample data. It provides the local database.

```
npm install -g pnpm
npm install -g @anthropic-ai/claude-code
```

2. Get the project onto your computer

All the work is saved on GitHub on the **main** branch. Choose a folder, open a terminal there and run:

```
git clone https://github.com/Rashad-77/paramount-exports.git
cd paramount-exports
pnpm install
```

If GitHub asks you to sign in, use the GitHub account that owns the repository (Rashad-77).

3. Start Claude Code in the project folder

```
claude
```

The first time, it asks you to sign in with your Claude account. After that you talk to it exactly as you did in the cloud: it reads and edits the files on your computer.

Paste this as your first message so it knows the decisions made so far (it does not remember the cloud conversation):

```
Read README.md and docs/ first. Key decisions so far:
- Public site: brown #6E3511, white and light green; square corners;
  Hanken Grotesk font; calm hover (a tone fills up from the base);
  grey photo placeholders; faint wood grain only on the page body.
- Homepage: video hero (placeholder until footage), categories as
  horizontal rows, featured pieces with prices, two ways to buy,
  how custom works, workshop, recent projects, showroom, closing band.
- Admin dashboard: no theme. White, neutral greys, Inter font.
  Menu groups: General, Sales, Manufacturing, Fulfilment, Finance,
  Business management, System. Charts on the dashboard.
- Demo sign-in is Owner only.
- Not built yet: invoices, attendance, tax rules, numbering,
  vehicle assignment.
```

4. See the website on your computer

Public site only (no database needed):

```
pnpm dev
```

Open **http://localhost:3000** in your browser. The admin area will not work without a database.

5. Admin dashboard with sample data (optional)

Start a local database with Docker, then create a file named **.env.local** in the project folder:

```
docker run -d --name furn-pg -p 5432:5432 -e POSTGRES_PASSWORD=postgres postgres:16
```

```
DATABASE_URL=postgres://postgres:postgres@127.0.0.1:5432/postgres
DEMO_MODE=true
STORAGE_DRIVER=local
IP_HASH_SALT=local-salt-local-salt-1234
```

Create the small sign-in stub the database needs, then migrate, add sample data and start the site:

```
docker exec -i furn-pg psql -U postgres -c "create schema if not exists auth; create table if not
pnpm db:migrate
pnpm db:seed
pnpm dev
```

Then open **http://localhost:3000/dev/demo-role?role=owner** to sign in as the sample Owner. This shortcut only exists while running `pnpm dev` against a database on your own computer.

6. Saving your work so the live site updates

Changes stay on your computer until you push them. The live Vercel site follows the **main** branch. Tell Claude Code:

```
commit this and push to main
```

Vercel redeploys on its own a minute or two later. Hard-refresh the page (Ctrl+Shift+R, or Cmd+Shift+R on Mac) to see it.

7. Everyday commands

Command	What it does
`pnpm dev`	Run the site locally (http://localhost:3000)
`pnpm lint` / `pnpm typecheck`	Check the code for mistakes
`pnpm test`	Unit and database tests (database tests need TEST_ADMIN_DATABASE_URL)
`pnpm build`	Make the production build (the same one Vercel makes)
`pnpm db:migrate` / `pnpm db:seed`	Apply database changes / add sample data

8. If something goes wrong

- **Port 5432 already in use:** you already have Postgres. Use that one, or run Docker with `-p 5433:5432` and put 5433 in DATABASE_URL.
- **Migration error mentioning auth.users:** the sign-in stub line was not run. Run it first.

- **The dev server loops or shows a blank loading page:** stop it, delete the `.next` folder and run `pnpm dev` again.
- **Anything else:** paste the error into Claude Code and ask it to fix it.

9. Where things are

- `src/app/(public)/` - the public website pages.
- `src/app/app/` - the admin dashboard pages.
- `src/styles/` and `src/app/globals.css` - colours, fonts and look.
- `src/lib/home-media.ts` - where the homepage video files go once you have them.
- `docs/` - plan, architecture, permissions, operations and known limitations.