

```
mysql> update bankaccount
    -> set balance=balance*1.05;
Query OK, 10 rows affected (0.01 sec)
Rows matched: 10  Changed: 10  Warnings: 0
```

```
mysql> select * from bankaccount;
```

accno	branch_name	balance
1	sbi_chamrajpet	2100
2	sbi_residencyroad	5250
3	sbi_shivajiroad	6300
4	sbi_parliamentroad	9450
5	sbi_jantarmantar	8400
6	sbi_shivajiroad	4200
8	sbi_residencyroad	4200
9	sbi_parliamentroad	3150
10	sbi_residencyroad	5250
11	sbi_jantarmantar	2100

```
10 rows in set (0.00 sec)
```

```
mysql> select distinct s.customername from depositer as s where not exists ((select branch_name from b
ranch where branch_city='delhi') except (select r.branch_name from depositer as t, bankaccount as r whe
re t.accno=r.accno and s.customername=t.customername));
```

customername
nikhil

1 row in set (0.00 sec)

```
mysql> select distinct customername from bankcustomer where customername not in(select customername fr
om depositer);
```

customername
mohan

1 row in set (0.00 sec)

```
mysql> select branch_name from branch where assets >all(select assets from branch where branch_city='bangalore');  
Empty set (0.00 sec)
```