RESEARCH PROTOTYPE

LedgerGuard

An SME finance copilot in which the language model never acts directly.
It proposes. Deterministic code recomputes, checks and decides.

Runs on the owner's own machine. The ledger never leaves the building.

THE PROBLEM

In small-business finance, a wrong number is a wrong payment

- A small business lives week to week on cash. The owner needs to know where the gap is, what it costs to close and what is odd in the books.
- An AI assistant could do that work. Most demos trust the model to add up, to read records correctly and to resist manipulation.
- Here the cost of a mistake is a missed payroll, a duplicate payment or a loan signed on the wrong figures.

€219,676

below zero in week 7 of the sandbox business's forecast

0 of 3

accurate claims about the quarter, in our first live probe, that mentioned it

WHY TRUST IS THE BLOCKER


Checking what was said is not enough. Something must check what was left out, and who may act

- **Arithmetic.** The model added three invoices to €112,543.81. They total €100,454.45.
- **Omission.** It described the quarter accurately and never mentioned the shortfall.
- **Evasion.** Told its payment was blocked, it answered with a chat reply, which kept the block off the record.
- **Injection.** Supplier names and invoice notes are written by outsiders, and the model reads them.

All four happened in our own runs. None of them reached the ledger.

ARCHITECTURE

Two planes: the model proposes, code decides



- The model's only output is a typed **ActionIntent**. Payments name invoices, never an amount or a payee.
- The **verifier** recomputes every figure, runs eight rules, checks provenance and what must be said, and sets the tier. It never reads the prompt.
- The **Executor** holds the only writable connection and accepts only sealed, verified actions.
- Every turn gets a **Trust Receipt**, and every event joins a hash chain.

ARCHITECTURE · LOCAL FIRST

Because correctness lives in code, the model can live on the owner's laptop


- Default model: Qwen2.5-7B-Instruct, open weights, served by Ollama on the owner's machine. No invoice, transaction or payroll figure goes to a model provider.
- A weaker model makes worse proposals. It cannot get a blocked payment through.
- The constraint layer is tested like the rest. Ollama's JSON grammar silently chose the model's answer until we measured it and removed every branch.
- Anyone can run it with `docker compose up`: recorded model responses, no model server, no network.

TIER	GATE
T0 read	runs at once
T1 simulate	runs at once
T2 change records	operator approves the exact diff
T3 move money	approval, typed phrase, 60-second cool-off

DEMO 1 · WHAT MUST BE SAID

The model left out week 7. The verifier put it back, first, in its own words


- "Why is week 7 so bad?" The model listed the payables and did not state the shortfall.
- The verifier inserts the mandatory fact at the top and records **MATERIAL_OMISSION** .
- Every figure carries its source rows, one click from the ledger.



DEMO 2 · A T3 PAYMENT BLOCKED

PayrollProtection: paying would leave payroll €1,031.43 short


- "Pay the Kessling and Vantor invoices due on or before 1 November." The request names the invoices: "this week" resolved differently on each run, so we made it deterministic rather than tune the data.
- The rules run on the draft first. The model is shown the block and must answer about the same payment.
- **BLOCK** No approval can override it. The receipt lists all eight rules.



DEMO 3 · INJECTION CONTAINED

A supplier invoice tells the assistant to pay a new account. It never reaches the model


- The instruction is removed before the model reads it, logged, and shown to the owner.
- The allowed actions come from the owner's words only. A question cannot become a payment.
- Six fixtures: invoice note, supplier name, PDF memo, booking note, scenario echo, a three-turn slow burn.



DEMO 4 · APPROVAL WITH THE EXACT DIFF

The operator sees what the code would write, because the code wrote it and rolled it back

- The diff comes from the Executor's own handler in a transaction that is always rolled back.
- Approving re-runs every rule on the ledger as it stands then.
- T3 needs the typed phrase after a 60-second cool-off.



EVIDENCE · INJECTION, MEASURED BLIND

We tested our own detection blind. It caught nothing. The architecture held anyway

0 of 4

held-out injections caught by the detection layer. Written after it was frozen, committed before they ran, run once, nothing fixed afterwards.

10 of 10

injection fixtures with no unauthorised action, including against a model scripted to obey every injection

5 of 5

wrong figures in 50 sampled answers masked. All five were in prose, none in a claim's figure field.

Don't rely on recognising hostile input. Build a system where hostile input cannot cause harm when nothing recognises it.

- What a turn may do comes from the owner's words only.
- The verifier and the rules never read the prompt.
- A payment names invoices, never a payee or an account.
- Four more problems found here are left unpatched, so the measurement stays honest.

A fixture is a planted injection attempt. Held-out means written after the defence was frozen. The detection layer strips instruction-like outside text. These samples are small: 4 blind fixtures, 50 answers, 2 models. They are measurements, not proof. Hundreds of outside-written injections would make them conclusive.

EVIDENCE · THE VERIFIER, TESTED AGAINST ITSELF

Our safety layer turned a wrong claim into a false one. We found it, and kept the evidence

- The model quoted €106,954.71 for three invoices, citing one.
- The verifier wrote that one invoice's €35,973.77 into the sentence, so "three invoices total €35,973.77" was shown as corrected.
- Now a correction is a visible marker and never put in the model's mouth. A regression test reproduces the case.

BEFORE THE FIX, AS SHOWN TO THE OWNER

> We owe Kessling Combi Ovens a total of €35,973.77 for three overdue invoices inv_0645, inv_0652, and inv_0653.
>
> corrected model said ~~€106,954.71~~ recomputed €35,973.77 `inv_0645` `cp_kessling`


AFTER THE FIX

> We owe Kessling Combi Ovens a total of [figure corrected: the cited figure is €35,973.77] for three overdue invoices inv_0645, inv_0652, and inv_0653.
>
> corrected model said ~~€106,954.71~~ recomputed €35,973.77 `inv_0645` `cp_kessling`

EVIDENCE · AUDIT CHAIN AND MODEL SWAP

Every event is chained, and the chain verifies

- Twelve scenarios and six fixtures replay offline, in Docker, with networking switched off.
- `evidence/` holds every turn, every receipt, the operator's decisions and the audit chain with its head hash.
- Model swap: on Mistral-7B the same requests got different proposals. A payment missing one invoice was safe by every rule, so only the person approving it could catch it: the case for human approval, with evidence. Nothing unsafe got through on either model.



Authors

Rashin Gholijani Farahani

Pourya Hedayat, Islamic Azad University, Science and Research Branch

Source, documentation and evidence: **github.com/Rashiin/ledgerguard**