FINTECHATHON 2026 · INTERNATIONAL TRACK · TOPIC E

LedgerGuard

An SME finance copilot in which the language model never acts directly.
It proposes. Deterministic code recomputes, checks and decides.

Runs on the owner's own machine. The ledger never leaves the building.

THE PROBLEM

In small-business finance, a wrong number is a wrong payment

- A small business lives week to week on cash. The owner needs to know where the gap is, what it costs to close and what is odd in the books.
- An AI assistant could do that work. Most demos trust the model to add up, to read records correctly and to resist manipulation.
- Here the cost of a mistake is a missed payroll, a duplicate payment or a loan signed on the wrong figures.

€219,676

below zero in week 7 of the sandbox business's forecast

0 of 3

accurate claims about the quarter, in our first live probe, that mentioned it

WHY TRUST IS THE BLOCKER


Checking what was said is not enough. Something must check what was left out, and who may act

- **Arithmetic.** The model added three invoices to €112,543.81. They total €100,454.45.
- **Omission.** It described the quarter accurately and never mentioned the shortfall.
- **Evasion.** Told its payment was blocked, it answered with a chat reply, which kept the block off the record.
- **Injection.** Supplier names and invoice notes are written by outsiders, and the model reads them.

All four happened in our own runs. None of them reached the ledger.

ARCHITECTURE

Two planes: the model proposes, code decides



- The model's only output is a typed **ActionIntent**. Payments name invoices, never an amount or a payee.
- The **verifier** recomputes every figure, runs eight rules, checks provenance and what must be said, and sets the tier. It never reads the prompt.
- The **Executor** holds the only writable connection and accepts only sealed, verified actions.
- Every turn gets a **Trust Receipt**, and every event joins a hash chain.

ARCHITECTURE · LOCAL FIRST

Because correctness lives in code, the model can live on the owner's laptop


- Default model: Qwen2.5-7B-Instruct, open weights, served by Ollama on the owner's machine. No invoice, transaction or payroll figure goes to a model provider.
- A weaker model makes worse proposals. It cannot get a blocked payment through.
- The constraint layer is tested like the rest. Ollama's JSON grammar silently chose the model's answer until we measured it and removed every branch.
- Judges run it with `docker compose up`: recorded model responses, no model server, no network.

TIER	GATE
T0 read	runs at once
T1 simulate	runs at once
T2 change records	operator approves the exact diff
T3 move money	approval, typed phrase, 60-second cool-off

DEMO 1 · WHAT MUST BE SAID

The model left out week 7. The verifier put it back, first, in its own words


- "Why is week 7 so bad?" The model listed the payables and did not state the shortfall.
- The verifier inserts the mandatory fact at the top and records **MATERIAL_OMISSION** .
- Every figure carries its source rows, one click from the ledger.



DEMO 2 · A T3 PAYMENT BLOCKED

PayrollProtection: paying would leave payroll €1,031.43 short


- "Pay the Kessling and Vantor invoices due on or before 1 November."
- The rules run on the draft first. The model is shown the block and must answer about the same payment.
- **BLOCK** No approval can override it. The receipt lists all eight rules.



DEMO 3 · INJECTION CONTAINED

A supplier invoice tells the assistant to pay a new account. It never reaches the model


- The instruction is removed before the model reads it, logged, and shown to the owner.
- The allowed actions come from the owner's words only. A question cannot become a payment.
- Six fixtures: invoice note, supplier name, PDF memo, booking note, scenario echo, a three-turn slow burn.



DEMO 4 · APPROVAL WITH THE EXACT DIFF

The operator sees what the code would write, because the code wrote it and rolled it back

- The diff comes from the Executor's own handler in a transaction that is always rolled back.
- Approving re-runs every rule on the ledger as it stands then.
- T3 needs the typed phrase after a 60-second cool-off.



EVIDENCE

We measured where our defences fire, and it was not where we expected

0 of 50


sampled answers with a wrong figure in a claim's figure field. Citing facts moved the errors into prose.

5 of 5

wrong figures in prose masked by the text check, including three wrong payment totals

0 of 4


held-out injections caught by the pattern neutraliser, run blind. None of the ten fixtures produced an unauthorised action.



EVIDENCE · AUDIT CHAIN AND MODEL SWAP

Every event is chained, and the chain verifies

- Twelve scenarios and six fixtures replay offline, in Docker, with networking switched off.
- `evidence/` holds every turn, every receipt, the operator's decisions and the audit chain with its head hash.
- Model swap: on Mistral-7B the same requests got different proposals. A smaller safe payment went to a person, and a mistyped invoice id was refused. Nothing unsafe got through on either model.



TEAM

Team

Rashin Gholijani Farahani

Team members, institutions and roles to be completed before submission.

Source, documentation and evidence: the GitHub repository named in the submission.