| | |
|---|---|
| **Status** | Finished |
| **Started** | Sunday, 25 October 2026, 4:07 PM |
| **Completed** | Sunday, 25 October 2026, 4:10 PM |
| **Duration** | 3 mins 1 sec |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The size of the file
b. The buffer size
c. The mode of the file
d. The encoding format of the file ✓

The correct answer is: The encoding format of the file

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. tell()
b. fseek()
c. ftell()
d. seek() ✓

The correct answer is: seek()

Question **3**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Moves the file cursor to the beginning
b. Closes the file
c. Flushes the internal buffer to the file ✓
d. Deletes the file content

The correct answer is: Flushes the internal buffer to the file

Question **4**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's previous position at the offset

b. sets the file's current position at the offset ✓

c. none of the mentioned

d. sets the file's current position within the file

The correct answer is:
sets the file's current position at the offset

Question **5**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open("c:\scores.txt", "w")

b. outfile = open(file = "c:\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w") ✓

d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **6**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.closed()

b. file.is_closed()

c. file.closed ✓

d. file.isclosed()

The correct answer is: file.closed

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Text file

b. Both text and binary file ✓

c. Binary file

d. none of the given choices

The correct answer is: Both text and binary file

Question **8**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position

b. move the file pointer five characters ahead from the current position ✓

c. moves the file pointer to the end of a file

d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **9**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. • Move file pointer five characters behind ahead from the end of a file.

c. Move file pointer five characters ahead from the beginning

d. • Move file pointer five characters behind from the current position.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **10**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the first 10 characters of the file

b. Prints an error message

c. Prints each line of the file

d. Prints the entire content of the file ✓

The correct answer is: Prints the entire content of the file

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write_list()
b. writelines() ✓
c. write()
d. write_all()

The correct answer is: writelines()

Question **12**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Binary
b. Write
c. Append
d. Read ✓

The correct answer is: Read

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. append()
b. read()
c. insert()
d. write() ✓

The correct answer is: write()

Question **14**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The buffer size for the file operations ✓
- b. The encoding of the file
- c. The access mode of the file
- d. The file's read/write position

The correct answer is: The buffer size for the file operations

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- a. read()
- b. readline() ✓
- c. readlines()
- d. readline(size)

The correct answer is: readline()