




# 1. Python Extension



## 2. JAVA EXTENSIONS




### 3.Unformatted HTML



A screenshot of the Visual Studio Code editor interface. The Explorer sidebar on the left shows a project named 'activity1' with files 'Main.class', 'test.class', 'test.java', 'test.py', 'sample.html', 'test.c', 'test.cpp', and 'test.exe'. The 'sample.html' file is open in the main editor. The code is unformatted and consists of a single line: `<html><html lang="en"><head><meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1.0"><title>Document</title></html>`. The status bar at the bottom indicates 'Ln 1, Col 130', 'Spaces: 4', 'UTF-8', 'CRLF', and 'HTML'.

### 4.Formatted html




A screenshot of the Visual Studio Code editor interface showing the same 'sample.html' file, but now with properly formatted HTML code. The code is as follows: 

```
1 <!doctype html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6     <title>Document</title>
7   </head>
8   <body></body>
9 </html>
```

 The status bar at the bottom indicates 'Ln 10, Col 1', 'Spaces: 4', 'UTF-8', 'CRLF', and 'HTML'.

## 5.Liveshare



## 6.GitLens

