

W3Schools Quizzes

Quiz HOME

Quiz HTML

Quiz CSS

Quiz JavaScript

Quiz SQL

Quiz MySQL

Quiz Python

Quiz PHP

Quiz jQuery

Quiz Bootstrap

Quiz Bootstrap 4

Quiz Bootstrap 5

Quiz React

Quiz Java

Quiz C

Quiz C++

Quiz C#

Quiz R

Quiz Kotlin

Quiz NumPy

Quiz SciPy

Quiz Pandas

Quiz XML

JavaScript Quiz Results

Score: 21 of 25

84% Correct:

Question 1:

Inside which HTML element do we put the JavaScript?

 <script>

Your answer

<scripting>

<js>

<javascript>


NEW

We just launched W3Schools videos



Explore now

COLOR PICKER



Question 2:

What is the correct JavaScript syntax to change the content of the HTML element below?

 document.getElementById("demo").innerHTML = "Hello World!";

Your answer

document.getElementByName("p").innerHTML = "Hello World!";

#demo.innerHTML = "Hello World!";

document.getElement("p").innerHTML = "Hello World!";

Get certified



a course today!

Get started

Question 3:

Where is the correct place to insert a JavaScript?

✓ Both the <head> section and the <body> section are correct

Your answer

The <body> section

The <head> section

Question 4:

What is the correct syntax for referring to an external script called "xxx.js"?

✓ <script src="xxx.js">

Your answer

<script name="xxx.js">

Play Game



HTML

CSS

JAVASCRIPT

SQL

PYTHON

PHP

BOOTSTRAP

HOW TO

W3.CSS

JAVA

JQUERY

C

C++

C#

R



Question 5:

The external JavaScript file must contain the <script> tag.

✓ False

Your answer

True

Question 6:

How do you write "Hello World" in an alert box?

✓ alert("Hello World");

Your answer

msg("Hello World");

alertBox("Hello World");

msgBox("Hello World");

CODE GAME



Question 7:

```
function = myFunction()
```

```
function:myFunction()
```

Question 8:

How do you call a function named "myFunction"?

call function myFunction()

Your answer

call myFunction()

myFunction()

Correct answer

Question 9:

How to write an IF statement in JavaScript?

if (i == 5)

Your answer

if i = 5

if i == 5 then

if i = 5 then

Question 10:

How to write an IF statement for executing some code if "i" is NOT equal to 5?

if (i != 5)

Your answer

if (i <> 5)

if i <> 5

if i != 5

Question 11:

How does a WHILE loop start?

while i = 1 to 10

Your answer

while (i <= 10)

Correct answer

while (i <= 10; i++)

Question 12:

How does a FOR loop start?

for (i <= 5; i++)

for (i = 0; i <= 5)

for (i = 0; i <= 5; i++)

Correct answer

Question 13:

How can you add a comment in a JavaScript?

//This is a comment

Your answer

'This is a comment

<!--This is a comment-->

Question 14:

How to insert a comment that has more than one line?

/*This comment has
more than one line*/

Your answer



HTML

CSS

JAVASCRIPT

SQL

PYTHON

PHP

BOOTSTRAP

HOW TO

W3.CSS

JAVA

JQUERY

C

C++

C#

R



<!--This comment has
more than one line-->

[HTML](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[PHP](#)[BOOTSTRAP](#)[HOW TO](#)[W3.CSS](#)[JAVA](#)[JQUERY](#)[C](#)[C++](#)[C#](#)[R](#)

Question 15:

What is the correct way to write a JavaScript array?

✓ var colors = ["red", "green", "blue"]

Your answer

var colors = (1:"red", 2:"green", 3:"blue")

var colors = "red", "green", "blue"

var colors = 1 = ("red"), 2 = ("green"), 3 = ("blue")

Question 16:

How do you round the number 7.25, to the nearest integer?

✓ Math.round(7.25)

Your answer

Math.rnd(7.25)

round(7.25)

rnd(7.25)

How do you find the number with the highest value of x and y?

✓ Math.max(x, y)

Your answer

ceil(x, y)

Math.ceil(x, y)

[HTML](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[PHP](#)[BOOTSTRAP](#)[HOW TO](#)[W3.CSS](#)[JAVA](#)[JQUERY](#)[C](#)[C++](#)[C#](#)[R](#)

top(x, y)

Question 18:

What is the correct JavaScript syntax for opening a new window called "w2" ?

✓ w2 = window.open("http://www.w3schools.com");

Your answer

w2 = window.new("http://www.w3schools.com");

Question 19:

JavaScript is the same as Java.

✓ False

Your answer

True



HTML

CSS

JAVASCRIPT

SQL

PYTHON

PHP

BOOTSTRAP

HOW TO

W3.CSS

JAVA

JQUERY

C

C++

C#

R



Question 20:

How can you detect the client's browser name?

✗ client.navName

Your answer

navigator.appName

Correct answer

browser.name

Question 21:

Which event occurs when the user clicks on an HTML element?

✓ onclick

Your answer

onchange

onmouseupclick

onmouseover

Question 22:

How do you declare a JavaScript variable?

[HTML](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[PHP](#)[BOOTSTRAP](#)[HOW TO](#)[W3.CSS](#)[JAVA](#)[JQUERY](#)[C](#)[C++](#)[C#](#)[R](#)

variable carName;

v carName;

Question 23:

Which operator is used to assign a value to a variable?

✓ =

*

-

x

Your answer

Question 24:

What will the following code return: Boolean(10 > 9)

✓ true

false

NaN

Your answer

Question 25:

Is JavaScript case-sensitive?

✓ Yes


Your answer

No

Study JavaScript in our JavaScript Tutorial

Kickstart your career

Get certified by completing a course

[Get certified](#)[HTML](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[PHP](#)[BOOTSTRAP](#)[HOW TO](#)[W3.CSS](#)[JAVA](#)[JQUERY](#)[C](#)[C++](#)[C#](#)[R](#)[Report Error](#)[Forum](#)[About](#)[Buy Certificate](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)

Web Courses

- [HTML Course](#)
- [CSS Course](#)
- [JavaScript Course](#)
- [Front End Course](#)
- [SQL Course](#)
- [Python Course](#)

[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

