

QuaRT: a toolkit for the exploration of quantum methods for radiation transport

Rasmit Devkota^{1,2} and John H. Wise^{1,3}

¹ School of Physics, Georgia Institute of Technology, Atlanta, GA ² School of Mathematics, Georgia Institute of Technology, Atlanta, GA ³ Center for Relativistic Astrophysics, Georgia Institute of Technology, Atlanta, GA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

QuaRT is a Python library for quantum simulation of radiative transfer in astrophysical and cosmological problems.

The source code for QuaRT is available on [GitHub](#). It can be installed via pip from the [pypi index](#). Its [documentation](#) is hosted publicly.

Statement of need

Computational cosmology, the use of simulations to study the evolution of the universe, is a rapidly-growing field of research, driven largely by the exponential increase in computing power following Moore's law. Numerous codes Hayes & Norman (2003) have been written to study questions about the early universe and to obtain a better understanding of the plethora of observational results which have come with new telescopes such as the James Webb Space Telescope (Adams et al., 2024). However, classical high-performance computing hardware is slowly approaching the fundamental quantum limit where electronics cannot be scaled down any further (Powell, 2008). Quantum computers present a potential path for further scaling of physical simulations by taking advantage of quantum phenomena such as superposition and entanglement which enable new models of computation. Many quantum algorithms have already been developed for the simulation of cosmological problems Liu & Li (2021). Such simulations must model physical processes such as radiation transport from stars, magnetohydrodynamics of matter, gravitation between massive particles, gas chemistry, and the formation of structures such as stars, black holes, halos, and galaxies (e.g., Brummel-Smith et al., 2019; Hopkins et al., 2023). Of these, radiation transport tends to be one of the most expensive steps due to the high dimensionality of the problem, but it also the most difficult to develop because of the lack of problems with analytical solutions Ilian T. Iliev et al. (2009). Quantum algorithms have been formulated for radiation transport, such as those based on ray tracing (?), random walks (Lee et al., 2025), and other novel differential equations solvers (Gaitan et al., 2024). Classical lattice Boltzmann methods (LBMs), which track the distribution of a quantity on a grid with discretized propagation directions (McNamara & Zanetti, 1988), have already been applied extensively to study radiation transport Weih et al. (2020) and radiation hydrodynamics (Asahina et al., 2020). Quantum LBMs have also been constructed to study hydrodynamics Wawrzyniak, Winter, Schmidt, Indiniger, et al. (2025) and radiation transport (Igarashi et al., 2024). These quantum LBMs reduce the memory constraints of classical simulations by storing information in quantum state amplitudes, the number of which grows exponentially with the number of qubits, enabling the storage of data with only logarithmic scaling with problem size. Individual simulation steps can thus be made very high resolution and only the necessary amount of data needs to be stored classically. However, existing quantum LBMs are not suited for cosmological problems because such

simulations are typically non-scattering, but isotropic sources under stars are not accurately resolved angularly by LBMs due to their discretized angular structure. QuaRT features the first known implementation of a quantum LBM which accurately resolves isotropic sources in non-scattering media; it does so via a novel methodology which we refer to as “angular redistribution”, where radiation is redistributed between angular directions based on the expected angular distribution. This can even be done globally for an entire simulation domain with no increase in computational complexity, enabling larger and more accurate simulations of the evolution of the universe than currently possible.

Functionality

The `qlbm_rt` module features the `simulate` method which is called to perform simulations with the lattice Boltzmann method. This method constructs the full quantum circuit for each timestep of the simulation and returns the lattice data.

The `qlbm_circuits` module features constructors for the necessary circuits for radiative transfer simulation in 1D, 2D, and 3D, including a constructor for the novel angular redistribution step. These constructors are called by the `simulate` method which composes them to construct the full quantum circuit.

QuaRT features a variety of utility methods for both general and quantum lattice Boltzmann methods in `lbm_utils` and `qlbm_utils`, respectively. It also features analysis utilities in the `analysis` module. These utilities are used by the `simulate` method for problem setup and analysis.

The `test` module features a variety of common test cases used for radiative transfer codes, including the isotropic source, opaque cloud shadow, and crossing radiation beams tests. These tests demonstrate the general correctness of the codebase, with a particular emphasis on the performance of the angular redistribution methodology.

Scholarly Work

QuaRT is currently being used to study lattice Boltzmann methods for radiative transfer (Devkota & Wise, 2025, in prep.).

Acknowledgements

JHW acknowledges support from NSF grants AST-2108020 and AST-2510197 and NASA grant 80NSSC21K1053. This research was supported in part through research cyberinfrastructure resources and services provided by the Partnership for an Advanced Computing Environment (PACE) at the Georgia Institute of Technology, Atlanta, Georgia, USA (PACE, 2017).

References

- Adams, N. J., Conselice, C. J., Austin, D., Harvey, T., Ferreira, L., Trussler, J., Juodžbalis, I., Li, Q., Windhorst, R., Cohen, S. H., Jansen, R. A., Summers, J., Tompkins, S., Driver, S. P., Robotham, A., D’Silva, J. C. J., Yan, H., Coe, D., Frye, B., ... Zitrin, A. (2024). EPOCHS. II. The ultraviolet luminosity function from 7.5 z z 13.5 using 180 arcmin² of deep, blank fields from the PEARLS survey and public JWST data. *The Astrophysical Journal*, 965(2), 169. <https://doi.org/10.3847/1538-4357/ad2a7b>
- Asahina, Y., Takahashi, H. R., & Ohsuga, K. (2020). A numerical scheme for general relativistic radiation magnetohydrodynamics based on solving a grid-based boltzmann equation. *The Astrophysical Journal*, 901(2), 96. <https://doi.org/10.3847/1538-4357/abaf51>

- 85 Bindra, H., & Patil, D. V. (2012). Radiative or neutron transport modeling using a lattice
86 boltzmann equation framework. *Physical Review E*, 86(1). [https://doi.org/10.1103/](https://doi.org/10.1103/physreve.86.016706)
87 [physreve.86.016706](https://doi.org/10.1103/physreve.86.016706)
- 88 Brummel-Smith, C., Bryan, G., Butsky, I., Corlies, L., Emerick, A., Forbes, J., Fujimoto, Y.,
89 Goldbaum, N., Grete, P., Hummels, C., Kim, J., Koh, D., Li, M., Li, Y., Li, X., O'Shea,
90 B., Peeples, M., Regan, J., Salem, M., ... Zhao, F. (2019). ENZO: An adaptive mesh
91 refinement code for astrophysics (version 2.6). *Journal of Open Source Software*, 4(42),
92 1636. <https://doi.org/10.21105/joss.01636>
- 93 Bryan, G. L., Norman, M. L., O'Shea, B. W., Abel, T., Wise, J. H., Turk, M. J., Reynolds, D.
94 R., Collins, D. C., Wang, P., Skillman, S. W., Smith, B., Harkness, R. P., Bordner, J., Kim,
95 J., Kuhlen, M., Xu, H., Goldbaum, N., Hummels, C., Kritsuk, A. G., ... Li, Y. (2014). ENZO:
96 AN ADAPTIVE MESH REFINEMENT CODE FOR ASTROPHYSICS. *The Astrophysical*
97 *Journal Supplement Series*, 211(2), 19. <https://doi.org/10.1088/0067-0049/211/2/19>
- 98 Budinski, L. (2021). Quantum algorithm for the advection–diffusion equation simulated
99 with the lattice boltzmann method. *Quantum Information Processing*, 20(2). <https://doi.org/10.1007/s11128-021-02996-3>
- 101 Davis, S. W., Stone, J. M., & Jiang, Y.-F. (2012). A RADIATION TRANSFER SOLVER FOR
102 ATHENA USING SHORT CHARACTERISTICS. *The Astrophysical Journal Supplement*
103 *Series*, 199(1), 9. <https://doi.org/10.1088/0067-0049/199/1/9>
- 104 Devkota, R., & Wise, J. H. (2025). A novel quantum lattice Boltzmann methodology for
105 cosmological radiation transport. *Phys. Rev. D*.
- 106 Gaitan, F., Graziani, F., & Porter, M. D. (2024). Simulating nonlinear radiation diffusion
107 through quantum computing. *International Journal of Theoretical Physics*, 63(10). <https://doi.org/10.1007/s10773-024-05800-x>
- 108 <https://doi.org/10.1007/s10773-024-05800-x>
- 109 Hayes, J. C., & Norman, M. L. (2003). Beyond flux-limited diffusion: Parallel algorithms for
110 multidimensional radiation hydrodynamics. *The Astrophysical Journal Supplement Series*,
111 147(1), 197–220. <https://doi.org/10.1086/374658>
- 112 Hopkins, P. F., Wetzel, A., Wheeler, C., Sanderson, R., Grudić, M. Y., Sameie, O., Boylan-
113 Kolchin, M., Orr, M., Ma, X., Faucher-Giguère, C.-A., Kereš, D., Quataert, E., Su,
114 K.-Y., Moreno, J., Feldmann, R., Bullock, J. S., Loebman, S. R., Anglés-Alcázar, D.,
115 Stern, J., ... Hayward, C. C. (2023). FIRE-3: updated stellar evolution models, yields, and
116 microphysics and fitting functions for applications in galaxy simulations. 519(2), 3154–3181.
117 <https://doi.org/10.1093/mnras/stac3489>
- 118 Igarashi, A., Kadowaki, T., & Kawabata, S. (2024). Quantum algorithm for the radiative-
119 transfer equation. *Physical Review Applied*, 21(3).
- 120 Iliev, Ilian T., Ciardi, B., Alvarez, M. A., Maselli, A., Ferrara, A., Gnedin, N. Y., Mellema,
121 G., Nakamoto, T., Norman, M. L., Razoumov, A. O., Rijkhorst, E.-J., Ritzerveld, J.,
122 Shapiro, P. R., Susa, H., Umemura, M., & Whalen, D. J. (2006). Cosmological radiative
123 transfer codes comparison project – i. The static density field tests. *Monthly Notices of*
124 *the Royal Astronomical Society*, 371(3), 1057–1086. [https://doi.org/10.1111/j.1365-2966.](https://doi.org/10.1111/j.1365-2966.2006.10775.x)
125 [2006.10775.x](https://doi.org/10.1111/j.1365-2966.2006.10775.x)
- 126 Iliev, Ilian T., Whalen, D., Mellema, G., Ahn, K., Baek, S., Gnedin, N. Y., Kravtsov, A. V.,
127 Norman, M., Raicevic, M., Reynolds, D. R., Sato, D., Shapiro, P. R., Semelin, B., Smidt, J.,
128 Susa, H., Theuns, T., & Umemura, M. (2009). Cosmological radiative transfer comparison
129 project II. The radiation-hydrodynamic tests. *Mon. Not. R. Astron. Soc.*, 400(3).
- 130 Jiang, Y.-F., Stone, J. M., & Davis, S. W. (2014). AN ALGORITHM FOR RADIA-
131 TION MAGNETOHYDRODYNAMICS BASED ON SOLVING THE TIME-DEPENDENT
132 TRANSFER EQUATION. *The Astrophysical Journal Supplement Series*, 213(1), 7. <https://doi.org/10.1088/0067-0049/213/1/7>
- 133 <https://doi.org/10.1088/0067-0049/213/1/7>

- Joseph, A., Varela, J.-P., Watts, M. P., White, T., Feng, Y., Hassan, M., & McGuigan, M. (2021). *Quantum computing for inflationary, dark energy and dark matter cosmology*. arXiv. <https://doi.org/10.48550/ARXIV.2105.13849>
- Joseph, A., White, T., Chandra, V., & McGuigan, M. (2022). *Quantum computing of schwarzschild-de sitter black holes and kantowski-sachs cosmology*. arXiv. <https://doi.org/10.48550/ARXIV.2202.09906>
- Kannan, R., Garaldi, E., Smith, A., Pakmor, R., Springel, V., Vogelsberger, M., & Hernquist, L. (2021). Introducing the <scp>thesan</scp> project: Radiation-magnetohydrodynamic simulations of the epoch of reionization. *Monthly Notices of the Royal Astronomical Society*, 511(3), 4005–4030. <https://doi.org/10.1093/mnras/stab3710>
- Kannan, Rahul, Vogelsberger, M., Marinacci, F., McKinnon, R., Pakmor, R., & Springel, V. (2019). <Scp>arepo-rt</scp>: Radiation hydrodynamics on a moving mesh. *Monthly Notices of the Royal Astronomical Society*, 485(1), 117–149. <https://doi.org/10.1093/mnras/stz287>
- Kaufman, A., Sundy, D., & McGuigan, M. (2019). Quantum computation for early universe cosmology. *2019 New York Scientific Data Summit (NYSDS)*, 1–6. <https://doi.org/10.1109/nysds.2019.8909801>
- Lee, E., Lee, S., & Kim, S. (2025). Quantum walk based monte carlo simulation for photon interaction cross sections. *Physical Review D*, 111(11). <https://doi.org/10.1103/physrevd.111.116001>
- Liu, J., & Li, Y.-Z. (2021). Quantum simulation of cosmic inflation. *Physical Review D*, 104(8). <https://doi.org/10.1103/physrevd.104.086013>
- Ljubomir, B. (2022). Quantum algorithm for the navier–stokes equations by using the streamfunction-vorticity formulation and the lattice boltzmann method. *International Journal of Quantum Information*, 20(02). <https://doi.org/10.1142/s0219749921500398>
- Lu, X., & Lin, H. (2022a). *A framework for quantum ray tracing*. <https://doi.org/10.48550/ARXIV.2203.15451>
- Lu, X., & Lin, H. (2022b). Quantum ray tracing with simulation. *SPIN*, 12(04). <https://doi.org/10.1142/s2010324722500308>
- McCulloch, R., & Bindra, H. (2016). Coupled radiative and conjugate heat transfer in participating media using lattice boltzmann methods. *Computers & Fluids*, 124, 261–269. <https://doi.org/10.1016/j.compfluid.2015.05.024>
- McNamara, G. R., & Zanetti, G. (1988). Use of the boltzmann equation to simulate lattice-gas automata. *Phys. Rev. Lett.*, 61, 2332–2335. <https://doi.org/10.1103/PhysRevLett.61.2332>
- Mink, A., McHardy, C., Bressel, L., Rauh, C., & Krause, M. J. (2020). Radiative transfer lattice boltzmann methods: 3D models and their performance in different regimes of radiative transfer. *Journal of Quantitative Spectroscopy and Radiative Transfer*, 243, 106810. <https://doi.org/10.1016/j.jqsrt.2019.106810>
- Mocz, P., & Szasz, A. (2021). Toward cosmological simulations of dark matter on quantum computers. *The Astrophysical Journal*, 910(1), 29. <https://doi.org/10.3847/1538-4357/abe6ac>
- O’Shea, B. W., Wise, J. H., Xu, H., & Norman, M. L. (2015). PROBING THE ULTRA-VIOLET LUMINOSITY FUNCTION OF THE EARLIEST GALAXIES WITH THE RENAISSANCE SIMULATIONS. *The Astrophysical Journal*, 807(1), L12. <https://doi.org/10.1088/2041-8205/807/1/l12>
- Olsen, T., & Rezzolla, L. (2025). General-relativistic lattice-boltzmann method for radiation

- 181 transport. *Monthly Notices of the Royal Astronomical Society*, 541(2), 1305–1328. <https://doi.org/10.1093/mnras/staf992>
- 182
- 183 PACE. (2017). *Partnership for an Advanced Computing Environment (PACE)*. <http://www.pace.gatech.edu>
- 184
- 185 Powell, J. R. (2008). The quantum limit to moore's law. *Proceedings of the IEEE*, 96(8),
- 186 1247–1248. <https://doi.org/10.1109/JPROC.2008.925411>
- 187 Wang, C.-C. E., & Wu, J.-H. P. (2024). *Quantum cosmology on quantum computer*. <https://doi.org/10.48550/ARXIV.2410.22485>
- 188
- 189 Wawrzyniak, D., Winter, J., Schmidt, S., Indinger, T., Janßen, C. F., Schramm, U., & Adams,
- 190 N. A. (2025). A quantum algorithm for the lattice-boltzmann method advection-diffusion
- 191 equation. *Computer Physics Communications*, 306, 109373. <https://doi.org/10.1016/j.cpc.2024.109373>
- 192
- 193 Wawrzyniak, D., Winter, J., Schmidt, S., Indinger, T., Janßen, C. F., Schramm, U., &
- 194 Adams, N. A. (2025). *Dynamic circuits for the quantum lattice-boltzmann method*. <https://doi.org/10.48550/ARXIV.2502.02131>
- 195
- 196 Weih, L. R., Gabbana, A., Simeoni, D., Rezzolla, L., Succi, S., & Tripiccone, R. (2020). Beyond
- 197 moments: Relativistic lattice boltzmann methods for radiative transport in computational
- 198 astrophysics. *Monthly Notices of the Royal Astronomical Society*, 498(3), 3374–3394. <https://doi.org/10.1093/mnras/staa2575>
- 199
- 200 Yamazaki, S., Uchida, F., Fujisawa, K., Miyamoto, K., & Yoshida, N. (2025). Quantum
- 201 algorithm for collisionless boltzmann simulation of self-gravitating systems. *Computers*
- 202 *& Fluids*, 288, 106527. <https://doi.org/10.1016/j.compfluid.2024.106527>